

Estimation of environmental Kuznets curve for SO2 emission: A case of Indian cities

Sinha, Avik and Bhattacharya, Joysankar

Indian Institute of Management Indore

2017

Online at https://mpra.ub.uni-muenchen.de/100009/ MPRA Paper No. 100009, posted 03 May 2020 14:45 UTC

1 1. Introduction

2 When an economy starts moving along the growth trajectory, then at the earliest stage of economic growth, environment deteriorates rapidly due to ambient air pollution, deforestation, 3 4 soil and water contamination, and several other factors. With rise in the level of income, when economy starts to develop, the pace of deterioration slows down, and at a particular level of 5 income, environmental degradation starts to come down and environmental quality improves. 6 This hypothesized association between environmental degradation and income takes an inverted 7 U-shaped form. This phenomenon is referred to as Environmental Kuznets Curve (EKC) 8 hypothesis in the literature of environmental economics, named after Simon Kuznets (1955), 9 who described the inverted U-curve association between income inequality and economic 10 development. Grossman and Krueger (1991) later found its resemblance with Kuznets' inverted 11 U-curve relationship while establishing a relationship between pollution and economic 12 development. 13

The existing studies on EKC hypothesis have so far focused on either cross-country 14 analysis or intra-provincial analysis of a particular country. In this study, we have analyzed the 15 SO₂ emission data for 139 Indian cities during 2001-2013. The analysis is done by segregating 16 17 the entire dataset into industrial and residential categories, and then segregating each of the two segments in terms of income level, i.e. low, medium, and high income. This schema of 18 segmentation was designed to visualize the income-pollution association at various levels of 19 20 income, and therefore, analyzing policy implications can be more effective. The literature of EKC hypothesis has majorly looked into the income-pollution association without considering 21 different income levels for any particular context. This is one area, which is largely unaddressed 22 23 in the literature has remained the focus of this study.

In EKC hypothesis, economic growth has been taken as the explanatory variable for environmental degradation, and economic growth has been parameterized in several ways in the literature. It has been primarily indicated as growth in per capita income and apart from income, this study has also taken electricity consumption and petroleum consumption as two other explanatory variables. These two variables have been considered as the proxy measures for energy consumption.

In methodological terms, this study employs panel regression on parameters validated by auxiliary regressions on orthogonally transformed dataset. Due to usage of power terms, EKC models suffer from multicolinearity. In most of the existing studies, this issue has been ignored and this study has tried orthogonal transformation of parameters, followed by auxiliary regression on transformed parameters to remove multicolinearity from the data.

12 **2. Review of literature**

The literature on EKC hypothesis is extensive in the field of ecological economics. The 13 studies have been carried out on various pollutants, like NO₂ (Panayotou, 1993; Grossman and 14 Krueger, 1995; Egli, 2001; Hill and Magnani, 2002; Archibald et al., 2004; Welsch, 2004; 15 Fonkych and Lempert, 2005; Song et al., 2013; Sinha, 2016; Sinha and Bhattacharya, 2016), CO₂ 16 (Moomaw and Unruh, 1997; Roberts and Grimes, 1997; Roca and Alcántara, 2001; Martínez-17 Zarzoso and Bengochea-Morancho, 2004; Galeotti et al., 2006; Sinha, 2014; Sinha and 18 Bhattacharya, 2014; Sinha, 2015; Alam et al., 2016; Shahbaz et al., 2016), SPM (Selden and 19 20 Song, 1994; Vincent, 1997; Matsuoka et al., 1998; Torras and Boyce, 1998; Dinda et al., 2000; Wheeler, 2001; Binti Borhan and Musa Ahmed, 2010; Miah et al., 2011), RSPM (McConnell, 21 1997; Wheeler, 2001; Dasgupta et al., 2002; Rupasingha et al., 2004; Alpay, 2005; Kumar and 22 23 Foster, 2009; Orubu and Omotor, 2011; Feizpour and Shahmohammadi Mehrjardi, 2014), and 1 many others. As our present study relates to EKC estimation for SO₂ emission, therefore we will
2 focus our review of literature at the studies, which have considered SO₂ as the primary pollutant.

For SO₂ emission, studies have been carried out on cross-sectional data (Panayotou, 3 1993; Taskin and Zaim, 2000; Bimonte, 2002; Khanna and Plassmann, 2004) and panel data 4 (Selden and Song, 1994; Shafik, 1994; Grossman and Krueger, 1995; Kaufmann et al., 1998; 5 List and Gallet, 1999; Harbaugh et al., 2002; Millimet et al., 2003; Galeotti et al., 2006; Soytas et 6 al., 2007; Apergis and Payne, 2010; Al Sayed and Sek, 2013) and all of these studies are based 7 on a group of countries. Apart from the works of Lantz and Feng (2006), Akbostanci et al. 8 9 (2009), Song et al. (2013), hardly any study has attempted to analyze the EKC of a particular country. Moreover, for a country with high population density, it is not always feasible to end up 10 with a single EKC only. Though these studies have considered provincial differences in 11 emission, no study has so far considered different income levels of a country and the differential 12 impact of income levels on emission. In this study, we have segregated Indian cities in terms of 13 three income levels, namely low, medium, and high income and observed the income-emission 14 association under EKC framework. 15

Apart from that, while estimating EKC for any context, researchers have majorly taken 16 17 indicators of economic growth, like trade (Suri and Chapman, 1998), financial development (Tamazian et al., 2009), and technological progress (Bhattarai and Hammig, 2001) as 18 explanatory variables in EKC framework. These variables are different indicators of economic 19 20 growth. For ambient air pollution, more specific explanatory variables are required, and a recent work of Onafowora and Owoye (2014) has considered this aspect. They have taken energy 21 consumption as an explanatory variable, which is relevant for our study as well. As India is net 22 23 oil importing nation, and Indian industries and households depend on commercial and

combustible electricity consumption (Sinha and Mehta, 2014), we have considered energy
 consumption in the form of electricity consumption and petroleum consumption as explanatory
 variables in our study.

4 **3.** SO₂ emission in India

5 Due to rapid growth in industrialization, India has experienced a significant growth in the 6 fossil fuel consumption. Adverse effects of this growth have been seen in the growth of ambient air pollution. During the last decade, SO₂ emission has gone up by 54% (Lu et al., 2011; Haq et 7 al., 2015). Looking at the emission affecting stratospheric region, SO₂ is considered as the 8 9 primary pollutant in this case, as the sulphur aerosols formed in this region are majorly caused by SO₂ emission (Friend et al., 1973; Whitby, 1978; Turco et al., 1979; Surratt et al., 2007). Apart 10 from that, SO₂ is soluble in airborne water globules, and thereby, forming sulphurus and 11 sulphuric acid in the form of acid rains (Penkett et al., 1979). Formation of aerosols after reacting 12 with particulate matters can create severe respiratory problems (Brain and Valberg, 1979), and 13 even premature births (Hastwell, 1975). Mainly for these reasons, rise in the level of SO₂ 14 emission can cause serious damage to ambient atmosphere, and the human life. 15

In India, reasons behind rise in the level of SO₂ emission differ between industrial and 16 17 residential areas. In industrial areas, rise in the SO_2 emission can be attributed to rise in the level of direct fossil fuel consumption, in the form of coal and crude oil. Majority of these two fossil 18 fuels used in India are high in sulphur content. Consumption of coal is majorly seen in the 19 20 thermal power plants and manufacturing sectors, whereas the crude oil with greater sulphur content, i.e. sour crude oil is used in the transportation sector. Combustion of these fossil fuels at 21 high temperature (more than 1500°C) oxidizes the sulphur contents (Krawczyk et al., 2013). 22 23 Burning of coal is the major source of SO₂ emission in industrial areas. Apart from that, direct 1 consumption of sour crude oil, i.e. low quality high-speed diesel and petrol in vehicular 2 transportation leads towards emission of SO_2 in the industrial areas. As there are only two 3 stratovolcanos in India (Barren Island and Narcondam), and out them, only Barren Island is 4 currently active, therefore, the SO_2 generation out of volcanic eruption may not be considered in 5 this case.

6 For the residential areas, the level of SO_2 emission is comparatively lower than the emission level in industrial areas (Hindy et al., 1990; Mathew et al., 2015). Even if small, the 7 growth in emission in residential areas can be attributed to burning of coal and sour crude oil for 8 9 cooking purpose. Kerosene, the form of sour crude oil used in domestic purpose is the mostly used petroleum product in the households. This case is similar to that of the cases of Chinese and 10 Japanese households, where coal-stoves (Chen et al., 2005) and kerosene heaters (Ritchie and 11 Oatman, 1983) are primarily used for cooking purpose. Burning of these fuels generate SO₂ in 12 the indoor atmosphere. This problem is catalyzed by means of the lack of ventilation in the 13 residential area cities. Heights of building and level of humidity do not directly add to the level 14 of SO₂ emission, but they catalyze the growth and spreading by restricting ventilation. This 15 scenario has already been experienced in other Asian cities, like Hong Kong (Lau, 2011). 16 17 Heights of the building resist sunlight and ventilation in the neighborhood and massive usage of air-conditioning systems in the neighborhood areas aggravates the situation. Moreover, rooftop 18 solar panels cannot be installed in the neighborhood areas due to lack of sunlight. These in one 19 20 hand reduce energy efficiency by elevating the level of fossil fuel based energy consumption, and on the other hand, increase the level of humidity and outdoor temperature. This catalyzes the 21 22 formation of smog in residential areas.

1 4. Econometric methodology and data

г

1.

We have collected data of 139 Indian cities for the duration of 2001-2013. For the 2 analysis, the entire dataset has been segregated into industrial and residential areas¹, as the 3 emission pattern in these two areas differ significantly, and therefore, they should be analyzed in 4 isolation. For analyzing the impact of pollution on level of income, dataset for each of the two 5 areas has been segregated into three parts, namely low, medium, and high income.² This will 6 allow us to observe the income-emission association in a comparative manner. Descriptive 7 statistics of the data has been provided in Appendix 1A. Profile of the cities and their zonal 8 9 divisions are provided in Appendix 1F and 1G.

c

1 1

1 . ..

11
$$E_{ijk} = a_0 + a_1 C_{jkl} + a_2 POP_{jk} + a_3 Y_{jk} POP_{jk} + a_4 Y_{jk} + a_5 Y_{jk}^2 + a_6 Y_{jk}^3 + \varepsilon_t$$
(1)

Where, E is the emission, C is the city specific effect, POP is the population, Y is the city level 12 income, *i* is the pollutant (SO₂ in this case), *j* is the income level, *k* is the area classification, *l* is 13 city specific effects, and ε is error term. Basic form of this estimation equation has been adapted 14 from Dinda (2004). Following the argument of Panayotou (1993), the interaction between POP 15 and Y has been considered to measure the elasticity values. 16

We will now discuss the city specific effects C. For Indian cities, most of the human 17 18 made ambient air pollution can be attributed to fossil fuel consumption, and it can be further subdivided into commercial electricity consumption (Pachauri and Spreng, 2002; Raghuvanshi et 19 al., 2006; Hubacek et al., 2007; Pachauri and Jiang, 2008) and combustion of petroleum products 20 21 (Reddy and Venkataraman, 2002; Mukhopadhyay and Forssell, 2005; Sinha and Bhattacharya,

¹ Central Pollution Control Board collects and publishes separate data for industrial and residential areas.

² The income levels are decided based on the average income level of the cities over the study period. The income levels are decided in this manner: low income is for average income less than Rs. 1000 lacs, medium income is for average income between Rs. 1000 lacs and Rs. 5000 lacs, and high income is for average income above Rs. 5000 lacs.

1 2016). Majority of the commercial electricity utilized in India is generated out of the thermal power plants, which run on coal and crude oil. On the other hand, direct utilization of petroleum 2 products can be seen in transportation sector and in households. The emission generated by the 3 transportation sector can be attributed to industrial sector, as this sector is used by the industrial 4 sector for commuting their products (Deolalikar and Evenson, 1989; Azar et al., 2003; Anand et 5 al., 2006). Over the years, researchers have identified commercial electricity consumption and 6 combustion of petroleum products as primary sources of ambient air pollution in Indian cities 7 (for a detailed review, see Mallik and Lal, 2014). Moreover, the share of renewable energy in 8 India is still less than 10 percent (India Brand Equity Foundation, 2016). Therefore, in our study, 9 we have identified electricity consumption and petroleum consumption as city specific effects in 10 our model. 11

Based on Eq. 1, we have formed two models, and those are as per the following:

12

13
$$E_{ijk} = a_0 + a_1 E C_{jk} + a_2 P O P_{jk} + a_3 Y_{jk} \cdot P O P_{jk} + a_4 Y_{jk} + a_5 Y_{jk}^2 + a_6 Y_{jk}^3 + \varepsilon_t$$
(2)

14
$$E_{ijk} = a_0 + a_1 P C_{jk} + a_2 P O P_{jk} + a_3 Y_{jk} P O P_{jk} + a_4 Y_{jk} + a_5 Y_{jk}^2 + a_6 Y_{jk}^3 + \varepsilon_t$$
(3)

Where, *EC* is electricity consumption, and *PC* is petroleum consumption. In future, we shall refer Eq. 2 as "Electricity consumption model" and Eq. 3 as "Petroleum consumption model".

The emission data for SO₂ (in µg/m³) have been collected from the Central Pollution
Control Board, India, electricity consumption data (in GWH) have been collected from the
Ministry of Power, Govt. of India, petroleum consumption data (in Kg) have been collected from
the Ministry of Petroleum & Natural Gas, Govt. of India, population data have been collected
from the Census, Ministry of Home Affairs, Govt. of India, city level income data (in Rs. Lacs)
have been collected from Directorate of Economic and Statistics of individual states.

1 Researchers have identified several problems in the econometric techniques used for estimating the EKCs, like, serial dependence, stochastic trends in the time series, and omitted 2 variable bias (Stern, 2004). In this study, we have tried to address some of those problems, like 3 4 handling multicolinearity, ensuring stationarity of the data, checking the robustness of the estimated models. Multicolinearity is a problem with the model, in which the powered terms of 5 the independent variables are used, and as a result, interactions among those independent 6 variables increase the level of standard errors for their estimated coefficients (see Appendix 1B 7 and 1C). In order to handle this issue, the models have been specified by removing orthogonally 8 9 transformed independent variables correlating with lower order terms through auxiliary regressions. Once a specification is chosen, the within model has been tested with the original 10 data. Before applying auxiliary regressions, stationarity of the data has been checked by applying 11 LLC (Levin et al., 2002) and IPS (Im et al., 2003) panel unit root tests, and we found all the 12 orthogonally transformed variables to be stationary at level (Appendix 1D). Once the models are 13 estimated, following Barslund et al. (2007), we have checked the robustness of the models by 14 conducting partial regressions for each of the models for full dataset (see Appendix 1E).³ 15

16

5. Data analysis for industrial area

For analyzing the EKC(s) for industrial area, electricity consumption model and 17 petroleum consumption model have been tested and regression results have been recorded in 18 Table 1 and 2. Analyzing first order conditions (FOC) and second order conditions (SOC) 19 20 recorded in Table 1, shape of EKCs can be estimated. In this case, we find that the incomeemission association for electricity consumption model is inverted U-shaped (Figure 1), and it is 21

³ As the tested models on full dataset for residential area do not have any component of income, which is the core variable of the estimated models, so the robustness check has only been carried out for the models pertaining to industrial areas. The results are recorded in Appendix 1E.

divulged by the nature of elasticity of the association. This association follows the generally
 accepted form of EKC.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 452.24 \\ < 0, & Y > 452.24 \end{cases}$$

Similarly, in this case also, we find that the income-emission association for petroleum
consumption model is inverted U-shaped (Figure 1), and it is divulged by the nature of elasticity
of the association. This association follows the generally accepted form of EKC.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 287.52 \\ < 0, & Y > 287.52 \end{cases}$$

Once we have estimated EKCs for all income levels in the industrial area, now we can
proceed with EKC estimation for three levels of income. However, the regression coefficients
are insignificant for medium income cities, and therefore, no EKC can be found for this area. So,
we will proceed with EKC estimation for low and high income areas.

Wald Chi² *Prob.* > Chi^2 Model Effect Area a_0 a_1 a_2 a_3 a_4 a_5 a_6 2.101 0.028 -0.195 -0.132^{a} 0.004^{a} Consumption _ -6.19 0.0000 Electricity Fixed (3.12) (0.95)(0.89)(-0.83)(-3.75)-0.396^b 0.072^{a} 0.003^{b} 4.783^a -0.106^{a} _ Random 30.52 Industrial 0.0000 (2.70)(-2.02)(-3.25)(2.31)(2.77)0.111^b 0.061^b 0.281 0.004^{a} 0.330 Consumption Petroleum Fixed 6.99 0.0000 (0.14)(2.33)(1.99)(1.17)(3.06)- 0.112^{a} 0.065^{b} 0.003^b 3.066 -0.102^{a} 37.70 0.0000 Random (1.61)(2.66)(2.49)(-3.10)(2.27)_ _ -0.432^{b} 6.278^{a} 0.083^{a} 0.023 0.000 _ Consumption Electricity 3.72 0.0011 Fixed (3.23)(2.74)(-2.12)(0.90)(0.38)0.101^a -0.281^c 4.265^a 0.090 0.001 -Residential Random 20.58 0.0022 (2.78)(3.45)(-1.67) (0.44)(1.03)_ 6.050^{a} -0.413^c 0.008 -0.024 _ Consumption Petroleum 2.46 0.0226 Fixed (2.92)(0.20)(-1.94)(-0.73)3.627^b 0.033 0.021 0.001 -9.51 0.1468 Random (2.23)(0.95)(0.94)(0.93)

Table 1: Model estimation results for SO₂ using full dataset

Energy Consumption model: $E_{ijk} = a_0 + a_1 E C_{jk} + a_2 P O P_{jk} + a_3 Y_{jk} \cdot P O P_{jk} + a_4 Y_{jk} + a_5 Y_{jk}^2 + a_6 Y_{jk}^3 + \varepsilon_t$

Petroleum Consumption model: $E_{ijk} = a_0 + a_1 P C_{jk} + a_2 P O P_{jk} + a_3 Y_{jk}$. $P O P_{jk} + a_4 Y_{jk} + a_5 Y_{jk}^2 + a_6 Y_{jk}^3 + \varepsilon_t$

a Value at 1% significance level ,b Value at 5% significance level, t-statistics are within parentheses

Note: models for respective stratum have been selected based on Hausman specification test

Model	Effect	a_0	<i>a</i> ₁	<i>a</i> ₂	<i>a</i> ₃	a_4	a_5	<i>a</i> ₆	Wald Chi ²	Prob. > Chi ²
	Low Income									
	Fired	0.334	-	-	-	1.293 ^b	-0.295 ^a	0.017 ^a	2.41	0.027
Electricity	<i>г іхей</i>	(0.14)	-	-	-	(2.24)	(-2.93)	(2.89)	2.41	0.027
Consumption	Pandom	1.860	-	-0.208	-	-	-0.286 ^a	0.016 ^a	13 11	0.041
	Kanaom	(0.83)	-	(-0.94)	-	-	(-2.83)	(2.80)	15.11	0.041
	Fired	-	0.056	-0.035	0.028	1.355 ^b	-	-	2 33	0.032
Petroleum	Гілей	-	(0.99)	(-0.14)	(0.77)	(2.32)	-	-	2.55	0.032
Consumption	Random	0.518	0.103 ^b	-	-	1.335 ^b	-0.298 ^a	0.017 ^a	16.10	0.013
	Kanaom	(0.22)	(1.96)	-	-	(2.30)	(-2.93)	(2.95)	10.10	0.015
				M	edium Inc	ome				
	Eined	16.249	-	_	0.025	-6.930	_	-0.033	2.44	0.003
Electricity	Fixed	(1.01)	-	-	(0.33)	(-1.00)	-	(-0.88)	5.44	
Consumption	Random	8.082	-	0.166	-	-2.981	0.293	-	15.62	0.016
		(0.51)	-	(0.26)	-	(-0.44)	(0.33)	-	15.05	
	Fixed	-	0.264 ^b	0.904	-0.015	-7.324	-	-	4.08	0.001
Petroleum		-	(2.05)	(1.32)	(-0.20)	(-1.07)	-	-	4.08	0.001
Consumption	Random	4.945	0.098	-	0.014	-	0.247	-0.010	16.50	0.011
		(0.31)	(0.99)	-	(0.18)	-	(0.28)	(-0.26)	10.59	
				i	High Inco	me				
		18.471 ^b	-	-2.077 ^b	0.283 ^b	-	-0.332 ^b	0.008^{b}	5.02	0.000
Electricity	Fixed	(2.61)	-	(-2.15)	(2.28)	-	(-2.09)	(2.00)	5.83	0.000
Consumption	Davidaria	16.776 ^a	-	-1.820 ^b	-	0.400	-	0.007 ^c	25.94	0.000
	Kanaom	(2.74)	-	(-2.16)	-	(0.52)	-	(1.87)	33.84	0.000
	Fired	18.286 ^b	0.007	-	0.230 ^b	0.501	-0.329 ^c	-	5 92	0.000
Petroleum	<i>г</i> ілеа	(2.32)	(0.09)	-	(2.14)	(0.61)	(-1.94)	-	5.85	0.000
Consumption	Pandom	16.036 ^b	-	-1.730 ^c	0. 232 ^b	-	-0.276 ^c	0.007°	36.11	0.000
	Kanaom	(2.44)	-	(-1.95)	(2.11)	-	(-1.84)	(1.72)	50.11	0.000

Table 2: Industrial area model estimation results for SO₂ using segregated dataset

a Value at 1% significance level, b Value at 5% significance level, t-statistics are within parentheses

Note: models for respective stratum have been selected based on Hausman specification test

Model	Effect	a_0	<i>a</i> ₁	<i>a</i> ₂	a_3	<i>a</i> ₄	<i>a</i> ₅	<i>a</i> ₆	Wald Chi ²	Prob. > Chi ²
	Low Income									
	Finad	9.023 ^a	0.241 ^a	-0.828 ^a	0.053	-	-	0.003	7.04	0.000
Electricity	Fixea	(3.21)	(3.34)	(-3.03)	(1.21)	-	-	(0.49)	7.04	0.000
Consumption	Pandom	6.537 ^b	0.257 ^a	-0.602 ^b	-	0.326	-	-	30.56	0.000
	Кипиот	(2.49)	(3.73)	(-2.34)	-	(0.46)	-	-	39.30	0.000
	Fired	10.888^{a}	-	-1.058 ^a	0.095 ^b	0.249	-	0.005	5 38	0.000
Petroleum	Тілей	(3.62)	-	(-3.70)	(2.13)	(0.34)	-	(0.76)	5.56	0.000
Consumption	Random	7.145 ^b	0.024	-0.729 ^a	-	-	-0.166	-	24.66	0.000
	Kunuom	(2.54)	(0.45)	(-2.71)	-	-	(-1.42)	-	24.00	0.000
					Medium In	come				
	Fired	28.118	-	0.864 ^c	-0.109 ^b	-	1.665 ^c	-	1.62	0.127
Electricity	<i>г іхе</i> и	(1.51)	-	(1.91)	(-2.09)	-	(0.09)	-	1.05	0.157
Consumption	Random	26.899	-	0.734 ^c	-0.105 ^b	-	-	-0.060	0.04	0.127
		(1.45)	-	(1.71)	(-2.02)	-	-	(-1.46)	9.94	
	Fixed	24.146	0.259 ^a	1.364 ^a	-0.144 ^a	-12.900 ^c	1.792 ^c	-0.071 ^c	3.27	0.004
Petroleum		(1.31)	(3.15)	(2.86)	(-2.73)	(-1.75)	(1.85)	(-1.73)		0.004
Consumption	Random	24.015	0.195 ^a	1.017 ^b	-0.129 ^b	-	1.566	-	18.06	0.006
		(1.31)	(2.82)	(2.32)	(-2.49)	-	(1.64)	-		0.000
					High Inco	ome				
	Fired	5.122	0.119 ^a	-0.266	-	-	0.017	-	1 70	0.110
Electricity	<i>г іхеи</i>	(0.80)	(2.62)	(-0.40)	-	-	(0.08)	-	1.70	0.119
Consumption	Pandom	7.895	0.128 ^a	-	-	-0.775	-	-0.002	10.00	0.121
	Kunuom	(1.30)	(2.87)	-	-	(-0.45)	-	(-0.35)	10.09	0.121
	Fired	4.827	.044	-	006	215	-	-	0.61	0.725
Petroleum	глеи	(0.74)	(0.61)	-	(-0.08)	(-0.11)	-	-	0.01	0.725
Consumption	Random	7.548	-	-0.209	-	-	0.103	-	1 00	0 021
*	Random	(1.23)	-	(-0.30)	-	-	(0.47)	-	1.99	0.921

Table 3: Residential	area model	estimation	results for	SO ₂	using	segregated	dataset
				~ ~ 4			

 $\begin{array}{c} (1.25) + (1.25$

a Value at 1% significance level ,b Value at 5% significance level, t-statistics are within parentheses

Note: models for respective stratum have been selected based on Hausman specification test

1 5.1. Analysis for low income industrial area

- 2 Equating the FOC to zero for both the models, the turnaround points of the EKCs have
- 3 been estimated and recorded in Table 4. Now we will estimate the shape of the EKCs.
- 4 Firstly, we find that the income-emission association for electricity consumption model is
- 5 N-shaped (Figure 1), and it is divulged by the nature of elasticity of the association.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 18.87 \\ < 0, & 18.87 < Y < 5604.37 \\ > 0, & Y > 5604.37 \end{cases}$$

6 Similarly, we find that the income-emission association for petroleum consumption
7 model is also N-shaped (Figure 1), and it is divulged by the nature of elasticity of the association.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 20.51 \\ < 0, & 20.51 < Y < 5799.40 \\ > 0, & Y > 5799.40 \end{cases}$$

8 5.2. Analysis for high income industrial area

9 Like the previous scenario, we will estimate the shape of the EKCs for both the models.
10 In this case, we find that the income-emission association for electricity consumption model is
11 inverted U-shaped (Figure 1), and it is divulged by the nature of elasticity of the association. This
12 association follows the generally accepted form of EKC.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 1110.10 \\ < 0, & Y > 1110.10 \end{cases}$$

Similarly, in this case also, we find that the income-emission association for petroleum
consumption model is inverted U-shaped (Figure 1), and it is divulged by the nature of elasticity
of the association. This association follows the generally accepted form of EKC.

$$\frac{d \ln SO_2}{d \ln Y} \begin{cases} > 0, & 0 < Y < 1564.36 \\ < 0, & Y > 1564.36 \end{cases}$$

Table 4: EK	C Estimation for ind	lustrial area cities
Electricity consumption model	$FOC\left[\frac{d\ln SO_2}{d\ln SO_2}\right]$	$SOC\left[\frac{d^2 \ln SO_2}{d^2 \ln SO_2}\right]$

Income level	Electricity consumption model	$FOC\left[\frac{d\ln SO_2}{d\ln Y}\right]$	$SOC\left[\frac{d^2\ln SO_2}{d(\ln Y)^2}\right]$	Turnaround point (Rs. Lacs)	Shape of EKC
Low	$\ln(SO_2) = 1.293 \ln(Y) - 0.295 (\ln Y)^2 + 0.017 (\ln Y)^3$	$1.293 - 0.590 (\ln Y) + 0.051 (\ln Y)^2$	- 0.590 + 0.102 ln(Y)	a. 18.87 b. 5604.37	N-shaped (Panel A)
Medium	-	-	-	-	No EKC
High	$ln(SO_2) = 18.471 - 2.077 ln(POP) + 0.283 ln(Y). ln(POP) - 0.332 (ln Y)2 + 0.008 (ln Y)3$	$0.283 \ln(POP) - 0.664 (\ln Y) + 0.024 (\ln Y)^{2}$	- 0.664 + 0.048 ln(Y)	1110.10	Inverted U-shaped (Panel C)
All	$ln(SO_2) = 4.783 - 0.396 ln(POP) + 0.072 ln(Y). ln(POP) - 0.106 (ln Y)2 + 0.003 (ln Y)3$	$\begin{array}{l} 0.072 \ln(\text{POP}) - \\ 0.212 \ln(\text{Y}) + \\ 0.009 \ (\ln \text{Y})^2 \end{array}$	$-0.212 + 0.018 \ln(Y)$	452.24	Inverted U-shaped (Panel E)
Income level	Petroleum consumption model	$FOC\left[\frac{d\ln SO_2}{d\ln Y}\right]$	$SOC\left[\frac{d^2\ln SO_2}{d(\ln Y)^2}\right]$	Turnaround point (Rs. Lacs)	
Low	$ln(SO_2) = 0.103 ln(PC) + 1.335 ln(Y) - 0.298 (ln Y)^2 + 0.017 (ln Y)^3$	$\begin{array}{l} 1.335 - 0.596 \ (ln \\ Y) + 0.051 \ (ln \ Y)^2 \end{array}$	- 0.596 + 0.102 ln(Y)	a. 20.51 b. 5799.40	N-shaped (Panel B)
Medium	-	-	-	-	No EKC
High	$ln(SO_2) = 16.036 - 1.730 ln(POP) + 0.232 ln(Y). ln(POP) - 0.276 (ln Y)2 + 0.007 (ln Y)3$	$0.196 \ln(POP) - 0.552 (\ln Y) + 0.021 (\ln Y)^{2}$	- 0.552 + 0.042 ln(Y)	1564.36	Inverted U-shaped (Panel D)
All	$ln(SO_2) = 0.112 ln(PC) + 0.065 ln(Y).$ ln(POP) - 0.102 (ln Y) ² + 0.003 (ln Y) ³	$0.065 \ln(POP) - 0.204 \ln(Y) + 0.009 (\ln Y)^2$	$-0.204 + 0.018 \ln(Y)$	287.52	Inverted U-shaped (Panel F)



Figure 1: Estimated EKCs for industrial area

1 6. Data analysis for residential area

For analyzing the EKC(s) for residential area, electricity consumption model and petroleum consumption model have been tested and regression results have been recorded in Table 1 and 3. Analyzing first order conditions (FOC) and second order conditions (SOC) recorded in Table 2, shape of EKCs can be estimated. In this case, we find that the incomeemission associations for both the models are linear and parallel to horizontal axis (Figure 2).

7 Once we have estimated the income-emission associations for all income levels in 8 residential area, now we can proceed with three levels of income. However, the regression 9 coefficients are insignificant for high income cities, and therefore, no EKC can be found for this 10 area. So, we will proceed with EKC estimation for low and medium income areas.

11 6.1. Analysis for low income residential area

FOCs of both the models have been estimated and recorded in Table 5. In this case, we find that the income-emission association for electricity consumption model is linear and parallel to horizontal axis (Figure 2), and it is divulged by the nature of elasticity of the association. On the other hand, we find that the income-emission association for petroleum consumption model is linearly increasing (Figure 2), and it is divulged by the nature of elasticity of the association.

17 6.2. Analysis for medium income residential area

FOC for petroleum consumption model has been estimated and recorded in Table 5. In this case, we find that the income-emission association for petroleum consumption model is linearly decreasing (Figure 2), and it is divulged by the nature of elasticity of the association. However, no significant income-emission association has been found for electricity consumption model.

Income level	Electricity consumption model	$FOC\left[\frac{d\ln SO_2}{d\ln Y}\right]$	$SOC\left[\frac{d^2\ln SO_2}{d(\ln Y)^2}\right]$	Turnaround point (Rs.)	Shape of EKC
Low	$\ln(SO_2) = 6.537 + 0.257 \ln(EC) - 0.602 \ln(POP)$	0	-	-	Linear (Panel A)
Medium	-	-	-	-	No EKC
High	-	-	-	-	No EKC
All	$\ln(SO_2) = 4.265 + 0.101 \ln(EC) - 0.281 \ln(POP)$	0	-	-	Linear (Panel D)
Income level	Petroleum consumption model	$FOC\left[\frac{d\ln SO_2}{d\ln Y}\right]$	$SOC\left[\frac{d^2\ln SO_2}{d(\ln Y)^2}\right]$	Turnaround point (Rs.)	
Low	$ln(SO_2) = 10.888 - 1.058 ln(POP) + 0.095 ln(Y).$ ln(POP)	1.12	0	-	Linear (Panel B)
Medium	$ln(SO_2) = 0.195 ln(PC) + 1.017 ln(POP) - 0.129 ln(Y). ln(POP)$	-1.77	0	-	Linear (Panel C)
High	-	-	-	-	No EKC
All	$\ln(SO_2) = 3.627$	0	-	-	Linear (Panel E)



Figure 2: Estimated EKCs for residential area

1 7. Policy implications

By far, we have analyzed the EKC hypothesis for 139 Indian cities for the period 2001-2013, and apart from inverted U-shaped EKC, we have also found the income-emission associations to be N-shaped and linear (see Table 6 and 7). Now, we will analyze the scenarios for industrial and residential areas respectively.

6 7

Table 6: Summary of the results for full dataset (shape of EKC and correspondingturnaround points)

Category	Electricity co	nsumption model	Petroleum co	onsumption model
	Shape of EKC	Turnaround point (Rs. Lacs)	Shape of EKC	Turnaround point (Rs. Lacs)
Industrial	Inverted U-shaped	452.24	Inverted U-shaped	287.52
Residential	Linear	-	Linear	-

8

9 10

Table 7: Summary of the results for segregated dataset (shape of EKC and corresponding
turnaround points)

Incorrect	Electricity	consumpti	on model	Petroleum consumption model				
Income Level	Shape of EKC Turnaround point (Rs. Lacs)			Shape of EKC	Shape of EKC Turnaround (Rs. 1			
Category: Industrial								
Low	N Shaped	18.87	5604.37	N Shaped	20.51	5799.40		
Medium	-		-	-		-		
High	Inverted U-Shaped		1110.10	Inverted U-Shaped		1564.36		
Category: Residential								
Low	Linear	-		-		Linear		-
Medium	-	-		Linear		-		
High	-		-	-		-		

11

12 **7.1.** Policy implications for industrial areas

For industrial areas, we have found the evidence of inverted U-shaped EKCs for the aggregate dataset. In case of segregated dataset, evidence of inverted U-shaped EKC can be found only for the high income areas for both the models. In rest of the cases, the incomeemission associations have been found to be N-shaped. We will now discuss all of these cases
 one by one.

For low income cities, income-emission associations have been found to be N-shaped for 3 both the models. First turnaround point of this association is achieved at Rs. 18.87 Lacs for 4 5 electricity consumption model and Rs. 20.51 Lacs for petroleum consumption model. For both of 6 the cases, the turnaround points are lower than the minimum income level (= Rs. 20.89 Lacs) of this stratum. Both of these turnaround points were achieved at the very earliest stage of the 7 industrialization. For electricity consumption model, SO₂ emission level at the first turnaround 8 point is 5.38µg/m³, and for petroleum consumption model, SO₂ emission level at the first 9 turnaround point is $6.16\mu g/m^3$. Both of these emission levels are below the emission standard set 10 by Central Pollution Control Board of India, i.e. 40µg/m³. One of the major reasons behind this 11 fall in SO₂ emission in these areas is a result of shifting in the pattern of fossil fuel usage in 12 plants. Gradual improvement in combustion technologies and usage of petroleum products with 13 low-sulphur content has resulted in the reduction of SO₂ emission in these areas. Moreover, 14 transport density in these cities is comparatively lower than the other strata, and other than 15 Jharia, there are no coal mines in these cities. Therefore, the chances of transport and coal borne 16 SO₂ emission are also low. Within this stratum, with the rise in income, usage of petroleum 17 products with low-sulphur content in thermal power plants rises. This brings down the curve of 18 income-emission association to its second turnaround point. For both the models, the second 19 20 turnaround points are achieved at higher income levels, and at those emission levels, which are even lower than that of the previous turnaround points. Beyond the second turnaround points, 21 22 rise in the level of income may result in rise in the vehicular density, which may cause rise in the 23 level of SO₂ emission, and thereby, resulting in the N-shaped income-emission association. To

curb down this level of SO₂ emission, the active thermal power plants should reduce the usage of
imported coal, which may has high sulphur content. Moreover, the power plants, which are using
lignite and diesel, may shift their fuel mix for power generation.

For high income cities, income-emission associations have been found to be following 4 the generally accepted inverted U-shaped form of EKC for both the models. For electricity 5 consumption model, the turnaround point arrives at the emission level of $33.92\mu g/m^3$, and for 6 petroleum consumption model, the turnaround point arrives at the emission level of $34.41 \mu g/m^3$. 7 In both of the cases, emission levels are just below the emission standards set by Central 8 Pollution Control Board of India, i.e. 40µg/m³. Though these emission levels are below the 9 emission standard set by Central Pollution Control Board of India, the differences are marginally 10 low. Cities with higher level of income in this particular stratum fall under the directive for 11 emission passed by Supreme Court of India in 2001, and according to that directive, the active 12 manufacturing and power plants need to use clean fuels, pollution control devices, clean 13 technologies, and development of green belts. Second, these cities have experienced the rise of 14 service industry over the years, and this industry contributes less amount of SO₂ compared to the 15 secondary sector. Apart from that, in most of these cities, Bharat Stage IV has already been 16 implemented, and therefore, in spite of having high vehicular congestion, fuel SO₂ emission is 17 under control. Therefore, inverted U-shaped EKC is found for this particular stratum. However, 18 keeping the level of turnaround points into consideration, it can be said that the municipal bodies 19 20 in these cities should consider improving the existing road infrastructure to minimize the level of vehicular congestion. 21

1 7.2. Policy implications for residential areas

For residential areas, the income-emission associations have found to be linear for the
aggregate dataset. In case of segregated dataset also, income-emission associations have found to
be linear. We will now discuss all of these cases one by one.

5 For low income cities, income-emission associations have been found to be linear for both electricity consumption model and petroleum consumption model. The level of emission for 6 electricity consumption model is $1.45\mu g/m^3$. In this case, emission level is below the emission 7 standards set by Central Pollution Control Board of India, i.e. 40µg/m³. Most of these cities 8 under this stratum are low in population and income, and the housing infrastructure in these 9 cities is comparatively lower compared to other cities in the remaining two strata. Therefore, the 10 level of energy efficiency is comparatively lower, and it results in higher consumption of 11 electricity in these buildings. This phenomenon is observable across this stratum, irrespective of 12 the income level. The low energy efficiency of these buildings causes space heating, by means of 13 heat radiation through walls. In order to mitigate this issue, government should come forward 14 with energy-efficient landscaping initiatives to preserve energy by minimizing heat loss, and to 15 implement low-energy housing strategy in order to lessen electricity consumption. The 16 infrastructural development authority should also check the life-cycle of the old buildings in 17 these cities, and plan the strategic implementation accordingly. They also need to make sure not 18 to use high environmentally adverse products while demolishing or recycling the building, as it 19 20 can cause more damage to environment. On the other hand, consumption of petroleum based fuel in these cities rise with the rise in income, as it is indicated by positively sloped (= 1.124) the 21 income-emission association for the petroleum consumption model. People in these cities mostly 22 23 use kerosene and coal for cooking and lighting purpose, and this may raise the level of SO_2

emission in these areas. In order to mitigate this problem, government should make them aware
about the negative consequences of using the low quality petroleum products, and should provide
LPGs at a subsidized rate. Apparently, this level of SO₂ emission is desirable, but there are
chances that the emitted SO₂ may translate into sulphate based particulate matters. Therefore,
further monitoring is required to check this kind of particulate matters in these particular cities.

6 For medium income cities, income-emission association has been found to be linear for petroleum consumption model, and electricity consumption model did not fit. In this case, it has 7 been found that the level of SO₂ emission falls with the rise in income. Most of these cities under 8 9 this stratum have gradually started consumption of compressed natural gas (CNG) for the public transport, and this phenomenon is visible is the cities, which are on the higher side in income. As 10 the level of income in these cities is comparatively higher than the previous one, people tend to 11 use LPGs for cooking purpose, and direct consumption of petroleum product is less visible. 12 Moreover, under this stratum, most of the cities with higher income level have started to use 13 solar powered traffic light and street light mechanisms for reducing emission levels. This 14 environmental awareness has made the income-emission association in these cities to be linearly 15 falling. However, implementation of this particular mechanism in the cities with comparatively 16 17 lower income can also bring down the emission level, and also can bring forth energy efficiency.

18 8. Conclusion

In this paper, we have estimated the EKCs for SO_2 emission in 139 Indian cities for 20 2001-2013, by considering all of them in single stratum, and then by segregating them into three 21 levels of income. In order to ensure the accuracy of the data, we have orthogonally transformed 22 the variables, the correlated lower-order terms were removed after auxiliary regressions, and the 23 within models have been tested. The stationarity of the data has been checked by applying unit root tests, and we found the variables to be stationary at level. After analyzing both the industrial and residential areas, it has been found that the levels of emission are different for each of the stratum, and therefore, suggests for policy decisions to be modified to address that particular stratum. However, if a suggested policy in a lower stratum is implemented in a higher stratum along with the policies suggested for that particular stratum, it can create a multiplier effect in bringing down the emission level.

7 While carrying out the analysis, we have found the generally accepted inverted U-shaped 8 EKC for high income industrial areas, and for the overall industrial area. Apart from that, we 9 have also found the income-emission associations to be N-shaped and linear. The linearity in the 10 income-emission association has been found in the residential areas only, whereas the other N-11 shaped association has been found in the industrial areas only.

After analyzing the results, it can be said that government should take the responsibility 12 of implementing the pollution control policies in a more effective manner. In order to control the 13 vehicular emission, Bharat Stage emission standards are already in place, and Central Pollution 14 Control Board has set several restrictions for emission discharges from 104 industries. In spite of 15 that, due to rapid industrial growth and lack of proper urban infrastructure, the newly 16 17 industrialized areas are experiencing increased number of slum areas, where the standard of living is pretty low. These are the areas, where a substantial amount of emission takes place. This 18 emission is nothing but a result of social imbalance, which government has to take care by 19 implementation of proper rehabilitation policies. Apart from that, it is the responsibility of the 20 citizens as well to become aware about the environmental problems and this can become 21 possible, if they are given proper education, healthcare, and adequate vocational opportunities. 22 23 Awareness of citizens aligned with governmental regulatory pressures can be a possible solution

to this problem. Apart from this, government should encourage the Central Pollution Control
Board to introduce more numbers of emission monitoring stations across the cities, so that more
data on emission can be gathered for making more effective and focused pollution control
policies.

5 Government initiatives regarding discovery and invention of alternate energy sources is 6 an indicator of the growing concern and anxiety about the reducing pool of natural resources and the level of ambient air pollution. By looking at the present scenario regarding energy policies in 7 India, it can be seen that a great amount of emphasis is being put forth on harnessing of solar and 8 9 wind power, which can solve the problems of clean and green energy. By and large, this is the primary objective of the Saffron Revolution⁴, which is being targeted at patronizing solar energy 10 throughout India, and the establishment of India's largest solar plant in Neemuch, Madhya 11 Pradesh, was one of the first stepping stone towards achievement of objectives of this revolution. 12 Current developments in Indian socio-political scenario take us back to the results being obtained 13 14 by us, which was pointing towards efficient pollution abatement policy implementations.

We can conclude that based on our results and looking at the present developments in alternate energy discovery process in India, the turnaround points, which have not been achieved within the study period of 2001-2013, may possibly be achieved in the later stages of 2014. However, in our study, we refrained to consider a variety of social variables, as our intention was to investigate whether any turnaround point exists for India, or not. Further study on this aspect can be taken up considering those variables and the economy-wide policy developments as well. These can bring forth significant insights about the nature of EKCs in Indian cities.

⁴ Saffron Revolution is an initiative taken up by Government of India in 2014, to boost the Indian solar power industry.

1 Acknowledgements

We are thankful to the two anonymous referees of Ecological Indicators. The review comments provided by them helped us to improve this paper. We also extend our gratitude to Dr. Amit Garg, Professor, Indian Institute of Management Ahmedabad. He helped us a lot in building the theoretical foundation of the study.

2	Akbostancı, E., Türüt-Aşık, S., Tunç, G.İ., 2009. The Relationship between Income and
3	Environment in Turkey: Is there an Environmental Kuznets curve? Energy Policy. 37(3),
4	861-867.
5	Al Sayed, A.R., Sek, S.K., 2013. Environmental Kuznets Curve: Evidences from Developed and
6	Developing Economies. Applied Mathematical Sciences. 7(22), 1081-1092.
7	Alam, M.M., Murad, M.W., Noman, A.H.M., Ozturk, I., 2016. Relationships among carbon
8	emissions, economic growth, energy consumption and population growth: Testing
9	Environmental Kuznets Curve hypothesis for Brazil, China, India and Indonesia.
10	Ecological Indicators, 70, 466-479.
11	Aldy, J.E., 2005. An environmental Kuznets curve analysis of US state-level carbon dioxide
12	emissions. The Journal of Environment & Development. 14(1), 48-72.
13	Alpay, S., 2005. Interactions among Economic Development, Openness to Trade and
14	Environmental Sustainability with a Case Study on South Korea. The Journal of the
15	Korean Economy, 6(1), 67-89.
16	Anand, S., Vrat, P., Dahiya, R.P., 2006. Application of a system dynamics approach for
17	assessment and mitigation of CO2 emissions from the cement industry. Journal of
18	Environmental Management, 79(4), 383-398.
19	Apergis, N., Payne, J.E., 2009. Energy consumption and economic growth in Central America:
20	evidence from a panel cointegration and error correction model. Energy Economics.
21	31(2), 211-216.
22	Archibald, S.O., Banu, L.E., Bochniarz, Z., 2004. Market liberalisation and sustainability in
23	transition: Turning points and trends in central and Eastern Europe. Environmental
24	Politics. 13(1), 266-289.

1	Artés, F., Gómez, P., Aguayo, E., Escalona, V., Artés-Hernández, F., 2009. Sustainable
2	sanitation techniques for keeping quality and safety of fresh-cut plant commodities.
3	Postharvest Biology and Technology. 51(3), 287-296.
4	Aslanidis, N., Iranzo, S., 2009. Environment and development: is there a Kuznets curve for CO ₂
5	emissions?. Applied Economics. 41(6), 803-810.
6	Auffhammer, M., Carson, R.T., 2008. Forecasting the path of China's CO ₂ Emissions using
7	Province-level Information. Journal of Environmental Economics and Management.
8	55(3), 229-247.
9	Azar, C., Lindgren, K., Andersson, B.A., 2003. Global energy scenarios meeting stringent CO ₂
10	constraints-cost-effective fuel choices in the transportation sector. Energy Policy,
11	31(10), 961-976.
12	Barslund, M., Rand, J., Tarp, F., Chiconela, J., 2007. Understanding Victimization: The Case of
13	Mozambique. World Development, 35(7), 1237-1258.
14	Bhattarai, M., Hammig, M., 2001. Institutions and the environmental Kuznets curve for
15	deforestation: a cross country analysis for Latin America, Africa and Asia. World
16	Development. 29(6), 995-1010.
17	Bimonte, S., 2002. Information access, income distribution, and the Environmental Kuznets
18	Curve. Ecological Economics. 41(1), 145-156.
19	Binti Borhan, H., Musa Ahmed, E., 2010. Pollution as one of the determinants of income in
20	Malaysia: Comparison between single and simultaneous equation estimators of an EKC.
21	World Journal of Science, Technology and Sustainable Development, 7(3), 291-308.
22	Brain, J.D., Valberg, P.A., 1979. Deposition of aerosol in the respiratory tract 1-3. American
23	Review of Respiratory Disease, 120(6), 1325-1373.

1	Carson, R.T., Jeon, Y., McCubbin, D.R., 1997. The relationship between air pollution emissions
2	and income: US data. Environment and Development Economics. 2(4), 433-450.
3	Chen, Y., Sheng, G., Bi, X., Feng, Y., Mai, B., Fu, J., 2005. Emission factors for carbonaceous
4	particles and polycyclic aromatic hydrocarbons from residential coal combustion in
5	China. Environmental Science & Technology, 39(6), 1861-1867.
6	Dasgupta, S., Laplante, B., Wang, H., Wheeler, D., 2002. Confronting the environmental
7	Kuznets curve. The Journal of Economic Perspectives, 16(1), 147-168.
8	Deolalikar, A.B., Evenson, R.E., 1989. Technology production and technology purchase in
9	Indian industry: An econometric analysis. The Review of Economics and Statistics,
10	71(4), 687-692.
11	Dijkgraaf, E., Vollebergh, H.R., 2005. A Test for Parameter Homogeneity in CO ₂ Panel EKC
12	Estimations. Environmental and Resource Economics. 32(2), 229-239.
13	Dinda, S., 2004. Environmental Kuznets curve hypothesis: a survey. Ecological Economics,
14	49(4), 431-455.
15	Dinda, S., Coondoo, D., Pal, M., 2000. Air quality and economic growth: an empirical study.
16	Ecological Economics, 34(3), 409-423.
17	Egli, H., 2001. Are cross-country studies of the Environmental Kuznets Curve misleading? New
18	evidence from time series data for Germany. Ernst Moritz Arndt University of
19	Greifswald, Faculty of Law and Economics. Working paper no. 10/2001.
20	Feizpour, M.A., Shahmohammadi Mehrjardi, A., 2014. Comparative Advantages and
21	Sustainable Development in Iranian Manufacturing Industries. Iranian Economic Review,
22	18(1), 33-52.

1	Fonkych, K., Lempert, R., 2005. Assessment of environmental Kuznets curves and
2	socioeconomic drivers in IPCC's SRES scenarios. The Journal of Environment &
3	Development. 14(1), 27-47.
4	Friedl, B., Getzner, M., 2003. Determinants of CO ₂ Emissions in a Small Open Economy.
5	Ecological Economics. 45(1), 133-148.
6	Friend, J.P., Leifer, R., Trichon, M., 1973. On the formation of stratospheric aerosols. Journal of
7	the Atmospheric Sciences, 30(3), 465-479.
8	Galeotti, M., Lanza, A., Pauli, F., 2006. Reassessing the environmental Kuznets curve for CO ₂
9	emissions: A robustness exercise. Ecological Economics. 57(1), 152-163.
10	Grossman, G.M., Krueger, A.B., 1991. Environmental Impacts of a North American Free Trade
11	Agreement. National Bureau of Economic Research. Working paper no. w3914.
12	Grossman, G.M., Krueger, A.B., 1995. Economic Growth and the Environment. The Quarterly
13	Journal of Economics. 110(2), 353-377.
14	Haq, Z.U., Tariq, S., Ali, M., 2015. Tropospheric NO ₂ Trends over South Asia during the Last
15	Decade (2004–2014) Using OMI Data. Advances in Meteorology. 2015, 1-18.
16	Harbaugh, W.T., Levinson, A., Wilson, D.M., 2002. Reexamining the empirical evidence for an
17	environmental Kuznets curve. Review of Economics and Statistics. 84(3), 541-551.
18	Hastwell, G., 1975. Salbutamol aerosol in premature labour. The Lancet, 306(7946), 1212-1213.
19	Hill, R.J., Magnani, E., 2002. An exploration of the conceptual and empirical basis of the
20	environmental Kuznets curve. Australian Economic Papers. 41(2), 239-254.
21	Hindy, K.T., Farag, S.A., El-Taieb, N.M., 1990. Monthly and seasonal trends of total suspended
22	particulate matter and smoke concentration in industrial and residential areas in Cairo.
23	Atmospheric Environment. Part B. Urban Atmosphere, 24(2), 343-353.

1	Holtz-Eakin, D., Selden, T.M., 1995. Stoking the Fires? CO ₂ Emissions and Economic Growth.
2	Journal of Public Economics. 57(1), 85-101.
3	Hubacek, K., Guan, D., Barua, A., 2007. Changing lifestyles and consumption patterns in
4	developing countries: A scenario analysis for China and India. Futures, 39(9), 1084-1096.
5	Im, K.S., Pesaran, M.H., Shin, Y., 2003. Testing for Unit Roots in Heterogeneous Panels.
6	Journal of Econometrics. 115(1), 53-74.
7	India Brand Equity Foundation, 2016. Power Sector in India - Solar, Renewable & Wind Energy
8	Sectors. http://www.ibef.org/industry/power-sector-india.aspx (Accessed on June 15,
9	2016)
10	Kattan, M., Gergen, P.J., Eggleston, P., Visness, C.M., Mitchell, H.E., 2007. Health effects of
11	indoor nitrogen dioxide and passive smoking on urban asthmatic children. Journal of
12	Allergy and Clinical Immunology. 120(3), 618-624.
13	Kaufmann, R.K., Davidsdottir, B., Garnham, S., Pauly, P., 1998. The determinants of
14	atmospheric SO ₂ concentrations: reconsidering the environmental Kuznets curve.
15	Ecological Economics. 25(2), 209-220.
16	Khanna, N., Plassmann, F., 2004. The demand for environmental quality and the environmental
17	Kuznets Curve hypothesis. Ecological Economics. 51(3), 225-236.
18	Krawczyk, E., Zajemska, M., Wyleciał, T., 2013. The chemical mechanism of SO _x formation
19	and elimination in coal combustion process. Chemik, 67(10), 856-862.
20	Kumar, N., Foster, A.D., 2009. Air quality interventions and spatial dynamics of air pollution in
21	Delhi and its surroundings. International Journal of Environment and Waste
22	Management, 4(1-2), 85-111.
23	Kuznets, S., 1955. Economic Growth and Income Inequality. The American Economic Review.
24	45(1), 1-28.

1	Lantz, V., Feng, Q., 2006. Assessing income, population, and technology impacts on CO ₂
2	emissions in Canada: Where's the EKC?. Ecological Economics. 57(2), 229-238.
3	Lau, S.S., 2011. Physical environment of tall residential buildings: the case of Hong Kong, in:
4	Yuen, B., Yeh, A.G.O. (Eds.) High-rise living in Asian cities. Springer, Netherlands, pp.
5	25-47.
6	Leaderer, B.P., Zagraniski, R.T., Berwick, M., Stolwijk, J.A., 1986. Assessment of exposure to
7	indoor air contaminants from combustion sources: methodology and application.
8	American Journal of Epidemiology. 124(2), 275-289.
9	Levin, A., Lin, C.F., Chu, C.S., 2002. Unit Root Tests in Panel Data: Asymptotic and Finite
10	Sample Properties. Journal of Econometrics. 108(1), 1-24.
11	Lindmark, M., 2002. An EKC-Pattern in Historical Perspective: Carbon Dioxide Emissions,
12	Technology, Fuel Prices and Growth in Sweden 1870-1997. Ecological Economics.
13	42(1), 333-347.
14	List, J.A., Gallet, C.A., 1999. The environmental Kuznets curve: does one size fit all?.
15	Ecological Economics. 31(3), 409-423.
16	Lu, Z., Zhang, Q., Streets, D.G., 2011. Sulfur dioxide and primary carbonaceous aerosol
17	emissions in China and India, 1996–2010. Atmospheric Chemistry and Physics. 11(18),
18	9839-9864.
19	Mallik, C., Lal, S., 2014. Seasonal characteristics of SO ₂ , NO ₂ , and CO emissions in and around
20	the Indo-Gangetic Plain. Environmental Monitoring and Assessment. 186(2), 1295-1310.
21	Martínez-Zarzoso, I., Bengochea-Morancho, A., 2004. Pooled mean group estimation of an
22	environmental Kuznets curve for CO ₂ . Economics Letters, 82(1), 121-126.

1	Mathew, J., Goyal, R., Taneja, K.K., Arora, N., 2015. Air pollution and respiratory health of
2	school children in industrial, commercial and residential areas of Delhi. Air Quality,
3	Atmosphere & Health, 8(4), 421-427.
4	Matsuoka, S., Matsumoto, R., Kochi, I., 1998. Economic growth and Environmental Quality in
5	Developing Countries: A Verification of" Environmental Kuznets Curve. Environmental
6	Science, 11(4), 349-362.
7	McConnell, K.E., 1997. Income and the demand for environmental quality. Environment and
8	Development Economics, 2(4), 383-399.
9	Miah, M.D., Masum, M.F.H., Koike, M., Akther, S., Muhammed, N., 2011. Environmental
10	Kuznets Curve: the case of Bangladesh for waste emission and suspended particulate
11	matter. The Environmentalist, 31(1), 59-66.
12	Millimet, D.L., List, J.A., Stengos, T., 2003. The environmental Kuznets curve: Real progress or
13	misspecified models?. Review of Economics and Statistics. 85(4), 1038-1047.
14	Mohapatra, G., Giri, A.K., 2009. Economic development and environmental quality: an
15	econometric study in India. Management of Environmental Quality: An International
16	Journal. 20(2), 175-191.
17	Moomaw, W.R., Unruh, G.C., 1997. Are environmental Kuznets curves misleading us? The case
18	of CO ₂ emissions. Environment and Development Economics, 2(04), 451-463.
19	Mukhopadhyay, K., Forssell, O., 2005. An empirical investigation of air pollution from fossil
20	fuel combustion and its impact on health in India during 1973-1974 to 1996-1997.
21	Ecological Economics, 55(2), 235-250.
22	Musolesi, A., Mazzanti, M., Zoboli, R., 2010. A panel data heterogeneous Bayesian estimation
23	of environmental Kuznets curves for CO ₂ emissions. Applied Economics. 42(18), 2275-
24	2287.

1	Nakai, N., Jensen, M.L., 1967. Sources of atmospheric sulfur compounds. Geochemical Journal.
2	1(4), 199-210.
3	Onafowora, O.A., Owoye, O., 2014. Bounds testing approach to analysis of the environment
4	Kuznets curve hypothesis. Energy Economics. 44, 47-62.
5	Orubu, C.O., Omotor, D.G., 2011. Environmental quality and economic growth: Searching for
6	environmental Kuznets curves for air and water pollutants in Africa. Energy Policy,
7	39(7), 4178-4188.
8	Pachauri, S., Spreng, D., 2002. Direct and indirect energy requirements of households in India.
9	Energy Policy, 30(6), 511-523.
10	Pachauri, S., Jiang, L., 2008. The household energy transition in India and China. Energy Policy,
11	36(11), 4022-4035.
12	Panayotou, T., 1993. Empirical Tests and Policy Analysis of Environmental Degradation at
13	Different Stages of Economic Development. International Labour Organization. Working
14	paper no. 292778.
15	Park, S., Lee, Y., 2011. Regional model of EKC for air pollution: Evidence from the Republic of
16	Korea. Energy Policy. 39(10), 5840-5849.
17	Penkett, S., Jones, B.M.R., Brich, K.A., Eggleton, A.E., 1979. The importance of atmospheric
18	ozone and hydrogen peroxide in oxidising sulphur dioxide in cloud and rainwater.
19	Atmospheric Environment, 13(1), 123-137.
20	Raghuvanshi, S.P., Chandra, A., Raghav, A.K., 2006. Carbon dioxide emissions from coal based
21	power generation in India. Energy Conversion and Management, 47(4), 427-441.
22	Reddy, M.S., Venkataraman, C., 2002. Inventory of aerosol and sulphur dioxide emissions from
23	India: I—Fossil fuel combustion. Atmospheric Environment, 36(4), 677-697.

1	Ritchie, I.M., Oatman, L.A., 1983. Residential air pollution from kerosene heaters. Journal of the
2	Air Pollution Control Association, 33(9), 879-881.
3	Roberts, J.T., Grimes, P.E., 1997. Carbon intensity and economic development 1962-1991: a
4	brief exploration of the environmental Kuznets curve. World Development, 25(2), 191-
5	198.
6	Roca, J., Alcántara, V., 2001. Energy intensity, CO ₂ emissions and the environmental Kuznets
7	curve. The Spanish case. Energy Policy, 29(7), 553-556.
8	Roumasset, J., Burnett, K., Wang, H., 2006. Environmental resources and economic growth.
9	World Bank, Washington, DC.
10	Rupasingha, A., Goetz, S.J., Debertin, D.L., Pagoulatos, A., 2004. The environmental Kuznets
11	curve for US counties: A spatial econometric analysis with extensions. Papers in
12	Regional Science, 83(2), 407-424.
13	Seigneur, C., Tesche, T.W., Roth, P.M., Liu, M.K., 1983. On the treatment of point source
14	emissions in urban air quality modeling. Atmospheric Environment. 17(9), 1655-1676.
15	Selden, T.M., Song, D., 1994. Environmental Quality and Development: Is there a Kuznets
16	Curve for Air Pollution Emissions?. Journal of Environmental Economics and
17	Management. 27(2), 147-162.
18	Shafik, N., 1994. Economic development and environmental quality: an econometric analysis.
19	Oxford Economic Papers. 46(4), 757-773.
20	Shahbaz, M., Solarin, S.A., Ozturk, I., 2016. Environmental Kuznets Curve hypothesis and the
21	role of globalization in selected African countries. Ecological Indicators, 67, 623-636.
22	Sinha, A., 2014. Carbon Emissions and Mortality Rates: A Causal Analysis for India (1971-
23	2010). International Journal of Economic Practices and Theories, 4(4), 486-492.

1	Sinha, A., 2015. Quadrilateral causal analysis of economic growth in India. International Journal
2	of Green Economics, 9(3-4), 215-225.

- Sinha, A., 2016. Trilateral association between SO₂ / NO₂ emission, inequality in energy
 intensity, and economic growth: A case of Indian cities. Atmospheric Pollution Research.
 7(4), 647-658.
- Sinha, A., Bhattacharya, J., 2014. Is energy-led economic growth causing climatic shift? A
 causal analysis for India. International Journal of Green Economics, 8(2), 120-133.
- 8 Sinha, A., Bhattacharya, J., 2016. Environmental Kuznets curve estimation for NO₂ emission: A
 9 case of Indian cities. Ecological Indicators, 67, 1-11.
- Sinha, A., Mehta, A., 2014. Causal Analysis of India's Energy-led Growth and CO₂ Emission
 (1960-2010). Indian Journal of Economics and Business. 13(1), 81-89.
- Song, M.L., Zhang, W., Wang, S.H., 2013. Inflection point of environmental Kuznets curve in
 Mainland China. Energy Policy. 57, 14-20.
- Soytas, U., Sari, R., Ewing, B.T., 2007. Energy consumption, income, and carbon emissions in
 the United States. Ecological Economics. 62(3), 482-489.
- Sterling, T.D., Dimich, H., Kobayashi, D., 1982. Indoor byproduct levels of tobacco smoke: a
 critical review of the literature. Journal of the Air Pollution Control Association. 32(3),
 250-259.
- Stern, D.I., 2004. The rise and fall of the environmental Kuznets curve. World Development,
 32(8), 1419-1439.
- Suri, V., Chapman, D., 1998. Economic growth, trade and energy: implications for the
 environmental Kuznets curve. Ecological Economics. 25(2), 195-208.

1	Surratt, J.D., Lewandowski, M., Offenberg, J.H., Jaoui, M., Kleindienst, T.E., Edney, E.O.,
2	Seinfeld, J.H., 2007. Effect of acidity on secondary organic aerosol formation from
3	isoprene. Environmental Science & Technology, 41(15), 5363-5369.
4	Tamazian, A., Chousa, J.P., Vadlamannati, K.C., 2009. Does higher economic and financial
5	development lead to environmental degradation: evidence from BRIC countries. Energy
6	Policy. 37(1), 246-253.
7	Taskin, F., Zaim, O., 2000. Searching for a Kuznets curve in environmental efficiency using
8	kernel estimation. Economics Letters. 68(2), 217-223.
9	Torras, M., Boyce, J.K., 1998. Income, inequality, and pollution: a reassessment of the
10	environmental Kuznets curve. Ecological economics, 25(2), 147-160.
11	Turco, R.P., Hamill, P., Toon, O.B., Whitten, R.C., Kiang, C.S., 1979. A one-dimensional model
12	describing aerosol formation and evolution in the stratosphere: I. Physical processes and
13	mathematical analogs. Journal of the Atmospheric Sciences, 36(4), 699-717.
14	Vincent, J.R., 1997. Testing for environmental Kuznets curves within a developing country.
15	Environment and Development Economics, 2(04), 417-431.
16	Welsch, H., 2004. Corruption, growth, and the environment: a cross-country analysis.
17	Environment and Development Economics. 9(5), 663-693.
18	Wheeler, D., 2001. Racing to the bottom? Foreign investment and air pollution in developing
19	countries. The Journal of Environment & Development, 10(3), 225-245.
20	Whitby, K.T., 1978. The physical characteristics of sulfur aerosols. Atmospheric Environment,
21	12(1), 135-159.

Area	Variable	Units	No. of Obs.	Mean	Std. Dev.	CV.
Industrial	SO_2	in µg / m ³	1131	13.702	8.795	0.642
	Y	in Rs. Lacs	1131	9416.416	22320.720	2.370
	POP	in number	1131	1968134.587	3417774.263	1.737
	EC	in GWH	1131	1155.911	2469.734	2.136
	PC	in KG	1131	77.614	9.243	0.119
Residential	SO_2	in µg / m ³	1547	9.228	6.434	0.697
	Y	in Rs. Lacs	1547	7888.848	18705.770	2.371
	POP	in number	1547	1700928.882	2807138.969	1.650
	EC	in GWH	1547	996.222	2139.684	2.148
	PC	in KG	1547	74.948	9.634	0.129

Appendix 1A: Descriptive statistics of the variables

Appendix 1B: Correlations among independent variables (for industrial area)

	EC	PC	POP	POP.Y	Y	Y^2	Y^3
EC	1.0000						
PC	0.9411	1.0000					
POP	0.9486	0.8816	1.0000				
POP.Y	0.9728	0.9077	0.9754	1.0000			
Y	0.9814	0.9251	0.9643	0.9919	1.0000		
Y^2	0.9670	0.9052	0.9457	0.9937	0.9876	1.0000	
Y^3	0.9341	0.8698	0.9093	0.9743	0.9560	0.9900	1.0000

Appendix 1C: Correlations among independent variables (for residential area)

	EC	РС	POP	POP.Y	Y	Y^2	Y^3
EC	1.0000						
PC	0.8923	1.0000					
POP	0.8920	0.8677	1.0000				
POP.Y	0.9495	0.9074	0.9659	1.0000			
Y	0.9613	0.9178	0.9503	0.9922	1.0000		
Y^2	0.9541	0.9041	0.9251	0.9915	0.9882	1.0000	
Y^3	0.9287	0.8747	0.8858	0.9716	0.9587	0.9907	1.0000

	Variables	LLC		IPS		
	variables	Without Trend	With Trend	Without Trend	With Trend	
	ln(Y)	-8.5627 ^a	-10.0685 ^a	-4.4671 ^a	-15.4322 ^a	
rea	$(lnY)^2$	-5.9109 ^a	-25.0644 ^a	-31.3367 ^a	-13.1338 ^a	
l a	$(lnY)^3$	-3.9976 ^a	-9.9739 ^a	-56.5222 ^a	-14.8918 ^a	
tria	ln(POP)	-4.4164 ^a	-10.0227 ^a	-34.1699 ^a	-8.3011 ^a	
lust	ln(Y).ln(POP)	-6.0434 ^a	-12.3384 ^a	-16.9003 ^a	-18.6761 ^a	
Ind	ln(EC)	-12.1441 ^a	-13.0610 ^a	-22.3276 ^a	-9.7671 ^a	
	ln(PC)	-6.0831 ^a	-14.2160 ^a	-2.4002^{a}	-17.3172 ^a	
		Without Trend	With Trend	Without Trend	With Trend	
r	ln(Y)	-7.7429 ^a	-12.4642 ^a	-4.7271 ^a	-14.3999 ^a	
ırea	$(lnY)^2$	-7.1864 ^a	-13.1143 ^a	-42.6987^{a}	-42.1084 ^a	
al c	$(lnY)^3$	-10.2980 ^a	-11.7841 ^a	-47.1364 ^a	-32.9357 ^a	
ntia	ln(POP)	-6.2765 ^a	-12.4928 ^a	-33.4914 ^a	-45.5356 ^a	
ide	ln(Y).ln(POP)	-14.3848 ^a	-11.2802 ^a	-2.6048^{a}	-3.1417 ^a	
Res	$ln(\overline{EC})$	-13.5331 ^a	-15.7696 ^a	-5.3273 ^a	-2.3755 ^a	
Η	ln(PC)	-7.8263 ^a	-9.7770^{a}	-3.6766 ^a	-4.6469^{a}	

Appendix 1D: Results of unit root tests on orthogonally transformed variables

a Value at 1% significance level

For IPS test, W-t-bar values are reported For LLC test, Adjusted t-statistics are reported

Appendix 1E: Robustness check for Industrial area models (full dataset)

Models		Core variables		Testing variables			
ləbd		$ln(Y)^2$	$(lnY)^3$	ln(POP)	ln(Y).ln(POP)		
Electricity Consumption Mc	Estimated model	-0.106	0.003	-0.396	0.072		
	Partial regressions						
	Regression 1	-0.006	0.001	-	-		
	Regression 2	-0.124	0.001	-0.115	-		
	Regression 3	-0.039	0.002	-	0.021		
	Regression 4	-0.101	0.002	-0.421	0.075		
Petroleum Consumption Model		$(lnY)^2$	$(lnY)^3$	ln(PC)	ln(Y).ln(POP)		
	Estimated model	- 0.102	0.003	0.112	0.065		
	Partial regressions						
	Regression 1	-0.006	0.001	-	-		
	Regression 2	-0.124	0.001	-0.115	-		
	Regression 3	-0.039	0.002	-	0.021		
	Regression 4	-0.101	0.002	-0.421	0.075		

Note: Robustness of the models for full dataset is ensured, as the coefficient signs of core variables remain unchanged.

Appendix 1F: Profile of the cities considered for the study

Northern zone cities			Southern zone cities				
Cities	Category	Area (in km^2)	Average Income (in Rs. Lacs)	Cities	Category	Area (in km ²)	Average Income (in Rs. Lacs)
Agra	R & I	4028.00	2757.73	Alappuzha	R & I	46.18	1183.72
Allahabad	R	70.50	1969.87	Bangalore	R & I	741.00	27833.29
Amritsar	R & I	2683.00	5120.72	Belgaum	Ι	94.00	2104.68
Anpara	Ι	179.00	33.09	Chennai	R & I	426.00	35175.94
Bathinda	Ι	210.00	1199.01	Chittoor	Ι	95.97	16345.00
Chandigarh	Ι	114.00	11545.39	Coimbatore	R & I	246.80	8484.66
Delhi	R & I	1484.00	141540.54	Gulbarga	R	64.00	1849.82
Dera Baba Nanak	R	74.00	30.75	Guntur	R	230.00	29531.17
Dera Bassi	Ι	157.00	104.14	Hassan	R	6814.00	584.94
Faridabad	R & I	2151.00	6891.56	Hubli-Dharwad	R & I	404.00	3257.90
Firozabad	R & I	2362.00	933.02	Hyderabad	R & I	217.00	23908.91
Gajraula	R & I	3.00	85.20	Kakinada	R	31.51	2380.17
Ghaziabad	Ι	133.30	3255.79	Khammam	R	94.37	16931.76
Gobindgarh	R & I	110.00	342.37	Kochi	R & I	732.00	8865.43
Hisar	R	215.00	1550.41	Kollam	R & I	73.03	4193.20
Jalandhar	R & I	3401.00	3742.07	Kottayam	R & I	2208.00	1418.18
Jhansi	R	5028.00	883.88	Kozhikode	R & I	128.00	7912.58
Kanpur	R & I	403.70	4860.48	Kurnool	R	65.91	24195.29
Khanna	R & I	28.00	546.07	Madurai	R & I	243.00	6074.51
Khurja	R & I	142.00	218.19	Malappuram	Ι	33.61	5852.29
Lucknow	R & I	2528.00	4575.94	Mangalore	Ι	184.45	2175.75
Ludhiana	R & I	310.00	7041.89	Mysore	Ι	132.00	3390.89
Meerut	R	141.90	2275.02	Nalgonda	R	105.00	21183.45
Naya Nangal	R	79.00	216.13	Nellore	R	48.39	17839.74
Noida	R & I	203.00	898.82	Palakkad	Ι	1363.00	1240.79
Patiala	R & I	339.90	1849.33	Patancheru	R	122.00	18160.77
Varanasi	R	1550.00	2311.78	Pathanamthitta	R	23.50	176.15
Yamunanagar	Ι	255.00	1697.51	Salem	R	124.00	3800.27
Eastern zone cities			Thoothukudi	R & I	50.66	1586.06	
Cities	Category	Area (in km ²)	Average Income (in Rs. Lacs)	Thrissur	R	101.40	6607.24
Angul	R & I	6232.00	101.51	Trivandrum	R & I	214.90	6772.38
Asansol	Ι	127.30	3483.23	Vijayawada	R & I	61.88	7465.44
Balasore	R	3076.00	413.54	Visakhapatnam	R & I	540.00	25727.63
Berhampur	R	86.82	825.29	Warangal	R	407.80	21277.51
Bhubaneshwar	R	135.00	1972.63	Western zone cities			
Cuttack	R	398.00	1545.48	Cities	Category	Area (in km^2)	Average Income (in Rs. Lacs)
Dhanbad	R	2052.00	2579.06	Ahmedabad	R & I	464.00	28261.90

Durgapur (WB)	R & I	154.00	1622.43	Alwar	R & I	150.00	802.27
Haldia	Ι	162.00	560.93	Amravati	R & I	122.00	3261.53
Howrah	R & I	1467.00	13675.52	Anklesvar	R & I	213.00	638.82
Jamshedpur	Ι	209.00	2828.23	Aurangabad (MS)	R	139.00	5828.57
Jharia	Ι	280.00	209.68	Chandrapur	R & I	77.00	1641.59
Kolkata	R & I	185.00	40475.25	Greater Mumbai	Ι	4355.00	65021.10
Patna	R	3202.00	2063.98	Jaipur	R & I	111.80	7115.57
Ranchi	R	175.00	2324.72	Jamnagar	R	53.30	2849.73
Rayagada	R & I	7073.00	162.13	Jodhpur	R & I	78.60	2653.26
Rourkela	R	340.00	1283.99	Kolhapur	R	66.82	2875.63
Sambalpur	R	6702.70	613.82	Kota	R & I	318.00	2291.08
Sindri	Ι	65.00	196.50	Lote	R & I	144.00	277.01
Talcher	Ι	2025.00	94.34	Mahad	R & I	175.00	140.17
Central zone cities			Mumbai	R & I	603.00	93969.58	
Cities	Category	Area (in km^2)	Average Income (in Rs. Lacs)	Nagpur	R & I	217.60	12603.27
Bhilai Nagar	R & I	45.20	2574.87	Nashik	R & I	360.00	7604.93
Bhopal	R & I	285.90	3695.98	Navi Mumbai	R & I	344.00	855.59
Dewas	R & I	535.00	572.51	Pune	R & I	700.00	24672.11
Gwalior	R	780.00	2191.14	Rajkot	R & I	170.00	6200.10
Indore	R & I	530.00	4139.85	Roha	R & I	120.00	107.19
Jabalpur	R	367.00	2563.17	Sangli	R & I	118.20	2608.01
Khajuraho	R	175.00	48.21	Solapur	R & I	148.90	4895.32
Korba	R	316.00	881.79	Surat	R & I	326.50	19780.00
Nagda	R & I	120.00	208.66	Tarapur	Ι	627.00	36.78
Raipur	R & I	226.00	2493.15	Thane	R & I	147.00	53789.04
Sagar	R	6375.00	740.34	Udaipur	R & I	37.00	1130.71
Satna	R & I	200.00	561.41	Vadodara	R & I	235.00	8368.20
Singrauli	R	2200.00	441.38	Vapi	R & I	425.89	665.21
Ujjain	R & I	152.00	1031.14				
North-Eastern zone cities							
Cities	Category	Area (in km ²)	Average Income (in Rs. Lacs)	Cities	Category	Area (in km ²)	Average Income (in Rs. Lacs)
Bongaigaon	R	6.00	1462.12	Nagaon	R	128.00	5572.44
Daranga	R	78.00	1831.42	Nalbari	R	160.00	1558.21
Dibrugarh	R	66.14	2670.31	North Lakhimpur Town	R	15.00	2077.97
Golaghat	R	3502.00	2149.91	Sibsagar	R	2667.70	2340.84
Guwahati	R	215.00	1904.49	Silchar	R	15.75	341.35
Hailakandi	R	1327.00	1302.50	Tezpur	R	40.00	139.26
Margherita	R	162.00	54.36	Tinsukia	R	3791.00	2658.54

Note: "R" signifies Residential; "I" signifies Industrial; "R & I" signifies Residential and Industrial

