



Munich Personal RePEc Archive

Renewable energies and energy efficiency adoption's impact on the environmental quality of MENA countries

AGUIR BARGAOUI, Saoussen

LARMA-FSEG Mahdia

15 August 2021

Online at <https://mpra.ub.uni-muenchen.de/111265/>
MPRA Paper No. 111265, posted 28 Dec 2021 11:06 UTC

Renewable Energies and Energy Efficiency Adoption's Impact on the Environmental Quality of Middle East North Africa Countries

Saoussen AGUIR BARGAOUI
Laboratory of Research in Applied Micro economy (LARMA)
Faculty of Economic Sciences and Management
Tunis El Manar University¹, Monastir, TUNISIA
aguir_saoussen@yahoo.fr

Article's history:

Received 14th of August, 2021; Received in revised form 23th of September, 2021; Accepted 9th of October, 2021; Published 25th of October, 2021. All rights reserved to the Publishing House.

Suggested citation:

Aguir Bargaoui, S. 2021. Renewable energies and energy efficiency adoption's impact on the environmental quality of middle Est North Africa countries, *Journal of Applied Economic Sciences*, Volume XVI, Fall, 3(73): 361– 373.

Abstract:

Environmental challenges in MENA countries deserve more attention as they are pursuing economic growth and expanding urbanization and the geographical position of these countries make them more exposed to the outcomes of climate change.

In this context, this paper focuses on the proposed solutions for the climate change problem that are renewable energies and the use of fossil fuel effectively in the context of growing urbanization in the MENA region. Indeed, using the GMM estimator for 18 MENA countries during the period 2000-2018, we try to quantify the magnitude of the impact of population, economic prosperity, urbanization, fossil fuels, energy efficiency, and renewable energies, especially solar, wind, and hydropower energies on CO₂ emissions. Results allow the environmental Kuznets curve validation and highlight the contribution of energy efficiency in improving the environment. However, the used proportion of renewables in the energy mix does not significantly affect environmental quality. Moreover, solar energy contributes to emissions reduction. While the adopted level of wind and hydropower energy does not allow these countries to improve their environment.

Keywords: renewable resources; conservation; nonrenewable resources; alternative energy sources; environmental effects.

JEL Classification: Q20; Q30; Q42; Q51.

Introduction

Several scientists stated that the Middle East and North Africa (MENA) region would be strongly affected by climate change and that the severity of environmental degradation differs according to the geographical positions of these countries. In this context, MENA countries is facing a considerable number of challenges among them: environmental institutions and legal framework development, investment in projects to manage waste, the development of strategies to manage scarce resources, and R&D effort deployment to invent new technologies that exploit scarce resources effectively and develop new energies that are renewable and eco-friendly.

Since environmental challenges deserve particular attention, this paper aims to quantify the magnitude of renewable energies and the use of fossil fuel effectively in the context of growing urbanization in the MENA region. Indeed, using the Stochastic Impacts by Regression on Population, Affluence, and Technology (STIRPAT) model for 18 MENA countries during the period 2000-2018, we try to quantify the magnitude of the impact of population, economic prosperity, urbanization, fossil fuels, energy efficiency, and renewable energies, especially solar, wind and hydropower energies on CO₂ emissions.

The rest of the paper is organized as follows: section 1 presents MENA countries environmental challenges, section 2 provides a literature revue, section 3 affords our empirical results, last section concludes and presents policy implications.

1. Middle East and North Africa Countries Environmental Challenges

Human needs are unlimited and evolutionary. Economic actors are carrying economic activities and are exploiting resources that are scarce to meet their needs. The contradiction between scarce resources and infinite needs entails overexploitation of natural resources and the development of an economic activity that generates positive and negative externalities. Greenhouse gas and CO₂ emissions are among negative externalities that alter environmental quality.

¹ Chedly Ghedira Street 5000, Monastir, TUNISIA.

Since the industrial revolution, environmental degradation was caused by intensive energy production systems adoption. Indeed, climate change causes growth of the global mean annual temperatures by 3°C to 5°C by the next century. Wodon *et al.* (2014) stated that the Middle East and North Africa (MENA) region would be strongly affected by climate change. Environmental degradation differs in terms of severity according to the geographical positions of these countries. Decreased precipitation, Mediterranean ocean level increase, and considerable seasonal temperature variability are among climate change results, Verner (2012). In addition to water quality and scarcity, land desertification, urban pollution, coastal and marine degradation, and air pollution. This climate variability represents threats to the life security of people, agricultural production, tourism, and economic activity.

Researchers examined the effects of economic development on the environment (Bargaoui *et al.* 2014, Adedoyin *et al.* 2020, Munir *et al.* 2020, Alharthi *et al.* 2021). Some studies deal with the Environmental Kuznets Curve (EKC) theory to study the relationship between economic growth and environmental degradation that takes an inverted U-shape meaning that the rise of per capita income is associated with an increase of pollution until achieving a turning point corresponding to the maximum level of pollution from which emissions start to decline (Bargaoui *et al.* 2013). According to the World Bank MENA economic monitor, economic growth increased to 3% in 2018 and 3.2% in 2019 after implementing reforms to overcome the negative consequences of revolutions, war, violence, and low oil prices lived by some of the MENA countries. The first challenge of MENA countries is how to adopt an eco-friendly economic model to attain sustainable growth?

Moreover, previous studies demonstrated that population growth entails emissions growth for some countries or groups of countries (Bargaoui *et al.* 2014, Abdallah and Abugamos 2017). The population division of the United Nations (2013) expected population evolution in MENA countries to pass from 341 million in 2015 to 571 million in 2050 and 685 million in 2070. Then, it will be crucial to measure the impact of the population number on emissions to give decision-makers a dashboard that can guide their decisions. Indeed, the second challenge of MENA countries is to implement strategies aiming to reduce population fertility and to carry out programs to make their citizens socially responsible consumers.

Urbanization was identified as one of the significant factors that can explain the environmental quality. Péridy *et al.* (2012) stated that an increase in temperature of 1-3°C could expose around 6–25 million people to coastal flooding in urban areas of MENA countries. Furthermore, the United Nations report of the World Urbanization Prospects (2019) stated that the total number of urban inhabitants in the region was 188 million in 2000, 281 million in 2015, and is projected to reach 381 million in 2030, and 527 million in 2050. In relative terms, the MENA region's urban population evolution is faster than that of its population. Urban people change their consumption mode notably: food, energy, water, and land; that entail environment quality alteration, which influences their health and life quality. Consequently, the climate risk will affect a growing number of MENA urban citizens. An additional challenge for these countries consists in reducing urban population impact on their environment through socially responsible consumption.

Compared to other regions, MENA possesses the largest natural gas and oil reserves in the world, World Bank (2020). Indeed, according to the BP Statistical Review of World Energy (2018), these countries possess 60% of the global oil reserves. However, the region is heterogeneous in terms of natural resources endowment since its composition of gulf countries that are oil prosperous economies and scarce resources countries. Collectively, they are considered the wealthiest in oil and gas dotation and the poorest in water worldwide. Indeed, Menichetti and El Gharras (2017) stated that the MENA countries held 51.2% of global oil proved reserves in 2015 and 47% of world gas proved reserves. In terms of consumption, MENA countries need more fossil fuels to pursue their economic growth and expanding urbanization. Empirical investigations agreed that energy consumption and economic growth are the main CO₂ emissions drivers (Arouri *et al.* 2012, Farhani *et al.* 2013, Omri 2013, Bargaoui *et al.* 2014, Abdallah and Abugamos 2017). Since the region is attempting to modernize its economies and is engaging in an industrialization process, MENA countries are facing carbon emissions growth.

Institutional awareness was known by the international community beginning with the United Nations Framework Convention on Climate Change (UNFCCC) negotiated and signed by 154 states at the United Nations Conference on Environment and Development (UNCED) in 1992. After this date, several conferences of parties were organized among them the Kyoto protocol in 1997, the Paris agreement in 2015, and the United Nations Conference of 2017. These successes of events led to the elaboration of the United Nations agenda of Sustainable Development Goals 2030 that contains 17 goals among them: Affordable and clean energy, responsible consumption and production, and climate action. Countries tried to develop a certain number of policies and practices to attain these goals. In this sense, Kaygusuz *et al.* (2007) emphasized that renewable energy allows coping with resources scarcity and limits its incidence on our environment. Likewise, the convention

signed at United Nations Climate Change Conference organized in December 2015 in Paris acknowledged that energy efficiency is a serious instrument to face climate change. The Paris agreement, which deals with Greenhouse Gas emissions mitigation, adaptation, and sustainable projects financing became into force in 2020, was ratified by all MENA countries except Iran, Iraq, Libya, and Yemen. In this sense, environmental institutions, legal framework development, investment in projects to manage waste, development of strategies to mitigate climate change and to manage scarce resources, and research and development effort deployment to invent new technologies that exploit scarce resources effectively and develop new energies that are renewable and eco-friendly are among challenges of MENA countries. This region possesses the most important renewable energy dotation in the world. Little countries of this region began to exploit their potential of renewable energies, particularly scarce resource countries, as fossil fuels still dominate the energy mix.

Renewable energies are generated from numerous sources involving biomass, geothermal, solar, wind, and hydropower energies. Since the composition of MENA countries of net energy importers and net energy exporters, there is a difference in renewable energy adoption. Indeed, for energy-exporting countries, the energy mix is depending on fossil fuels, and renewable energy sources are weakly adopted. Contrary, energy importers tried to be seriously involved in the energy transition process toward renewables. The last challenge of the MENA countries is to develop renewables. According to Menichetti and El Gharras (2017), the most dominant source is hydropower, wind, and solar energy is experiencing a significant development achieving more than 21 Mtoe in 2014 in South and East Mediterranean countries. Indeed, they stated that except hydropower, renewable energy installed capacity in the MENA region is around 11GW and is distributed: wind (7.5 GW), solar photovoltaic (1.7 GW), geothermal (775 MW), biomass and waste (650 MW), and concentrated solar power (347 MW). Some researchers tried to investigate the impact of some renewable energy on environmental quality for some countries or groups of countries. However, to the best of our knowledge, their respective roles for MENA countries are not well investigated yet.

Prior empirical research developments advanced that there is a bidirectional relationship between CO₂ emissions and economic growth; Meaning that economic growth entails negative externalities that may affect the well-being of citizens if it continues in time. Indeed, threats alter the health of actual generations by waste and discharges. However, future generations may experience a non-renewable energy shortage since their overexploitation by present ones. Consequently, decreased productivity and life quality can occur. In this context, the pollution control actions application via the R&D and investment in energy effective equipment and the energy mix modification through the renewable energy adoption become crucial. Indeed, attempts must be made to persuade industrials to implement new technologies to minimize pollution. In this framework, Péridy *et al.* (2012) stated that adaptation measures in MENA countries should focus on low-cost adaptation measures based on traditional knowledge, meeting domestic and local conditions. Indeed, considering the negative climate change impact experienced by each nation and its affected sectors, each country set a priority list in addition to general policies that are adaptable to most MENA countries.

The effectiveness of energy efficiency has been the subject of some empirical studies. Indeed, Martínez-Zarzoso (2009) studied the energy efficiency/CO₂ emissions nexus for a sample of 121 countries over the period 1975-2003 and proved that adopting energy-efficient technologies reduces emissions and that the magnitude of impact is more important for high income than low-income countries.

Using static and dynamic panel data, Bargaoui *et al.* (2014) demonstrated, for all studied samples and groups, that energy efficiency reduced CO₂ emissions. However, the magnitude of impact differs among studied groups. Indeed, the impact magnitude for 20 MENA countries is -0.5291 against -0.8299 for the studied sample composed of 151 countries. These results can be attributed to the weak energy-efficient technologies' level in MENA countries and even the studied period stemming from 1980 to 2010, a period known by the lack of energy-efficient technologies since they are under development. Then, the studied period 2000-2018 in the present work will allow for better estimating MENA countries' energy-efficient technologies adoption outcomes.

Although there is a theoretical consensual opinion about the role of renewable energy in environmental quality improvement, controversial results proved by several empirical research regarding the renewable energy and CO₂ emissions relationship. Indeed, while some researchers confirmed that renewables decrease emissions as Mert and Bölük (2016), Heryadi and Hartono (2017), Saidi and Mbarek (2016), Dogan and Ozturk (2017), Paramati *et al.* (2017), Charfeddine and Kahia (2019), Majeed and Luni (2019), and Bargaoui and Amamou (2020); others proved the opposite relation such as Apergis *et al.* (2010), and Jebli and Youssef (2017).

By employing the PVAR technique, Charfeddine and Kahia (2019) examined the impact of renewable energy consumption on CO₂ emissions in the MENA region. Results indicated the possibility of improving the

environmental quality in the MENA region by promoting the renewable energy sector since they proved the statistically significant negative link between renewable energy consumption and CO₂ emissions.

Anser *et al.* (2020) assessed the influence of non-renewable, renewable energy consumption, and economic development on emissions in Latin America and the Caribbean during 1990-2015 using the system GMM estimator. They showed that economic growth, annual per capita fossil fuel consumption, and urbanization significantly increase CO₂ emissions. In contrast, the squared GDP and renewable energy consumption significantly improve the environmental quality through CO₂ emissions reduction.

Nathaniel *et al.* (2020) explored the impact of renewable energy on environmental quality for 13 MENA countries on ecological footprint and proved that renewable energy does not contribute significantly to environmental quality.

Recently, the renewable energy CO₂ emissions relationship were studied by Alharthi *et al.* (2021) for 15 MENA countries during 1990-2015 and showed that renewable energy consumption significantly reduces the level of emissions and that its impact increases with higher quantiles.

Heryadi and Hartono (2017) tried to study the effectiveness of the joint implementation of energy efficiency and renewable energy for G20 countries during 2000-2013. They proved that energy efficiency and renewable energy negatively affect CO₂ emissions levels, individually and collectively. Besides, they demonstrated that renewable energy adoption has a superior effect than energy efficiency reducing CO₂ emissions.

Renewable energy production is performed from numerous sources that are hydropower, solar, wind, biomass, and geothermal energy. However, their degree of adoption depends on countries' action plans and their dotation in these specific resources. According to our appreciation, these are the cause of these contradictory results since they studied different countries or groups of countries and diverse periods. Then, we believe that exploring the individual impact of each renewable resource on emissions is crucial to detect the magnitude of their mitigation effect and then evaluate the effectiveness of implemented plans.

A limited number of studies are interested in the impact of each renewable resource on environmental quality. Tugcu *et al.* (2012), Gomiero (2015), Xu *et al.* (2020), Busu and Nedelco (2021) examined the influence of biofuel. Their findings support that biofuel and CO₂ emissions reduction are strongly correlated. As for the impact of biomass, the reduced share of biomass in the energy consumption mix contributed significantly to enhance carbon emissions in the Chinese context, Ma and Stern (2008). However, Shahbaz *et al.* (2018) showed that biomass energy consumption provides CO₂ emissions increase for G7 countries. However, Ahmed *et al.* (2016) demonstrated that biomass energy is related to CO₂ emissions insignificantly for 24 European countries throughout the period stemming from 1980 to 2010.

Shahbaz *et al.* (2019) demonstrated that persisting economic growth pattern in the MENA countries is not eco-friendly and is harmful to sustainable development in these nations when analyzing the association between GDP, biomass energy consumption, and CO₂ emissions during 1990-2015. Indeed, results showed an N-shaped association between GDP and CO₂ emissions, whereas biomass energy consumption decreased CO₂ emissions.

The environmental impact of wind energy adoption was studied by Biresselioglu *et al.* (2016) during 1997-2014 for 26 countries that proved that higher carbon dioxide emissions contribute to developing installed wind capacity. The impact of wind energy on carbon emissions was not analyzed yet by prior researchers.

Lau *et al.* (2016) used the standard time series estimation to determine the long-run relationship between hydroelectricity consumption and CO₂ emissions in Malaysia. Their results confirm the short and long-run causality from hydroelectricity consumption to CO₂ emissions.

Solarin *et al.* (2017) examined the link between CO₂ emissions and hydroelectricity consumption in China and India from 1965 to 2013. They showed that hydroelectricity consumption exerts a long-run negative impact on emissions in both countries. Besides, Bello *et al.* (2018) explored the isolated impact of hydroelectricity consumption on the Malaysian environment. They found that hydroelectricity reduces environmental degradation significantly.

Al-Mulali *et al.* (2015) studied the renewable electricity production by source on CO₂ emissions in 23 selected European countries for the period of 1990–2013. Their renewable electricity generated from combustible renewables and waste, hydroelectricity, and nuclear power have a negative long-run effect on CO₂ emissions, while renewable electricity generated from solar and wind power is insignificant.

Furthermore, Majeed and Luni (2019) investigated the role of renewable energy and hydroelectricity solely in addition to that of solar, wind, geothermal, and hydroelectricity considered collectively on carbon dioxide emissions for 166 countries during 1990-2017. Empirical results indicated the positive role of solar, wind, geothermal, and hydroelectricity in environmental improvement.

In the path of the literature review, we have not arisen across any study that carried out on the MENA countries focusing on the effect of renewable energy and energy efficiency adoption collectively, and studies regarding renewable energy produced dissociated results. Furthermore, the study of each renewable energy influence on emissions for MENA countries solely is not considered by previous studies to our knowledge. Focusing on these gaps represents the main contributions of this paper. In addition, policy prescriptions for MENA countries considering presented results to allow these nations to attain sustainable development goals developed by the United Nations.

2. Economic Growth, Energy Consumption, Population, and Urbanization Implications on Environmental Quality

During past decades, the linkages between economic growth, energy consumption, population, urbanization, and environmental quality interested considerable academic researchers. Subsequently to the international awareness about climate change, the imperative to improve human well-being via the effective use of available resources and the continued prosperity of their economies. MENA countries are among these nations that aim to attain sustainable development and create green economies. Indeed, Jalilvand (2012) stated that greenhouse gas emissions from energy consumption are expected to grow globally in 2035 compared to 2010 by 20%. He added that the growth is more valuable in the Middle East for which the increase is by 47%. Then, it is obvious to study the linkages between energy consumption, economic growth, and CO₂ emissions as these later are the most significant greenhouse gas emissions.

In this context, Arouri *et al.* (2012) used the panel error-correction model to study the impact of energy consumption and real GDP on CO₂ emissions for 12 MENA Countries over 1981–2005. They demonstrated that a 1% increase in energy consumption per capita increases CO₂ emissions per capita by 0.47% in the MENA region, and gross domestic product growth causes future decreases in carbon dioxide emissions per capita. Consequently, they validated the EKC hypothesis.

Using the Cobb–Douglas production function, Omri (2013) examined the above interaction for 14 MENA countries during 1990–2011 and found that energy consumption contributes to economic growth and rejected the neoclassical assumption of neutrality of the energy/growth nexus. Besides, the researcher demonstrated a unidirectional causal relationship between energy consumption to carbon dioxide emissions. Consequently, they concluded that the MENA countries are consuming more energy because of the expansion of production, which leads to more emissions.

Bargaoui *et al.* (2014) examined the relationship between economic growth, population and CO₂ emission level during 1980–2010 using static and dynamic panel data estimations for 151 countries studied collectively and decomposed in geographical groups. Results of static model estimation reveal that population and growth exhibit a positive and statistically significant for all the studied countries sample and different geographic groups of countries. However, economic growth loses its significativity for the dynamic panel for East Asia and Pacific, Europe and Central Asia, Latin America and Caribbean, and MENA groups.

Alharthi *et al.* (2021) investigated the contributing factors of CO₂ emissions in the MENA region by applying novel quantile techniques during 1990–2015. Empirical results confirm the validity of the EKC hypothesis. Furthermore, non-renewable energy consumption grows CO₂ emissions, and its magnitude decreases with higher quantiles.

The negative impact of climate change on agriculture is probably to have additional negative consequences on rural-urban migration via an increased urbanization process that includes negatives outcomes, such as housing, job opportunities, and investments in infrastructure, Péridy *et al.* (2012). In this context, Cole and Neumayer (2004) studied a panel of 86 countries during 1975–1998 and found a positive association between CO₂ emissions and population, urbanization rate, energy intensity.

Using the dynamic ordinary least squares (OLS) technique for 20 MENA countries during 1980–2009, Al-Mulali and Sab (2013) demonstrated that higher urbanization and energy usage leads to further environmental degradation. Using static panel data estimation, Bargaoui *et al.* (2014) demonstrated that urbanization exerts a negative and significant effect on emissions for all countries sample, East Asia and Pacific, Europe and Central Asia, and South Asia groups. Yet, this relation is statistically positive in Latin America and the Caribbean, Sub-Saharan Africa, and MENA groups. For dynamic panel data, all linkages lose their significance except for the Sub-Saharan Africa group. Urbanization does not exert a statistically significant effect on emissions except for Sub-Saharan Africa for which urbanization enhances emissions.

Solarin *et al.* (2017) studied the relationship between CO₂ emissions, urbanization, and real GDP in China and India during 1965–2013 using the ARDL. They showed that real GDP and urbanization have a long-run

positive impact on emissions. Abdallah and Abugamos (2017) explored the impact of urbanization on CO₂ emissions for 20 MENA countries during 1980–2014. They proved that GDP per capita, total population, and energy intensity add significantly to the CO₂ emissions level and that urbanization has not a statistically significant impact on emissions.

Bello *et al.* (2018) studied the relationship between CO₂ emission, GDP, squared GDP, and urbanization for the period going from 1971 to 2016 for the Malaysian economy. Their results proved an inverted U-shaped relationship between environmental degradation and real GDP, confirming the EKC hypothesis. The authors demonstrated that urbanization is not particularly harmful to the environment.

Magazzino and Cerulli (2019) conducted a study on 18 MENA countries for the period 1971-2013 to explore the association between carbon emissions and urban population using the responsiveness scores. Their results reveal that the urban population influence CO₂ negatively.

Using the Augmented Mean Group algorithm, Nathaniel *et al.* (2020) tried to determine the effect of financial development, economic growth, non-renewable energy consumption, and urbanization on environmental quality as measured by ecological footprint for 13 MENA countries during 1990-2016. Their finding suggested that financial development, economic growth, non-renewable energy consumption, and urbanization enhance environmental degradation. Results for the emissions urbanization relationship are controversy. This fact inspires as to study this linkage in the present work.

3. What is the Magnitude of the Implication of Economic Growth, Population, and Urbanization on Emissions? And Does Energy Efficiency, Adopted Renewable Energy in Middle East and North Africa Countries Improves Environmental Quality?

It is essential to quantify the magnitude of the impact of the anthropogenic factors that entail emissions growth and adopted policies to mitigate this effect. Hence, we apply the STIRPAT model (Stochastic Impact by Regression on Population, Affluence, and Technology) that allows studying the multiple factors contributors to environmental degradation such as urbanization, population, and economic growth. The STIRPAT model was advanced by Dietz and Rosa (1997) to surmount the IPAT model problems. The STIRPAT equation is as follow:

$$I_i = \alpha \cdot P_i^\beta \cdot A_i^\gamma \cdot T_i^\delta \cdot e_i \quad (1)$$

To interpret explanatory variables as elasticity, we apply a logarithmic transformation to equation (1) as recommended by York *et al.* (2003):

$$\ln I_{it} = \alpha_i + \beta \ln P_{it} + \gamma \ln A_{it} + \delta \ln T_{it} + \mu_i + \theta_t + e_{it} \quad (2)$$

where: i represent countries, t are studied years, I_{it} - CO₂ emissions of the 18 MENA countries; P_{it} - total population; A_{it} - GDP per capita. T_{it} - approximated by GDP per unit of energy use that represents energy efficiency, fossil fuel consumption, and renewable energies that are solar, wind, and hydropower energy. μ_i - countries fixed effect and θ_t - time effect and e_{it} - error term.

To test the relationship between urbanization and environmental impact, we use the percentage of the urban population as York *et al.* (2010). The expected models allow us to test the following hypothesis:

H_1 : There is a positive link between CO₂ emissions and population in MENA countries.

H_2 : There is a positive link between CO₂ emissions and GDP in MENA countries.

H_3 : There is a negative link between CO₂ emissions and GDP² in MENA countries.

H_4 : There is a positive link between CO₂ emissions and urbanization in MENA countries.

H_5 : There is a positive link between CO₂ emissions and fossil fuel energy in MENA countries.

H_6 : There is a negative link between CO₂ emissions and energy efficiency in MENA countries.

H_7 : There is a negative link between CO₂ emissions and renewable energy in MENA countries.

H_8 : There is a negative link between CO₂ emissions and wind energy in MENA countries.

H_9 : There is a negative link between CO₂ emissions and solar energy in MENA countries.

H_{10} : There is a negative link between CO₂ emissions and Hydropower energy in MENA countries.

To estimate our model, we use the General Method of Moments (GMM) approach; and to test the validity of instruments, we apply the Sargan and Arellano-Bond statistical test. We use annual data for the 18 MENA countries that are Algeria, Bahrain, Djibouti, Egypt, Iran, Iraq, Jordan, Kuwait, Lebanon, Libya, Morocco, Oman, Qatar, Saudi Arabia, Syria, Tunisia, the United Arab Emirates, and Yemen for the period spanning from 2000 to 2018. The first group of data is sourced from World Development Indicators (WDI) that are: CO₂ emissions (in KT) to measure environmental impact; population quantified by the total number of populations; urbanization is proxied by the percentage of the population living in urban areas; affluence assessed by GDP per capita (constant 2010 US\$); fossil fuels proxied by the percentage of fossil fuel energy consumption that comprises coal, oil, petroleum, and natural gas product; energy efficiency measured by GDP per unit of energy use is the PPP GDP per kilogram of oil equivalent of energy use; and the percentage of renewable energy consumption from final energy consumption. To further analyze the impact of renewables, we proxied renewables by electricity generated from hydropower in TWh, electricity generated from solar energy in TWh, and electricity generated from wind energy in TWh. These three proxies' source is Our World in Data. Data description is afforded in the table below.

Table1. Variable description

Indicator	Definition	Source
CO ₂ emissions (kt)	Carbon dioxide emissions come from the burning of fossil fuels and the manufacture of cement. They include carbon dioxide produced during the consumption of solid, liquid and gaseous fuels and gas flaring.	World development Indicators
Total population	The total population is based on the definition of population, which includes all residents regardless of legal status or citizenship.	
Economic growth	GDP per capita, PPP (2011 constant international dollars): GDP per capita based on Purchasing Power Parity (PPP)	
Fossil fuels	Fossil energy consumption (% of total final energy) includes coal, oil, petroleum and natural gas products.	
Renewable energy	Renewable energy consumption (% of total final energy consumption) is the share of renewable energy in total final energy consumption.	
Energy efficiency	GDP per unit of energy use (constant 2011 PPI per kg of oil equivalent) is the PPP GDP per kilogram of oil equivalent of energy consumption.	
Urbanization	Urban population (% of total population) refers to people living in urban areas as defined by national statistical offices. The data are collected and smoothed by United Nations Population Division.	
Hydropower	Electricity from Hydro (TWH)	Our World in Data
Wind energy	Wind energy generation is measured in terawatt-hours (TWh)	
Solar energy	Solar energy generation is measured in terawatt-hours (TWh).	

Source: Author

The descriptive statistics of used variables presented in the Table 2 are crucial to conducting our study.

Table 2. Descriptive statistics

Variable	Obs	Mean	Std. Dev.	Min	Max	Max
LCO ₂	324	7.197039	3.483047	2.621039	13.38027	13.38027
LPOP	342	16.0642	1.38231	13.29205	18.40479	18.40479
LGDP	311	17.89678	8.021088	6.450327	27.94583	27.94583
LFF	234	4.572603	0.0464876	4.400486	4.60517	4.60517
LEE	239	2.120601	0.3010105	1.258019	2.659041	2.659041
LRE	224	0.4089528	2.14263	-5.119913	3.53934	3.53934
LURB	342	4.252336	0.2893652	3.268313	4.60517	4.60517
LUHYDRO	171	-0.095572	2.025624	-4.074542	2.906682	2.906682
LSOLAR	150	-5.045889	2.868346	-9.903487	0.2965753	0.2965753
LWIND	128	-2.942939	2.470402	-7.600903	1.321855	1.321855

Source: Author

As for the minimum and maximum values are discarded.CO₂ emissions and GDP are volatile. The correlations between the studied variables are presented in Table 3 below.

Table 3. Correlation matrix

	LCO ₂	LPOP	LGDP	LEE	LFF	LRE	LURB	LWIND	LSOLAR	LHYDRO
CO ₂	1.0000									
POP	0.8558	1.0000								
GDP	0.9785	0.8670	1.0000							
EE	-0.7580	-0.4140	-0.6307	1.0000						
FF	0.9128	0.7876	0.9319	-0.6154	1.0000					
RE	-0.9226	-0.6047	-0.8800	0.8776	-0.8496	1.0000				
URB	0.0306	-0.4427	-0.0482	-0.4888	-0.1151	-0.3680	1.0000			
WIND	0.0288	0.2779	0.1862	0.4940	0.1379	0.1706	-0.4902	1.0000		
SOLAR	0.0644	0.0891	0.2092	0.2875	0.3180	0.0026	-0.3597	0.5001	1.0000	
HYDRO	0.8244	0.9812	0.8277	-0.4029	0.7399	-0.5670	-0.4319	0.2552	0.0002	1.0000

Source: Authors calculations

All studied variables are highly correlated with CO₂ emissions except urbanization, solar, and wind energy that show a weak correlation. The next step consists of the models' estimation. These allow us to measure the elasticity of the different driving forces of CO₂ emissions and solutions that are energy efficiency, renewable energies, and more precisely solar, wind, and hydropower energy. Consequently, policymakers can use these results to evaluate adopted solutions' implications on environmental quality. Estimation results are presented in Table 4 below.

The first step is to test the validity of our estimates through the Sargan test that allows us to examine the validity of the instruments and the Arellano-Bond statistical test to analyze the autocorrelation of the first-order and second-order errors. As for the Sargan test, if the p-value is superior to 5%, we accept the null hypothesis according to which the p-instruments are valid. Consequently, instrumental variables are not asymptotically correlated with the perturbations of the estimated model. The p-values of all estimated models are superior to 5%. Then we accept the null hypothesis of the absence of autocorrelation. This result does not disturb the consistency of our findings because it measures the autocorrelation in difference. Several researchers consider that the second-order error autocorrelation test AR(2) is more essential because it permits perception-level autocorrelations. The p-values of this statistic are all greater than 5% showing the absence of second-order autocorrelation for all estimated models.

After testing the validity of our estimated model, we can interpret our results. The first model aims to verify the Kuznets hypothesis that is validated for MENA countries according to our estimation results are in line with those found by Arouri *et al.* (2012) and Elharthi *et al.* (2021). Population level has a positive effect, and urbanization has not statistically significant impact on environmental quality. Energy efficiency contributes to the improvement of the environment.

The second model concerns the role of renewable energy adoption in pollution mitigation. Results suggest that renewable has not a statistically significant impact and energy efficiency decreases CO₂ emissions. Population, economic growth, and fossil fuels deteriorate environmental quality. As for population level, GDP, and CO₂ emissions relationship, our results are consistent with those of Bargaoui *et al.* (2014), Abdalh and Abugamos (2017), and that of fossil fuel impact agrees with those of Arouri *et al.* (2012), and Omri (2013), which proved that energy consumption enhances CO₂ emissions for respectively 12 and 14 MENA countries.

Since renewable energy have not statistically significant effect, and it is composed of several types, we find it crucial to measure the implication of each type solely to have an idea about the most effective adopted strategy. For this, we estimate the impact of wind, solar, and hydropower energy. The result of the third model indicates that wind energy does not significantly affect emissions levels. The outcomes of the only research examining this relationship for 23 selected European countries that is Al-Mulali *et al.* (2015) are in line with our findings. As for population, economic prosperity, and fossil fuels, they contribute to environmental quality deterioration.

The solar energy effect examined in the fourth model significantly reduces emissions. Indeed, a 1% increase in solar energy entails a decrease of -0.01442% in emissions level. However, this renewable has not significant effect on 23 European countries studied by Al-Mulali *et al.* (2015). Besides, energy efficiency seems to have a considerable impact on environmental quality. A 1% increase in energy efficiency leads to a decrease in emissions level of -0.924%. These outcomes are consistent with those of Martinez-Zarzoso (2009) and Bargaoui *et al.* (2014).

Table 4. GMM estimation results

	Model 1	Model 2	Model 3	Model 4	Model 5
LCO _{2(t-1)}	0.444282 (2.66)***	-0.0128225 (-0.05)	0.7764269 (6.38)***	-0.045418 (-0.38)	-0.8099974 (-1.19)
LPOP	0.5651926 (2.08)**	1.327943 (1.88)*	0.4997887 (2.55)**	0.2619548 (0.37)	19.11493 (0.93)
LGDP	1.137025 (14.84)***	0.9660521 (1.74)*	0.3206008 (4.52)***	0.8713517 (20.58)***	4.09005 (1.08)
LGDP ²	-0.016234 (-5.44)***				
LURB	0.5932464 (0.17)	-3.046069 (-0.96)	-1.909655 (-3.80)***	3.175415 (1.08)	-1.48768 (-0.89)
LEE	-0.573071 (-9.85)***	-0.8835659 (-1.82)*	-0.6737263 (-5.72)***	-0.9240125 (-9.86)***	-2.749411 (-1.50)
LFF	-0.7128726 (-0.45)	2.79287 (-2.49)**	0.725644 (-1.93)*	-0.4137506 (-0.46)	-2.554138 (-0.30)
LRE		0.075185 (0.51)			
LSOLAR				-0.0144267 (-2.60)**	
LWIND			0.0121207 (0.81)		
LHYDRO					0.2877804 (0.95)
Constant	-19.20796 (-1.35)	-9.623946 (-1.40)	-2.660777 (-1.01)	-23.12788 (-5.50)***	-20.93225 (-0.50)
Observations	179	152	38	63	104
Countries	15	12	7	13	8
Instruments nber	20	32	32	32	32
Sargan test	8.679053 (0.7301)	3.75175 (1.0000)	24.91122 (0.4106)	5.939597 (0.9999)	6.25e-12 (1.0000)
Arellano-Bond test AR(1)	-1.9076 (0.0564)	-0.05067 (0.9596)	1.0404 (0.2981)	-0.67058 (0.5025)	0.74433 (0.4567)
Arellano-Bond test AR(2)	-0.2416 (0.8091)	1.4834 (0.1380)	1.2321 (0.2179)	0.9091 (0.3633)	0.70859 (0.4786)

Note: All variables are in natural logarithms. *t*-statistics are given in parenthesis and ****p* value < 0.01; ***p* value < 0.05; **p* value < 0.1

Source: Authors calculations

Although hydropower energy is the most adopted renewable energy in the MENA region, we find that hydropower has not statistically significant impact on emissions, as examined by model five. This finding is in discordance with previous studies. Indeed, hydroelectricity is found to reduce emissions by Solarin *et al.* (2017) for China and India, by Bello *et al.* (2018) for Malaysia, and by Al-Mulali *et al.* (2015) for 23 European countries.

Conclusion and Policy Implications

The collaboration with the international community allows the achievement of sustainable development goals developed by the United Nations programs. MENA countries contemplate a crucial environmental challenge since they are among the most affected nations by climate change.

This paper focused on renewable energies and fossil fuel effective use outcomes in the context of increased urbanization in the MENA region. Indeed, using Generalized Method of Moments (GMM) for 18 MENA countries during the period 2000-2018, we tried to quantify the magnitude of the impact of population, economic prosperity, urbanization, fossil fuels, energy efficiency, and renewable energies, especially solar, wind and hydropower energies on CO₂ emissions. Results confirm the EKC hypothesis for MENA countries. Population

exerts pressure on the environment. However, urbanization does not significantly affect emissions for almost all estimated models.

Considering our research results, we conclude that energy efficiency technologies are well adopted in these countries, and their effect magnitude is considerable. Then, we propose new energy-efficient technology supplementary adoption to maintain its positive externality. Results suggest that renewable energy technologies have not significantly reduced the effect on emissions. These can be explained by the fact that they are not yet widely adopted by MENA countries. The only technology that contributes to environmental quality improvement is solar energy, since the dotation of our sample with this natural resource and the installation of the required equipment to exploit them at the required level. Indeed, most MENA countries are sunny. Indeed, according to Menichetti and ElGharras (2017), global horizontal irradiance values range from 1,600 kWh/m²/y in coastal areas of the Mediterranean to 2,600 kWh/m²/y in the desert, and direct normal irradiance varies from 1,800 kWh/m²/y to more than 2,800 kWh/m²/y. Besides, Al-Shalabi *et al.* (2014) stated that the MENA region is one of the best areas of solar energy *i.e.* Concentrated Solar Power and Photovoltaic.

As for hydropower and wind energy and even though MENA countries are dotted with these resources, these renewables exhibit a non-significant effect on environmental quality. In this sense, Menichetti *et al.* (2019) affirmed that hydropower still the main renewable energy in the MENA region, reaching 9 Mtoe in 2015. Besides, Mediterranean MENA countries: Morocco, Egypt and Turkey, and Iran are highly endowed with wind potential, while GCC countries wind energy is relatively moderate. Consequently, MENA countries must focus in installing further equipment to take advantage from their capacities.

To conclude, the MENA region is appropriate for the development of renewable energy technologies. Efforts of MENA countries remain insufficient to induce significant change. Consequently, new governmental policies and structural changes need to be undertaken to achieve the required results. Indeed, nations must establish ambitious objectives and plans to improve and develop renewable energy usage. Especially wind and solar energy, which is existent in these countries and not well exploited yet. At the global level, general policies must be undertaken by most MENA countries in addition to specific policies according to each country's priority and climate change-specific incidences. The challenges of MENA countries consist in removing barriers. Among them: regulatory barriers, weak infrastructure, equipment investment, high level of subvention of conventional energy.

References

- [1] Abdallah, A.A., and Abugamos, H. 2017. A semi-parametric panel data analysis on the urbanisation-carbon emissions nexus for the MENA countries. *Renewable and Sustainable Energy Reviews*, 78: 1350-1356. DOI: <https://doi.org/10.1016/j.rser.2017.05.006>
- [2] Ahmed, A., Uddin, G., and Sohag, K. 2016. Biomass energy, technological progress and the environmental Kuznets curve: Evidence from selected European countries. *Biomass and Bioenergy*: 202-208. DOI: <https://doi.org/10.1016/j.biombioe.2016.04.004>
- [3] Alharthi, M., Dogan, E., Taskin, D. 2021. Analysis of CO₂ emissions and energy consumption by sources in MENA countries: Evidence from quantile regressions. *Environmental Science and Pollution Research*, 1-8. DOI: <https://doi.org/10.1007/s11356-021-13356-0>
- [4] Al-Mulali, U., and Sab, C.N.B.C. 2013. Exploring the impact of oil revenues on OPEC members' macroeconomy. *OPEC Energy Review*, 37(4): 416-428. DOI: <https://doi.org/10.1111/opec.12014>
- [5] Al-Mulali, U., Ozturk, I., and Lean, H.H. 2015. The influence of economic growth, urbanization, trade openness, financial development, and renewable energy on pollution in Europe. *Natural Hazards*, 79(1): 621-644. DOI: <https://doi.org/10.1007/s11069-015-1865-9>
- [6] Al-Shalabi, A., Cottret, N., and Menichetti, E. 2014. *EU-GCC Cooperation on Energy*, paper presented in Silvia Colombo, ed., *Bridging the Gulf: EU-GCC Relations at a Crossroads*, Roma, Nuova Cultura, p. 157-222. Available at: <http://www.iai.it/en/node/1939>
- [7] Anser, M.K., Hanif I., Alharthi, M., and Chaudhry, I.S. 2020. Impact of fossil fuels, renewable energy consumption and industrial growth on carbon emissions in Latin American and Caribbean economies. *Atmósfera*, 33(3): 201-213. DOI: <https://doi.org/10.20937/atm.52732>

- [8] Apergis, N., Payne, J.E., Menyah, K., and Wolde-Rufael, Y. 2010. On the causal dynamics between emissions, nuclear energy, renewable energy, and economic growth. *Ecological Economics*, 69(11): 2255-2260. DOI: <https://doi.org/10.1016/j.ecolecon.2010.06.014>
- [9] Arouri, M.E.H., Youssef, A.B., M'henni, H., and Rault, C. 2012. Energy consumption, economic growth and CO₂ emissions in Middle East and North African countries. *Energy Policy*, 45: 342-349. DOI: <https://doi.org/10.1016/j.enpol.2012.02.042>
- [10] Bargaoui, S.A., and Amamou, S.A. 2020. The impact of renewable, nonrenewable energy and energy efficiency in environmental quality of Tunisia. *Journal of the International Academy for Case Studies*, 26(5): 1-13. Available at: <https://www.abacademies.org/articles/the-impact-of-renewable-nonrenewable-energy-and-energy-efficiency-in-environmental-quality-of-tunisia-9633.html>
- [11] Bargaoui, S.A., Liouane, N., and Nouri, F.Z. 2013. Pollution and income growth: A dynamic panel data analysis. *Global Journal on Advances Pure and Applied Sciences*, 1. Available at: <http://www.world-education-center.org/index.php/paas>
- [12] Bargaoui, S.A., Liouane, N., and Nouri, F.Z. 2014. Environmental impact determinants: An empirical analysis based on the STIRPAT model. *Procedia-Social and Behavioral Sciences*, 109: 449-458. DOI: <https://doi.org/10.1016/j.sbspro.2013.12.489>
- [13] Bello, M.O., Solarin, S.A., and Yen, Y.Y. 2018. The impact of electricity consumption on CO₂ emission, carbon footprint, water footprint and ecological footprint: The role of hydropower in an emerging economy. *Journal of Environmental Management*, 219: 218-230. DOI: <https://doi.org/10.1016/j.jenvman.2018.04.101>
- [14] Biresselioglu, M.E., Kilinc, D., Onater-Isberk, E., and Yelkenci, T. 2016. Estimating the political, economic and environmental factors' impact on the installed wind capacity development: A system GMM approach. *Renewable Energy*, 96: 636-644. DOI: <https://doi.org/10.1016/j.renene.2016.05.034>
- [15] Busu, M. and Nedelcu, A.C. 2021. Analyzing the renewable energy and CO₂ emission levels nexus at an EU level: A panel data regression approach. *Processes*, 9, 130. DOI: <https://doi.org/10.3390/pr9010130>
- [16] Charfeddine, L., and Kahia, M. 2019. Impact of renewable energy consumption and financial development on CO₂ emissions and economic growth in the MENA region: A panel vector autoregressive (PVAR) analysis. *Renewable Energy*, 139: 198-213. DOI: <https://doi.org/10.1016/j.renene.2019.01.010>
- [17] Cole, M.A., and Neumayer, E. 2004. Examining the impact of demographic factors on air pollution. *Population and Environment*, 26(1): 5-21. DOI: <https://doi.org/10.1023/B:POEN.0000039950.85422.eb>
- [18] Dietz, T., and Rosa, E.A. 1997. Effects of population and affluence on CO₂ emissions. *Proceedings of the National Academy of Sciences*, 94(1): 175-179. DOI: <https://doi.org/10.1073/pnas.94.1.175>
- [19] Dogan, E., and Ozturk, I. 2017. The influence of renewable and non-renewable energy consumption and real income on CO₂ emissions in the USA: evidence from structural break tests. *Environmental Science and Pollution Research*, 24(11). 10846-10854. DOI: <https://doi.org/10.1007/s11356-017-8786-y>
- [20] Farhani, S., Shahbaz, M., and Arouri, M.E.H. 2013. Panel analysis of CO₂ emissions, GDP, energy consumption, trade openness and urbanization for MENA countries, MPRA Paper No. 49258. Available at: <https://mpra.ub.uni-muenchen.de/49258/>
- [21] Gomiero, T. 2015. Are biofuels an effective and viable energy strategy for industrialized societies? A reasoned overview of potentials and limits. *Sustainability*, 7: 8491-8521. DOI: <https://doi.org/10.3390/su7078491>
- [22] Heryadi, M.D., and Hartono, D. 2017. Energy efficiency, utilization of renewable energies, and carbon dioxide emission: Case study of G20 countries. *International Energy Journal*, 16(4). Available at: <http://www.ericjournal.ait.ac.th/index.php/eric/article/view/1496/481>
- [23] Jalilvand, D.R. 2012. Renewable energy for the Middle East and North Africa. Policies for a successful transition. Available at: <https://library.fes.de/pdf-files/iez/08959.pdf>

- [24] Jebli, M.B., and Youssef, S.B. 2017. The role of renewable energy and agriculture in reducing CO₂ emissions: Evidence for North Africa countries. *Ecological indicators*, 74: 295-301. DOI: <https://doi.org/10.1016/j.ecolind.2016.11.032>
- [25] Kaygusuz, K. 2007. Energy for sustainable development: Key issues and challenges. *Energy Sources, Part B: Economics, Planning, and Policy*, 2(1): 73-83. DOI: <https://doi.org/10.1080/15567240500402560>
- [26] Lau, E., Tan, C.C., and Tang, C.F. 2016. Dynamic linkages among hydroelectricity consumption, economic growth, and carbon dioxide emission in Malaysia. *Energy Sources, Part B: Economics, Planning, and Policy*, 11(11): 1042-1049. DOI: <https://doi.org/10.1080/15567249.2014.922135>
- [27] Ma, C., and Stern, D. 2008. Biomass and China's carbon emissions: A missing piece of carbon decomposition. *Energy Policy*, 36: 2517– 2526. DOI: <https://doi.org/10.1016/j.enpol.2008.03.013>
- [28] Magazzino, C., and Cerulli, G. 2019. The determinants of CO₂ emissions in MENA countries: A responsiveness scores approach. *International Journal of Sustainable Development & World Ecology*, 26(6): 522-534. DOI: <https://doi.org/10.1080/13504509.2019.1606863>
- [29] Majeed, M.T., and Luni, T. 2019. Renewable energy, water, and environmental degradation: A global panel data approach, *Pakistan Journal of Commerce and Social Sciences (PJCSS)*, Johar Education Society, Pakistan (JESPK), 13(3): 749-778. Available at: <http://hdl.handle.net/10419/205276>
- [30] Martínez-Zarzoso, I. 2009. A general framework for estimating CO₂ emissions, *IAI Discussion Papers*, No. 180, Georg-August-Universität Göttingen, Ibero America Institute for Economic Research (IAI), Göttingen. Available at: <http://hdl.handle.net/10419/57310>
- [31] Menichetti, E., and El Gharras, A. 2017. How can renewable energy help contribute to the development of the MENA countries? *MENARA Future Notes*, (6). Available at: https://www.iai.it/sites/default/files/menara_fn_6.pdf
- [32] Menichetti, E., El Gharras, A., Duhamel, B., and Karbuz, S. 2019. The MENA region in the global energy markets. *MENARA*, 75. Available at: https://www.cidob.org/en/publications/publication_series/project_papers/menara_papers/working_papers/the_mena_region_in_the_global_energy_markets
- [33] Mert, M., and Bölük, G. 2016. Do foreign direct investment and renewable energy consumption affect the CO₂ emissions? New evidence from a panel ARDL approach to Kyoto Annex countries. *Environmental Science and Pollution Research*, 23(21): 21669-21681. DOI: <https://doi.org/10.1007/s11356-016-7413-7>
- [34] Munir, Q., Lean, H.H., and Smyth, R. 2020. CO₂ emissions, energy consumption and economic growth in the ASEAN-5 countries: A cross-sectional dependence approach. *Energy Economics*, 85: 104571. DOI: <https://doi.org/10.1016/j.eneco.2019.104571>
- [35] Nathaniel, S., Anyanwu, O., and Shah, M. 2020. Renewable energy, urbanization, and ecological footprint in the Middle East and North Africa region. *Environmental Science and Pollution Research*, 1-13. DOI: <https://doi.org/10.1007/s11356-020-08017-7>
- [36] Omri, A. 2013. CO₂ emissions, energy consumption and economic growth nexus in MENA countries: Evidence from simultaneous equations models. *Energy Economics*, 40: 657-664. DOI: <https://doi.org/10.1016/j.eneco.2013.09.003>
- [37] Paramati, S.R., Mo, D., and Gupta, R. 2017. The effects of stock market growth and renewable energy use on CO₂ emissions: evidence from G20 countries. *Energy Economics*, 66: 360-371. DOI: <https://doi.org/10.1016/j.eneco.2017.06.025>
- [38] Péridy, N., Brunetto, M., and Ghoneim, A. 2012. The economic costs of climate change in MENA countries: A micro-spatial quantitative assessment and a survey of policies. *Femise, Marseille*. Available at: <https://www.femise.org/en/studies-and-research/environment-energy-climate-change/the-economic-costs-of-climate-change-in-mena-countries-a-micro-spatial-quantitative-assessment-and-a-survey-of-adaptation-policies/>
- [39] Saidi, K., and Mbarek, M.B. 2016. Nuclear energy, renewable energy, CO₂ emissions, and economic growth for nine developed countries: Evidence from panel Granger causality tests. *Progress in Nuclear Energy*, 88: 364-374. DOI: <https://doi.org/10.1016/j.pnucene.2016.01.018>

- [40] Shahbaz, M., Balsalobre, D., and Shahz, S. 2018. *The influencing factors of CO₂ emissions and the role of biomass energy consumption: statistical experience from G-7 countries*. MPRA: Munich Personal RePEc Archive, Available at: <https://mpra.ub.uni-muenchen.de/87456/>
- [41] Shahbaz, M., Balsalobre-Lorente, D., and Sinha, A. 2019. Foreign direct Investment–CO₂ emissions nexus in Middle East and North African countries: Importance of biomass energy consumption. *Journal of Cleaner Production*, 217: 603-614. DOI: <https://doi.org/10.1016/j.jclepro.2019.01.282>
- [42] Solarin, S.A., Al-Mulali, U., and Ozturk, I. 2017. Validating the environmental Kuznets curve hypothesis in India and China: The role of hydroelectricity consumption. *Renewable and Sustainable Energy Reviews*, 80: 1578-1587. DOI: <https://doi.org/10.1016/j.rser.2017.07.028>
- [43] Soytaş, U., and Sari, R. 2009. Energy consumption, economic growth, and carbon emissions: challenges faced by a European Union candidate member. *Ecological Economics*, 68: 1667–1675. DOI: <https://doi.org/10.1016/j.ecolecon.2007.06.014>
- [44] Tugcu, C.T., Ozturk, I., and Aslan, A. 2012. Renewable and non-renewable energy consumption and economic growth relationship revisited: Evidence from G7 countries. *Energy Economics*, 34: 1942–1950. DOI: <https://doi.org/10.1016/j.eneco.2012.08.021>
- [45] Verner, D. 2012. *Adaptation to a changing climate in the Arab countries: A case for adaptation governance and leadership in building climate resilience*. MENA development report; Washington, DC: World Bank. Available at: <https://openknowledge.worldbank.org/handle/10986/12216>
- [46] Wodon, Q.; Liverani, A., Joseph, G., and Bougnoux, N. 2014. *Climate change and migration: Evidence from the Middle East and North Africa*. World Bank Study; Washington, DC: World Bank. Available at: <https://openknowledge.worldbank.org/handle/10986/18929> License: CC BY 3.0 IGO
- [47] Xu, B., Zhong, R., and Qiao, H. 2020. The impact of biofuel consumption on CO₂ emissions: A panel data analysis for seven selected G20 countries. *Energy & Environment*, 31(8): 1498-1514. DOI: <https://doi.org/10.1177/0958305X20915426>
- [48] York, R., Rosa, E.A., and Dietz, T. 2010. Ecological modernization theory: Theoretical and empirical challenges. *The International Handbook of Environmental Sociology*, 77-90. DOI: <https://doi.org/10.4337/9781849805520.00014>
- [49] York, R., Rosa, E.A., and Dietz, T. 2003. STIRPAT, IPAT and ImPACT: Analytic tools for unpacking the driving forces of environmental impacts. *Ecological Economics*, 46(3): 351-365. DOI: [https://doi.org/10.1016/S0921-8009\(03\)00188-5](https://doi.org/10.1016/S0921-8009(03)00188-5) Get rights and content
- *** BP Statistical Review of World Energy 2018. 67th Edition. Available at: <https://www.bp.com/content/dam/bp/business-sites/en/global/corporate/pdfs/energy-economics/>
- *** United Nations report 2019. World Urbanization Prospects: The 2018 Revision. Department of Economic and Social Affairs. Population Division. Available at: <https://population.un.org/wup/Publications/Files/WUP2018-Report.pdf>
- *** United Nations. 2013. World Population Prospects: The 2012 Revision, vol. I, New York: Department of Economic and Social Affairs. Population Division. Available at: <https://www.un.org/en/development/desa/publications/world-population-prospects-the-2012-revision.html>
- *** World Bank 2020 World Development Indicators for population growth. Available at: <http://data.worldbank.org/indicator/SP.POP.GROW>