


A Temporal Analysis of Prevalence, Pattern and Perception of Substance Abuse among Higher Secondary and Higher Education Students in Ernakulam District, Kerala

K M, Dr.Siby and K J, Teena Rose

St Paul's College Kalamassery

 $31~{\rm August}~2023$

Online at https://mpra.ub.uni-muenchen.de/118478/ MPRA Paper No. 118478, posted 13 Sep 2023 13:29 UTC





EPRA International Journal of Multidisciplinary Research (IJMR) - Peer Reviewed Journal Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

A TEMPORAL ANALYSIS OF PREVALENCE, PATTERN AND PERCEPTION OF SUBSTANCE ABUSE AMONG HIGHER SECONDARY AND HIGHER EDUCATION STUDENTS IN ERNAKULAM DISTRICT, KERALA

Dr. Siby K M ¹, Teena Rose K J²

¹Assistant Professor, Postgraduate Department of Economics, St.Paul's College Kalamassery, Kerala, India ²Junior Secondary Grade, SBOA Public Senior Secondary School, South Chittoor, Kerala, India

ABSTRACT

Substance abuse can degenerate the very fabric of a nation by destroying its youth and is detrimental to the development prospects of its economy. The present study makes a temporal analysis of the prevalence, pattern and perception of substance abuse among Higher Secondary and Higher Education Students of Ernakulam District, Kerala. The data was collected both in years 2022 and 2023 and the study constructed three scale variables such as Risk Perception of students towards Substance abuse, Disapproval Rate Score and Perception of Drug Accessibility in order to compare Higher Secondary and Higher Education Students over years 2022 and 2023. The study makes use of Independent Sample t-tests and Two way between-group ANOVA to analyse the data. The study recommends a multipronged approach which on the one hand, cuts the sources of drug, curb the drug peddlers and enforce stringent measures on drug abuse, on the other hand promote awareness among students on the perils of drug abuse and provide counseling and rehabilitation.

KEYWORDS: Substance Abuse, Risk Perception, Disapproval Rate, Perception of Drug Accessibility

1.INTRODUCTION

Rampant and reckless substance abuse among youth in Kerala especially in college campuses is a burning but much neglected issue, which if left alone can do havoes in the social settings of the state. It's a fact that the perception of drug abuse among youth can vary depending on the cultural and social context. In some cultures, drug abuse may be seen as a sign of rebellion or a rite of passage into adulthood, while in others it is viewed as a serious problem that needs to be addressed. Kerala, which is acclaimed to be the most literate state in India unfortunately, seems to be displaying first mentioned cultural traits.


The most commonly abused drugs among youth in Kerala include alcohol, tobacco, cannabis, prescription drugs such as benzodiazepines and opioids. In recent times, party drugs such as MDMA and cocaine are getting popular among the youth. Young males tend to engage more in drug abuse than females and the age of initiation into drug use has been decreasing. There is a perception among many young people in Kerala that drug use is a way to relieve stress and cope with academic, peer, social pressures and boredom, assisted by curiosity and easy availability of drugs.

The Kerala police registered 24,701 cases related to drug abuse under the Narcotic, Drugs and Psychotropic Substance (NDPS) Act till November 2022-23 calendar year, which was 333 percent higher than 5695 cases registered in the same month 2021. The

Excise department registered 6116 NDPS cases in November 2022 as against 3992 in the same month 2021 registering a spike of 55 percent. In 2016, the Excise department conducted 1,39,366 raids and in 2022 it has risen to 1,44,200 raids registering a rise of 3.46 percent. There was an 87 per cent increase in the arrests under NDPS during the same period. Over the period, MDMA emerged as the most sought after drug among the youth. Bengaluru and Goa are alleged to be the main drug source of Kerala. (*The Indian Express*, 2023)

Ganja/Cannabis is growing popular among the youth. The worrying fact is that there is a growing percent of girl students' start experimenting with the drugs out of curiosity and peer pressure from boy compatriots. The easy accessibility and inefficacy of the enforcement system in the prevention of drug abuse though registered cases spiked, ever growing presence of drug peddlers have led to an alarming spurt in the substance abuse and can potentially endanger the fragile social equilibrium of Kerala state in not so near future.

However, there is also growing awareness of the negative consequences of drug abuse, including health problems, addiction, and social and economic problems. Government and non-governmental organizations in Kerala are initiating various steps to address the issue of youth drug addiction through education, prevention, and treatment programs. This includes increasing access to addiction treatment services and launching





Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

awareness campaigns to educate young people about the dangers of drug abuse.

The present study is structured in the following ways. Section two delineates the objectives and hypotheses of the study. Section three briefly depicts the methodologies used in the study. Section four gives a brief review of the literature. Section five elaborates the results and its discussions. Section six summarizes the important findings of the study.

2.OBJECTIVES AND HYPOTHESES

The primary objective of the study was to make a temporal analysis of the prevalence, pattern and perception of Higher Secondary and Higher Education students in Ernakulam district of Kerala for the years 2022 and 2023. The following hypotheses were formulated for meeting these objectives.

 H_{01} : There is no significant difference between the mean scores of students belonging to Year 2022 and 2023 on risk perception towards drug abuse.

 H_{02} : There is no significant difference between the mean scores of students belonging to Year 2022 and 2023 on disapproval rate scores towards drug abuse.

 H_{03} : There is significant difference between the mean scores of students belonging to Year 2022 and 2023 on perception of drug access scores.

H₀₄: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Risk Perception score of drug abuse.

H₀₅: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Disapproval rate score of drug abuse.

H₀₆: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Perception of drug access score.

3.RESEARCH METHODOLOGY

The study was conducted among Higher Secondary and Higher Education students of Ernakulam district and data was collected in two phases- March 2022 and March 2023 in order to make a temporal comparison of prevalence, pattern and perception of substance abuse among students.

The sample of the study was composed of 75 students belonging to year 2022 and 80 students belonging to year 2023. A well-structured questionnaire was constructed and data were collected by face-to-face interaction after getting the consent of respondent by educating them the research purpose of the study. The study ensured the confidentiality of the respondents. The study made use of graphs, frequency analysis, Independent Sample t test and Two way-Between Group ANOVA to analyse data and reach the research conclusions.

4. REVIEW OF LITERATURE

There are a number of International, national and regional studies on the substance abuse among youth and students. A study on the prevalence and determinants of substance abuse among youth in central Kerala found alarming trend of substance abuse among the youth and recommended school based programmes to generate awareness regarding the potential health hazards.(Raphael et al., 2017) Another study on substance abuse among dental students of Kantipur Dental College found that 74 percent of the respondents never smoked at the same time only 43 percent of the respondents never used alcohol drink and 35 percent of the respondents used cannabis. The study recommended proper counseling for the students to discourage substance abuse. (Bhatta et al., 2018) A large sample study (1200 undergraduate students) of substance abuse among undergraduate students in Osun State, Nigeria analysed the factors influencing substance abuse and identified peer influence as the major factor. The study recommended counseling for healthy living of students.(Yusuf, 2011) A Malaysian study on substance abuse among secondary school students found that 30 percent of the students felt their parents did not view glue sniffing, consuming alcohol or smoking as an offence and study recommended state intervention in awareness campaign to curb this abuse tendency.(Chan et al., 2016) A cross sectional study on psychological wellbeing and substance abuse among adolescents collected and analysed a sample of 300 secondary and higher secondary students and found better psychological well being among students who didn't use substance in their life. (Aiyappan et al., 2018) A research gap could be identified in a temporal analysis of substance abuse among Higher secondary and Higher Education students and the present study attempts to fill this research gap.

5.RESULTS AND DISCUSSION

This section is classified into segments

- 1) Demographic Profile of the respondents
- 2) Year wise Pattern of Drug Abuse among students
- 3) Reliability Test
- 4) Independent Sample t Test
- 5) Two-way between- groups ANOVA

Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

5.1) Demographic Profile

	Table1: Demog	raphic Profile of th	e respondents		
		20)22	2023	
Variable	Characteristics	Frequency	Percentage	Frequency	Percentage
Gender	Male	40	47	52	35
	Female	35	53	28	65
Education	Higher Secondary Education	39	52	16	20
	Higher Education	36	48	64	80
Religion	Hindu	32	43	42	53
	Christian	28	37	31	38
	Muslim	13	17	7	9
	Others	2	3	0	0
Education of	Uneducated	1	1	0	1
Father	Primary Education	5	7	2	3
	Secondary Education	16	21	12	15
	Higher Secondary Education	22	29	21	26
	Higher Education	31	42	45	56
Education of	Uneducated	1	1	0	0
Mother	Primary Education	5	7	2	3
	Secondary Education	16	21	12	15
	Higher Secondary Education	22	30	21	26
	Higher Education	31	41	45	56

5.2) Year wise Pattern of Drug Abuse among students

5.2.1 Year wise Frequency of Cigarettes use in Last 30 days

igarettes use	garettes use in Last 30 days					
Table	Table 2: Frequency of Cigarettes use in Last 30 days					
		Frequency	Percent			
2022	Never	59	78.7			
	1-2 times	3	4.0			
	3-5 times	2	2.7			
	6-9 times	6	8.0			
	10-19 times	3	4.0			
	20-39 times	2	2.7			
	Total	75	100.0			
2023	Never	60	75.0			
	1-2 times	3	3.8			
	3-5 times	2	2.5			
	6-9 times	5	6.3			
	10-19 times	5	6.3			
	20-39 times	3	3.8			
	40 or more times	2	2.5			
	Total	80	100.0			

5.2.2 Year wise Frequency of Alcohol usage in last 30 days

Table	Table 3: Frequency of Alcohol usage in last 30 days				
Year		Frequency	Percent		
2022	Never	49	65.3		
	1-2 times	9	12.0		
	3-5 times	4	5.3		
	6-9 times	6	8.0		
	10-19 times	7	9.3		
	Total	75	100.0		



Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

2023	Never	52	65.0
	1-2 times	16	20.0
	3-5 times	6	7.5
	6-9 times	2	2.5
	10-19 times	2	2.5
	20-39 times	1	1.3
	40 or more times	1	1.3
	Total	80	100.0

5.2.3 Year wise Frequency of Cannabis / Ganja/ Kanjavu Usage in lifetime

Table 4: Frequency of Cannabis / Ganja/ Kanjavu Usage in lifetime				
Year		Frequency	Percent	
2022	Never	57	76.0	
	1-2 times	6	8.0	
	3-5 times	2	2.7	
	6-9 times	4	5.3	
	10-19 times	5	6.7	
	40 or more times	1	1.3	
	Total	75	100.0	
2023	Never	70	87.5	
	1-2 times	2	2.5	
	3-5 times	2	2.5	
	6-9 times	1	1.3	
	10-19 times	1	1.3	
	20-39 times	1	1.3	
	40 or more times	3	3.8	
	Total	80	100.0	

5.2.4 Year wise frequency of age of first Consumption of Beer (at least one glass)

Table 5: Age of first Consumption of Beer (at least one glass)			
Year		Frequency	Percent
2022	Never	35	46.7
	11 years old or less	2	2.7
	12 years old	3	4.0
	13 years old	4	5.3
	14 years old	2	2.7
	15 years old	5	6.7
	16 years old	2	2.7
	17 years old	5	6.7
	18 years old or above	17	22.7
	Total	75	100.0
2023	Never	29	36.3
	11 years old or less	4	5.0
	12 years old	2	2.5
	14 years old	1	1.3
	15 years old	1	1.3
	16 years old	7	8.8
	17 years old	3	3.8
	18 years old or above	33	41.3
	Total	80	100.0



Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

5.2.5 Year wise frequency of age of first Consumption of Wine (at least one glass)

Table 6: Age of first Consumption of Wine (at least one glass)			
Year		Frequency	Percent
2022	Never	14	18.7
	11 years old or less	15	20.0
	12 years old	8	10.7
	13 years old	7	9.3
	14 years old	2	2.7
	15 years old	10	13.3
	16 years old	6	8.0
	17 years old	4	5.3
	18 years old or above	9	12.0
	Total	75	100.0
2023	Never	22	27.5
	11 years old or less	20	25.0
	13 years old	6	7.5
	14 years old	2	2.5
	15 years old	8	10.0
	16 years old	5	6.3
	17 years old	4	5.0
	18 years old or above	13	16.3
	Total	80	100.0

5.2.6 Year wise frequency of age of first Smoking of a Cigarette

Table 7: Age of first Smoking of a Cigarette			
Year		Frequency	Percent
2022	Never	46	61.3
	11 years old or less	1	1.3
	12 years old	1	1.3
	13 years old	3	4.0
	15 years old	4	5.3
	16 years old	5	6.7
	17 years old	6	8.0
	18 years old or above	9	12.0
	Total	75	100.0
2023	Never	53	66.3
	11 years old or less	1	1.3
	12 years old	2	2.5
	15 years old	3	3.8
	16 years old	3	3.8
	17 years old	2	2.5
	18 years old or above	16	20.0
	Total	80	100.0

5.2.7 Year wise frequency of age of first Consumption of Alcohol (at least one glass)

Table 8: Age of first Consumption of Alcohol (at least one glass)				
Year		Frequency	Percent	
2022	Never	44	58.7	
	11 years old or less	2	2.7	
	12 years old	2	2.7	
	13 years old	2	2.7	
	15 years old	4	5.3	
	16 years old	2	2.7	



Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

	17 years old	1	1.3
	18 years old or above	18	24.0
	Total	75	100.0
2023	Never	38	47.5
	11 years old or less	3	3.8
	15 years old	1	1.3
	16 years old	1	1.3
	17 years old	6	7.5
	18 years old or above	31	38.8
	Total	80	100.0

5.2.8 Year wise frequency of age of first of first Usage of Drugs

	Table 9: Age of first Usage of Drugs			
Year		Frequency	Percent	
2022	Never	56	74.7	
	11 years old or less	1	1.3	
	12 years old	1	1.3	
	14 years old	1	1.3	
	16 years old	2	2.7	
	17 years old	3	4.0	
	18 years old or above	11	14.7	
	Total	75	100.0	
2023	Never	64	80.0	
	11 years old or less	2	2.5	
	12 years old	1	1.3	
	13 years old	1	1.3	
	17 years old	1	1.3	
	18 years old or above	11	13.8	
	Total	80	100.0	

5.3) Reliability Test

Three scale variables such as Risk Perception Score of drug usage, Disapproval Rate Score of drug usage and Perception of

Drug Accessibility Score were constructed using likert scale questionnaire and their reliability is tested by Cronbach's alpha coefficient.

Table 10: Reliability Statistics				
	Cronbach's	N of Items		
Scale Variables	Alpha			
Risk Perception	.877	8		
Disapproval Rate	.921	4		
Perception of Drug Access	.896	3		

All scale variables have good internal consistency with Cronbach's Alpha coefficients reported more than 0.85 and be used for further analysis.

5.4) Independent Sample t Test5.4.1) Testing of the first Hypothesis

Null Hypothesis: There is no significant difference between the mean scores of students belonging to Year 2022 and 2023 on risk perception towards drug abuse.

Alternative Hypothesis: There is a significant difference between the mean scores of students belonging to Year 2022 and 2023 on risk perception towards drug abuse.



Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

Table 11: Group Statistics								
	Year N Mean Std. Std.							
				Deviation	Mean			
Risk	2022	75	24.87	6.143	.709			
Perception	2023	80	26.25	5.369	.600			

			Table 12:	Indep	enden	t Samples '	Гest			
		Levene's	s Test for	t-test for Equality of Means						
	Equality of									
		Vari	ances							
F		Sig.	t	df	Sig. (2-	Mean	Std.	95% Co	nfidence	
					tailed)	Differ	Error	Interva	al of the	
							ence	Differ	Diffe	erence
								ence	Lower	Upper
Risk	Equal	1.764	.186	-	15	.137	-1.383	.925	-3.211	.444
Perce	variances			1.4	3					
ption	assumed			95						

An Independent sample t test was conducted to compare the risk perception scores for students belonging to year 2022 and 2023. There was on significant difference in the scores for 2022-year students (M = 24.87, SD = 6.14) and 2023-year students (M = 26.25, SD = 5.37; t (153) = -1.49, p = 0.137, two tailed). The magnitude of difference in the means (mean difference = -1.38, 95% CI: -3.2 to 0.44) was small (eta squared =0.014). Though non-significant, it is intriguing to observe a slight increase in the risk perception of drug abuse among students from 2022 to 2023.

5.4.2) Testing of the second hypothesis

Null Hypothesis: There is no significant difference between the mean scores of students belonging to Year 2022 and 2023 on disapproval rate scores towards drug abuse.


Alternative Hypothesis: There is significant difference between the mean scores of students belonging to Year 2022 and 2023 on disapproval rate scores towards drug abuse.

Table 13: Group Statistics								
	Year	N	Mean	Std. Deviation	Std. Error Mean			
Disapproval	2022	75	8.72	2.754	.318			
Rate	2023	80	9.05	2.643	.295			

	Table 14: Independent Samples Test									
	Levene's Test for				t-test for Equality of Means					
Equality of										
		Variar	nces							
		F	Sig.	t	df	Sig.	Mean	Std.	95% C	onfidence
						(2-	Difference	Error	Interv	al of the
						tailed)		Differ	Diff	erence
								ence	Lower	Upper
Disappr	Equal	.563	.454	761	153	.448	330	.433	-1.186	.526
oval	variances									
Rate	assumed									

An Independent sample t test was conducted to compare the disapproval rate scores for students belonging to year 2022 and 2023. There was on significant difference in the scores for 2022year students (M = 8.72, SD = 2.75) and 2023-year students (M =9.05, SD = 2.64; t (153) = -0.76, p = 0.45, two tailed). The magnitude of difference in the means (mean difference = -0.33, 95% CI: -1.2 to 0.57) was small (eta squared =0.004).

Though non-significant, it is intriguing to observe a slight increase in the disapproval rate score of drug abuse among students from 2022 to 2023.





Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

5.4.3) Testing of the third hypothesis

Null Hypothesis: There is no significant difference between the mean scores of students belonging to Year 2022 and 2023 on perception of drug access scores.

Alternative Hypothesis: There is significant difference between the mean scores of students belonging to Year 2022 and 2023 on perception of drug access scores.

Table 15: Group Statistics							
Year N Mean Std. Std. Error							
				Deviation	Mean		
Perception of Drug	2022	75	9.37	4.426	.511		
Access	2023	80	9.06	4.073	.455		

	Table 16: Independent Samples Test									
Levene's Test for Equality of Variances			t-test for Equality of Means							
F		Sig.	t	df	Sig. (2- tailed	Mean Differe nce	Std. Error Difference	Interv	onfidence al of the erence	
)			Lower	Upper
Perception of Drug Access	Equal variances assumed	2.896	.091	.455	153	.650	.311	.683	-1.038	1.660

An Independent sample t test was conducted to compare the perception of drug access scores for students belonging to year 2022 and 2023. There was on significant difference in the scores for 2022-year students (M = 9.37, SD = 4.43) and 2023-year students (M = 9.06, SD = 4.07; t (153) = 0.46, p = 0.65, two tailed). The magnitude of difference in the means (mean difference = 0.31, 95% CI: -1.04 to 1.67) was small (eta squared =0.001).

Though non-significant, it is intriguing to observe a slight decrease in the perception of drug access score among students from 2022 to 2023.

5.5) Two-way between- groups ANOVA5.5.1) Testing of the fourth hypothesis

Null Hypothesis: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Risk Perception score of drug abuse.


Alternative Hypothesis: There is significant difference between the means of the groups such as Year and Gender and any difference observed are not due to chance. There is interaction effect between Year and Gender and main effect for Year and Gender on Risk Perception score of drug abuse.

Table1	Table17: Levene's Test of Equality of Error Variances							
Dependent Variable: Risk Perception								
F	df1	df2	Sig.					
2.472	3	151	.064					

The null hypothesis of homogeneity of variance is not violated since p = (0.064) is greater than 0.05.

	Table 18:Tests of Between-Subjects Effects								
Dependent Variable: Risk Perception									
Source	Type III Sum	df	Mean	F	Sig.	Partial Eta			
	of Squares		Square			Squared			
Corrected Model	306.861 ^a	3	102.287	3.193	.025	.060			
Intercept	97446.602	1	97446.602	3042.134	.000	.953			
Year	78.871	1	78.871	2.462	.119	.016			
Gender	192.232	1	192.232	6.001	.015	.038			
Year * Gender	38.344	1	38.344	1.197	.276	.008			
Error	4836.880	151	32.032						
Total	106571.000	155							
Corrected Total	5143.742	154							
	a. R Square	d = .060 (A)	djusted R Squa	red = .041)					

Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188



A two way between groups analysis of variance was conducted to explore the impact of gender and year on risk perception towards drug substance abuse. Youth were divided according to their gender and the year of study. (Gender: Male and Female, Year of study: 2022 and 2023). The interaction between gender and year of study was not statistically significant, F (1,155) = 1.197, p = 0.276. There was statistically significant main effect of Gender on Risk perception, F (1,155) = 6.001, p = 0.015. However the effect size is small as per partial eta squared = 0.038. The main effect of year of study, F (1,151) = 2.462, p = 0.119 is not statistically significant. Female have a high-risk perception both in 2022 and in 2023 (M=26.63 and M=27.07) respectively. Risk perception of Male and Female students is a bit higher in 2023.

5.5.2) Testing of the fifth hypothesis

Null Hypothesis: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Disapproval rate score of drug abuse.


Alternative Hypothesis: There is significant difference between the means of the groups such as Year and Gender and any difference observed are not due to chance. There is interaction effect between Year and Gender and main effect for Year and Gender on Disapproval rate score of drug abuse.

Table 19: Levene's Test of Equality of Error Variances							
Dependent Variable: Disapproval Rate Score							
F	df1	df2	Sig.				
1.636	3	151	.183				

The null hypothesis of homogeneity of variance is not violated since p = (0.183) is greater than 0.05.

	Table 20:	: Tests of	Between-Subj	ects Effects					
Dependent Variable: Disapproval Rate Score									
Source	Type III Sum	df	Mean	F	Sig.	Partial Eta			
	of Squares		Square			Squared			
Corrected	29.093a	3	9.698	1.346	.262	.026			
Model									
Intercept	11571.420	1	11571.420	1605.897	.000	.914			
Year	1.637	1	1.637	.227	.634	.002			
Gender	1.749	1	1.749	.243	.623	.002			
Year * Gender	22.963	1	22.963	3.187	.076	.021			
Error	1088.043	151	7.206						
Total	13368.000	155							
Corrected Total	1117.135	154							
a. R Squared = .02	26 (Adjusted R Squ	ared = .0	007)						

Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188



A two way between groups analysis of variance was conducted to explore the impact of gender and year on disapproval rate score towards drug substance abuse. Youth were divided according to their gender and the year of study. (Gender: Male and Female, Year of study: 2022 and 2023). The interaction between gender and year of study was not statistically significant, F (1,155) = 3.187, p = .076. There was no statistically significant main effect of Gender on Disapproval Rate Score, F (1,155) = .243, p = .623. The main effect of year of study, F (1,151) = .227, p = .634 is not statistically significant. Female have more disapproval rate in 2022 than 2023 (M = 9.26 and M = 8.68). Male have more disapproval rate in 2023 than in 2022 (M = 8.25 and M = 9.25).

5.5.3) Testing of the sixth hypothesis

Null Hypothesis: There is no significant difference between the means of the groups such as Year and Gender and any difference observed are due to chance. There is no interaction effect between Year and Gender and no main effect for Year and Gender on Perception of drug access score.

Alternative Hypothesis: There is significant difference between the means of the groups such as Year and Gender and any difference observed are not due to chance. There is interaction effect between Year and Gender and main effect for Year and Gender on Perception of drug access score.


Table 21: Levene's Test of Equality of Error Variances								
Dependent Variab	Dependent Variable: Perception of Drug Access Score							
F	df1	df2	Sig.					
.907	3	151	.439					

The null hypothesis of homogeneity of variance is not violated since p = (0.439) is greater than 0.05.

	Table 22: Tests of Between-Subjects Effects									
	Dependent Variable: Perception of Drug Access									
Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared				
Corrected Model	163.944ª	3	54.648	3.174	.026	.059				
Intercept	12126.411	1	12126.41 1	704.25 6	.000	.823				
Year	7.047	1	7.047	.409	.523	.003				
Gender	146.695	1	146.695	8.519	.004	.053				
Year * Gender	12.403	1	12.403	.720	.397	.005				
Error	2600.030	151	17.219							
Total	15920.000	155								
Corrected Total	2763.974	154	_							
a. R Squared =	: .059 (Adjusted R	Squared =	.041)							

^{© 2023} EPRA IJMR | http://eprajournals.com/ | Journal DOI URL: https://doi.org/10.36713/epra2013-------438

Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188



A two way between groups analysis of variance was conducted to explore the impact of gender and year on Perception of Drug Access. Youth were divided according to their gender and the year of study. (Gender: Male and Female, Year of study: 2022 and 2023). The interaction between gender and year of study was not statistically significant, F(1,155) = .720, p = 0.397. There was statistically significant main effect of Gender on Perception of Drug Access, F (1,155) = 8.519, p = .004. However the effect size is small as per partial eta squared = 0.053. The main effect of year of study, F(1,151) = .409, p = 0.523 is not statistically significant. Female have almost similar Perception of Drug Access both in 2022 and in 2023 (M=8.00 and M=8.14) respectively. Male students have more Perception of Drug Access in 2022 than 2023 (M=10.58 and M=9.56). Perception of Drug Access of Male students is higher than female students.


6. FINDINGS AND CONCLUSION

The study constructed three scale variables such as Risk Perception of students towards Substance abuse, Disapproval Rate Score and Perception of Drug Accessibility in order to compare Higher Secondary and Higher Education Students over years 2022 and 2023. The major findings of the study can be summarised as follows

- The percentage of students who never tasted a beer in their lifetime was 47 percent in 2022 and it was 36 percent in 2023.
- The percentage of students who never consumed alcohol in their lifetime was 59 percent in 2022 and it was 47 percent in 2023. These two findings show the increasing trend in substance abuse.
- The percentage of students who never smoked in their lifetime was 61 percent in 2022 and it was 66 percent in 2023.
- The percentage of students who never used drugs in their lifetime was 75 percent in 2022 and it was 80 percent in 2023.
- There is no significant difference in the risk perception towards drug abuse among students both in years 2022

- and 2023. Even though non significant, risk perception has increased slightly in the year 2023.
- There is no significant difference in the disapproval rate score towards drug abuse among students both in years 2022 and 2023. Even though non significant, disapproval rate has increased slightly in the year 2023.
- There is no significant difference in the perception of drug access among students both in years 2022 and 2023. Even though non significant, the perception of drug access has decreased slightly in the year 2023 which implies that students think it is more difficult to access drugs.
- There is no interaction effect between Year and Gender on Risk Perception score towards drug abuse.
- There is no interaction effect between Year and Gender on Disapproval rate score of drug abuse.
- There is no interaction effect between Year and Gender on perception of drug accessibility.

Despite various efforts from Government of Kerala, Non Governmental Agencies, School and College authorities to educate students of the hazardous and detrimental effects of substance abuse on a healthy and prosperous life, the trend is not reversed though slight decline in the usages are visible. The growing presence of drug peddlers through social media, the peer pressure, the cultural traits and the glorification of drugs through popular medium such as cinema, have aggravated the already worse scenario. A predominant importance needs to be given to curb this malice through consistent and follow up awareness programs, counseling programs and provision of deaddiction and rehabilitation centres. Government needs to come up with multipronged approach which on the one hand cut the sources of drug, curb the drug peddlers and enforce a stringent measures on drug abuse on the other hand promote awareness among students on the perils of drug abuse and provide counseling and rehabilitation.





Volume: 9| Issue: 8| August 2023|| Journal DOI: 10.36713/epra2013 || SJIF Impact Factor 2023: 8.224 || ISI Value: 1.188

REFERENCES

- Aiyappan, R., Abraham, S. B., Mary, A. V., K. J., A., V., A. R., K. U., A., Lal, V., & Aravindakshan, R. (2018).
- 2. Psychological well-being and substance abuse among adolescents (13 to 19 years) in Central Kerala. International Journal Of Community Medicine And Public Health, 5(10). https://doi.org/10.18203/2394-6040.ijcmph20183960
- 3. Alarming spike in drug abuse in Kerala as police cases jumped 333% last year | India News,The Indian Express. (n.d.). Retrieved March 19, 2023, from https://indianexpress.com/article/india/kerala/alarming-spike-drug-abuse-kerala-police-cases-last-year-8413461/
- 4. Bhatta, S., Sapkota, M. R., Shrestha, S., & Shrestha, R. M. (2018). Substance abuse amongstudents in a dental school. Journal of the Nepal Medical Association, 56(214). https://doi.org/10.31729/jnma.3900
- 5. Chan, Y. F., Sidhu, G. K., Lim, P. C., & Wee, E. H. (2016). Students' perceptions of substance abuse among secondary school students in Malaysia. Pertanika Journal of Social Sciences and Humanities, 24(2).
- Raphael, L., Raveendran, R., & M. V., S. (2017). Prevalence and determinants of substance abuse among youth in Central Kerala, India. International Journal Of Community Medicine And Public Health, 4(3). https://doi.org/10.18203/2394-6040.ijcmph20170752
- 7. Yusuf, F. (2011). Factors Influencing Substance Abuse among Undergraduate Students in Osun State, Nigeria. African Research Review, 4(4). https://doi.org/10.4314/afrrev.v4i4.69233