



Munich Personal RePEc Archive

# **Technical Efficiency of Small-Holder Cocoyam Farmers in Anambra State, Nigeria: Implications for Agricultural Extension Policy**

Okoye, B.C and Onyenweaku, C.E and Agwu, A.E

National Root Crops Research Institute, Umudike, Umuahia, Abia  
State, Nigeria

September 2006

Online at <https://mpra.ub.uni-muenchen.de/17463/>  
MPRA Paper No. 17463, posted 22 Sep 2009 23:53 UTC

# TECHNICAL EFFICIENCY OF SMALL-HOLDER COCOYAM FARMERS IN ANAMBRA STATE, NIGERIA: IMPLICATIONS FOR AGRICULTURAL EXTENSION POLICY

Okoye, B. C<sup>1</sup>, Onyenweaku, C. E<sup>2</sup> and Agwu, A. E<sup>3</sup>

<sup>1</sup>National Root Crops Research Institute, Umudike, Abia State.

E-mail: *okoyebenjamin@yahoo*

<sup>2</sup>Dept. of Agricultural Economics, Micheal Okpara University of Agriculture, Umudike.

<sup>3</sup> Dept. of Agricultural Extension, University of Nigeria, Nsukka.

E-mail: *agwuekwe1@yahoo.com*

## ABSTRACT

This study employed the Cobb-Douglas stochastic frontier production function to measure the level of technical efficiency in small-holder cocoyam production in Anambra state, Nigeria. A multi-stage random sampling technique was used to select 120 cocoyam farmers in the state in 2005 and from them input-output data were obtained using the cost-route approach. The parameters of the stochastic frontier production function were estimated using the maximum likelihood method. The result of the analysis shows that individual farm level technical efficiency was about 95%. The study found education and farming experience to be positively and significantly related to technical efficiency at 1% while practice index, fertilizer use and membership of cooperative societies also had a direct relationship with technical efficiency and were significant at 5% level. Age and farm size had an indirect relationship with technical efficiency and was significant at 1% and 5% level respectively. There were no significant relationship between technical efficiency and knowledge index, credit access and family size. Expected increases in agriculture require increase in agricultural productivity. In other words, agricultural productivity very much depends on the efficiency of the production process. Hence, policies designed to educate people through proper agricultural extension services will have a great impact in increasing the level of efficiency and hence agricultural productivity of these farmers.

**Key words:** Technical Efficiency, Stochastic Frontier Production Function and Extension Service.

## Introduction

Root and tuber crops which are among the most important groups of staple foods in many tropical African countries (Osagie, 1998) consistute the largest source of calories for the Nigeria population (Olaniyan *et al.*, 2001). Cassava (*Manihot esculenta*) is the most important of these crops in terms of total production, followed by yam (*Dioscorea spp*), cocoyam (*Colocasia spp* and *Xanthosoma spp*) and sweet potato (*Ipomoea batatas*) (Olaniyan *et al.*, 2001). Cocoyam which ranks third in importance and extent of production after yam and cassava is of major economic value in Nigeria (Udealor, *et al.*, 1996). Edible cocoyam cultivated in the country is essentially species of *Colocasia* (taro) (Howeler *et al.*, 1993) and *Xanthosoma* (tannia). Currently Nigeria is the world's largest producer of cocoyam; however, most of the production comes from the southeastern part of the country. The average production figure for Nigeria is 5, 068,000mt which accounts for about 37% of total world output of cocoyam (FAO, 2006).

Small scale farmers, especially women who operate within the subsistence economy grow most of the cocoyam in Nigeria. Nutritionally, cocoyam is superior to cassava and yam in the possession of higher protein, mineral and vitamin contents in addition to having a more digestible starch (Parkinson, 1984, Splitstoesser *et al.*, 1973).It is highly recommended for

diabetic patients, the aged, children with allergy and for other persons with intestinal disorders (Plucknet, 1970). According to Ene (1992) boiled cocoyam corms and cormels are peeled, cut up, dried and stored or milled into flour. The flour can be used for soups, biscuits, bread and puddings for beverages. The peels can also be utilized as feed for ruminants.

Despite the importance of cocoyam, more research attention has been given to cassava and yam (IITA, 1992; Tambe, 1995). Skott *et. al.* (2000) observed that research on cocoyam has trailed behind that of other staples in Nigeria and other countries. Ezedinma (1987) had earlier noted that the totality of published scientific work on cocoyam is insignificant when compared with those of rice, maize, yam and cassava. However, Skott *et. al.* (2000) asserted that it was only in the last decade that policy makers and national agricultural research systems began to show systematic interest in the crop because of concern over biodiversity. There is a declining trend in cocoyam production as well as a shortage of its supply in domestic markets as a result of a number of technical, socio-economic and institutional constraints, which need to be addressed.

According to Ayichi and Madukwe (1996) the effort of the Federal Government of Nigeria to address these problems was articulated and institutionalized through the formation of the public extension system (Agricultural Development Programme) in every state. The role of agricultural extension in identifying, adapting and sharing technologies that are appropriate to the needs of individual farmers within diverse agro-ecological and socioeconomic contexts can not be overemphasized. Government uses extension as a support service as well as a policy instrument for influencing farmers' behaviour to achieve its policy goals. The central objective of the public extension system is to raise the incomes of the small holder farmers through increased productivity. However, one of the major problems of the agricultural system is the inadequate knowledge of farmers' production situations and technical efficiency levels. Hence, technical efficiency measurement of the activities of farmers engaged in agriculture has been a major challenge to extension workers and researchers in Nigeria. Empirical studies in developing countries suggest that farmers are unable to utilize maximum potentiality of technology due to their management capacity. Technical efficiency here refers to the ability to produce the highest level of output with a given bundle of resources.

This study therefore, sought to assess the technical efficiency of cocoyam farmers and to identify the underlying factors influencing the technical efficiency of farmers, using the stochastic frontier Cobb-Douglas production function.

## Methodology

### The Theoretical Model

A stochastic frontier production function is defined by:

$$Y_i = f(X_i; \beta) \exp(V_i - U_i), \quad i = 1, 2, \dots, n \quad \dots \dots \dots (1)$$

Where  $Y_i$  is output of the  $i$ -th farm,  $X_i$  is the vector of input quantities used by the  $i$ -th farm,  $\beta$  is a vector of unknown parameters to be estimated,  $f(\cdot)$  represents an appropriate function (e.g Cobb Douglas, translog, etc). The term  $V_i$  is a symmetric error, which accounts for random variations in output due to factors beyond the control of the farmer e.g. weather, disease outbreaks, measurements errors, etc. The term  $U_i$  is a non negative random variable representing inefficiency in production relative to the stochastic frontier. The random error  $V_i$  is assumed to be independently and identically distributed as  $N(0, \sigma_v^2)$  random variables independent of the  $U_i$ s which are assumed to be non negative truncation of the  $N(0, \sigma_u^2)$  distribution (i.e. half-normal distribution) or have exponential distribution.

This stochastic frontier model was independently proposed by Aigner, *et al.*, (1977) and Meeusen and van den Broeck (1977). The major advantage of this method is that it provides numerical measures of technical efficiency. The technical efficiency of an individual farmer is defined in terms of the ratio of the observed output to the corresponding frontier output, given the available technology.

Technical efficiency (TE) =  $Y_i/Y_i^*$

$$= f(X_i; \beta) \exp(V_i - U_i) / f(X_i, \beta) \exp(V_i) = \exp(-U_i) \dots \dots \dots (2)$$

Where  $Y_i$  is the observed output and  $Y_i^*$  is the frontier output. The parameters of the stochastic frontier production function are estimated using the maximum likelihood method.

**Analytical Framework**

For this study, the production technology of cocoyam farmers in Anambra State, Nigeria is assumed to be specified by the Cobb-Douglas frontier production function defined as follows:

$$\ln Y_i = \beta_0 + \beta_1 \ln X_1 + \beta_2 \ln X_2 + \beta_3 \ln X_3 + \beta_4 \ln X_4 + \beta_5 \ln X_5 + \beta_6 \ln X_6 + e \dots \dots \dots (3)$$

Where  $Q$  is output of cocoyam in kg.;  $X_1$  is farm size in hectares;  $X_2$  is labour input in mandays;  $X_3$  is fertilizer input in kg;  $X_4$  is cocoyam setts planted in kg;  $X_5$  is capital input in naira made up of depreciation charges on farm tools and equipment, interest on borrowed capital and rent on land;  $X_6$  is other inputs in Naira,  $b_0, b_1, \dots b_6$  are regression parameters to be estimated while  $V_i$  and  $U_i$  are as defined earlier. In addition,  $U_i$  is assumed in this study to follow a half normal distribution as is done in most frontier production literature.

**Determinants of Technical Efficiency**

Identifying the determinants of efficiency is a major task in efficiency analysis. In order to determine factors contributing to the observed technical efficiency in cocoyam production, the following model was formulated and estimated jointly with the stochastic frontier model in a single stage maximum likelihood estimation procedure using the computer software Frontier Version 4.1 (Coelli, 1996).

$$TE_i = a_0 + a_1 Z_1 + a_2 Z_2 + a_3 Z_3 + a_4 Z_4 + a_5 Z_5 + a_6 Z_6 + a_7 Z_7 + a_8 Z_8 + a_9 Z_9 \dots \dots \dots (4)$$

Where  $TE_i$  is the technical efficiency of the  $i$ -th farmer;  $Z_1$  is farmers age in years;  $Z_2$  is farmers level of education in years;  $Z_3$  is the knowledge index (about extension services);  $Z_4$  is the practice index (technologies adopted);  $Z_5$  is farm size in hectares;  $Z_6$  is farmer's farming experience in years;  $Z_7$  is fertilizer use, a dummy variable which takes the value of unity for fertilizer use and zero otherwise;  $Z_8$  is credit access, a dummy variable which takes the value of unity if the farmer has access to credit and zero otherwise;  $Z_9$  is membership of farmers associations/cooperative societies, a dummy variable which takes the value of unity for members and zero otherwise;  $Z_{10}$  is family size; while  $a_0, a_1, a_2, \dots a_{10}$  are regression parameters to be estimated. We expect  $a_2, a_3, a_4, a_5, a_6, a_7, a_8, a_9$  and to be positive and  $a_1$  and  $a_{10}$  negative.

**Study Site and Sampling Procedure**

Anambra State in one of the 36 states of Nigeria and is located in the South Eastern zone of the country. It was created in 1991 with a population figure of 4.182 million people (NPC, 2006) and a land mass of 4415.54 square kilometers, (Nkematu, 2000). The state is divided into four agricultural zones of Aguata, Anambra, Awka and Onitsha and is further delineated into 24 extension blocks. Farming is the predominant occupation of the people, majority of who are small holders. The major available crops are yam, cassava, rice, maize, cocoyam, cowpea, tomatoes and vegetables, while the livestock produced in the state include poultry, sheep, goats and to some extent pig.

Both purposive and multi-stage random sampling techniques were employed in selecting the sample for this study. In the first stage, three out of the four agricultural zones were

purposively selected on the basis of the intensity of cocoyam production. The selected zones were Aguata, Awka and Onitsha. In the second stage, two extension blocks were randomly selected from each agricultural zone (Aguata and Nnewi North from Aguata zone, Awka North and Anaocha from Awka zone as well as Idemili North and Ihiala from Onitsha zone), giving a total of six blocks. In the third stage, 2 circles were randomly selected from each block, giving a total of 12 extension circles. Finally, 10 farmers were randomly selected from each circle for detailed study, giving a total sample size of 120 farmers for the study. Data were collected by means of structured questionnaire on the socio-economic characteristics of the farmers, and their production activities in terms of input, output, and their prices for the year 2005 using the cost-route approach.

## Results and Discussion

### Average Statistics of Cocoyam Farmers

The average statistics of the sampled cocoyam farmers are presented in Table 1. On the average, a typical cocoyam farmer in the state was 50 years old, with 4 years of education, 13 years of farming experience and an average household size of 12 persons. The average cocoyam farmer cultivated 0.27 ha, used about 21.74kg of fertilizer and 250kg of cocoyam setts and spent about ₦2405 on capital inputs. The table further shows that an average cocoyam farmer in the state employed 41.8 mandays of labour and produced an output of 1691kg of cocoyam per annum. Cocoyam production in the state is a female dominated occupation as about 74% of the farmers were females. Skott *et. al.*, (2000) also reported that cocoyam is a woman's crop.

**Table 1: Average Statistics of Cocoyam Farmers in Anambra State, Nigeria.**

S/No	Variables	Mean Value	Maximum Value	Minimum Value
1	Farm size (ha)	0.27	1.50	0.01
2	Labour (mandays)	41.80	141.3	5.76
3	Fertilizer input (kg)	21.74	96.4	0.00
4	Cocoyam setts (kg)	250.25	250.25	50.00
5	Capital input (₦)	2405.10	11300.00	176.00
6	Age (yrs)	50.00	75.00	24.00
7	Education (yrs)	4.00	10.00	0.00
8	Farming Experience (yrs)	13.00	50.00	3.00
9	Household size (No)	12.00	18.00	4.00
10	Output (kg)	1691.00	10907.00	68.00
11	Other inputs (₦)	111.86	750.00	0.00
12	Female farmers (%)		74.00	

**Source: Survey data, 2005**

### Estimated Production Function

The Maximum Likelihood (ML) estimates of the Cobb-Douglas stochastic frontier production parameters for cocoyam are presented in Table 2. The coefficients of farm size, labour, fertilizer and cocoyam setts have the desired positive signs and are statistically significant at 1% showing direct relationship with output. This implies that a 1% increase in any of these variables would increase farm size, labour, fertilizer and cocoyam setts by 0.3106%, 0.3312%, 0.0905% and 0.2114% respectively, the coefficients for capital and manure were positive but not statistically significant even at 10% level.

The estimated variance ( $\sigma^2$ ) is statistically significant at 90% indicating goodness of fit and the correctness of the specified distribution assumptions of the composite error term. Besides, the variance of the non-negative farm effects is a small proportion of the total variance of cocoyam output. Gamma ( $\gamma$ ) is estimated at 0.4264 and is statistically significant at 1% indicating that only 42.64% of the total variation in cocoyam output is due to technical inefficiency.

**Table 2: Estimated Cobb-Douglas Stochastic Frontier Production Function for Cocoyam in Anambra State, Nigeria**

Variables	Parameters	Coefficients	Standard Error	t-value
<b>Production factors</b>				
Constant term	$\beta_0$	10.4652	0.1113	94.0270***
Farm size	$\beta_1$	0.3106	0.0488	6.3647***
Labour	$\beta_2$	0.3312	0.1016	3.2598***
Fertilizer	$\beta_3$	0.0905	0.0339	2.6670***
Cocoyam Setts	$\beta_4$	0.2114	0.0733	2.8840***
Depreciation	$\beta_5$	0.0358	0.0231	1.5498
Manure	$\beta_6$	0.1635	0.1156	1.4144
<b>Efficiency factors</b>				
Constant term	$\alpha_0$	3.8472	0.5821	6.6092***
Age		-0.8974	0.1709	-5.2510***
Levels of Education	$\alpha_2$	2.7804	0.7697	3.6123***
Knowledge index	$\alpha_3$	0.0292	0.4583	0.0637
Practice index	$\alpha_4$	0.0175	0.0084	2.0833**
Farm size	$\alpha_5$	-0.0037	0.0016	-2.3125**
Farm Experiences	$\alpha_6$	0.7009	0.2317	3.0250***
Fertilizer use	$\alpha_7$	0.6011	0.2355	2.5524**
Credit Access	$\alpha_8$	0.0271	0.0614	0.4215
Membership of coop. societies	$\alpha_9$	0.0728	0.0343	2.1224**
Family size	$\alpha_{10}$	0.8523	0.6058	1.4068
<b>Diagnostic statistics</b>				
Total Variance (Sigma squared)	$\sigma^2$	0.9092	0.2537	3.5837***
Variance Ratio (Gamma))	$\gamma$	0.4264	0.1169	3.6475***
LR Test		27.1344		
Log-Likelihood Function		-8.4718		

**Source: Computed from frontier 4.1 MLE results/Surveys data, 2005, \*\*\* and \*\* are significant levels at 1.0% and 5.0%.**

The frequency distribution of technical efficiency in cocoyam production is presented in Table 3. Individual technical efficiency indices range between 65.04% and 97.31% with a mean of 95.15%. About 93.3% of the cocoyam farmers had technical efficiency indices of above 80%. The high levels of technical efficiency obtained in this study are consistent with the low variance of the farm effects.

**Table 3: Frequency Distribution of Technical Efficiency in Cocoyam Production in Anambra State Nigeria 2005**

<b>Technical Efficiency Range(%)</b>	<b>Frequency</b>	<b>Relative Frequency</b>
≤60	0	0
61-70	4	33.3
71-80	6	5.00
81-90	17	14.17
91-100	93	77.50
<b>Total</b>	<b>120</b>	<b>1000</b>
Mean technical efficiency	95.15	
Minimum technical efficiency	57.23%	
Maximum technical efficiency	97.31%	

**Source: Field Survey, 2005**

### **Sources of Technical Efficiency**

The estimated determinants of technical efficiency in cocoyam production as presented in Table 2 shows that age had a negative and significant effect on efficiency, which agrees with a priori expectation at 1.0% level of probability. This implies that increasing age would lead to increased technical inefficiency. Ageing farmers would be less energetic to work, leading to low productivity as well as low technical efficiency, this is in line with the findings of Ajibefun and Daramola (2003) and Ajibefun and Aderionla (2004). The results show that educational level of a farmer, and practices of cocoyam technologies (practical index) have positive and significant impact on technical efficiency at 1% and 5% level respectively. This indicates that farm level technical efficiency can be increased by additional investment in education including schooling and training/orientation. Farmer's knowledge index about the available crop technologies as well as access to credit had a positive relationship with technical efficiency but was not significant. The coefficient for level of experience was positive and significant at 1% level. In other words, more experienced farmers are expected to have higher levels of technical efficiency than farmers with lower farming experience.

The coefficient of farm size is negative and statistically significant at 5% indicating an indirect relationship between farm size and technical efficiency. Lau and Yotopoulos (1971) found out that smaller farms were economically more efficient than larger farms within the range of output studied. If farm size is small, farmers are able to combine their resources better (Hazarika and Subramanian, 1999). The coefficient of fertilizer use is also positive and statistically significant at 5% showing a direct relationship between fertilizer use and technical efficiency. Fertilizer, an improved technology, shifts the production frontier upwards leading to higher technical efficiency. This result is consistent with the findings of Hussain (1989). The coefficient of membership of farmers' associations / cooperative societies is positive and statistically significant at 5% showing a direct relationship between membership of farmers' associations/cooperative societies and technical efficiency. Members of farmers' associations or cooperative societies have more access to agricultural information, credit and other

production inputs as well as more enhanced ability to adopt innovations than non-members. However, family size has a direct relationship with technical efficiency but was not significant.

## CONCLUSION

The results of this study indicate that technical efficiency in cocoyam production in Anambra State, Nigeria is relatively high. Individual levels of technical efficiency range between 57.23% and 97.31% with a mean of 95.15%, suggesting that opportunities still exist for increasing productivity and income of cocoyam farmers in the state by increasing the efficiency with which resources are used at the farm level. Important factors directly related to technical efficiency are age, education, practical index, farm size, years of experience, fertilizer use and membership of farmers' associations/cooperative societies. These results call for policies aimed at encouraging the youths who are agile and stronger to grow cocoyam. There is need to improve farmers' access to fertilizer, extension contact and membership of farmers' associations/cooperative societies as measures for increasing technical efficiency in the study area. Technical efficiency can be further improved through provision of training/orientation to the farmers, especially toward farming practices. Women play a significant role in cocoyam production in the study area. Therefore agricultural extension policies designed to improve women access to land, fertilizer, credit, agricultural extension services, new technologies, more education especially to the girl child, will be crucial in increasing technical efficiency. The need to involve farmers more in the extension process itself should be encouraged.

## REFERENCES

- Aigner, D.J, Lovell C.A.K, and Schmidt, P (1977). "Formulation and Estimation of Stochastic Frontier Production Function Model." *Journal of Econometrics*, Vol.1 No.1 pp.21-37.
- Ajibefun, I. A and Daramola, A.G. (2003) Efficiency of Micro Enterprises in the Nigerian Economy. AERC Research paper 134. African Economic Research Consortium, Nairobi
- Ajibefun, I.A and Aderinola, E.A (2004) Determinants of Technical Efficiency and Policy Implication in Traditional Agricultural Production: Empirical Study of Nigerian Food Crop Farmers. Final Report Presentation at Bi-annual Research Workshop of African Economic Research Consortium. Nairobi, Kenya.
- Ayichi, D. and Madukwe, M. C. (1996) A comparative Analysis of Production Efficiency of Contact and Non-contact Farmers in Nigeria. *Journal of Agriculture, Technology and Education* Vol 1 (No. 2). pp 41- 45.
- Basnyat, B.B.(1995) Nepal's Agriculture, Sustainability and Intervention: Looking for New Direction. Ph.D Thesis , Wageningen
- Coelli, V.J (1996) Guide to Frontier Version 4.1: A Computer Program for Stochastic Frontier Production and Cost Function Estimation. Department of Economics, University of New England, Armidale, Australia.
- Ene, L. S. O. (1992). Prospects for Processing and Utilization of Root and Tuber Crops in Africa. In: Akoroda, M. O. and Ngeve, J. M. (eds.). *Proceedings of the 4<sup>th</sup> Triennial Symposium of the International Society for Tropical Root Crops (ISTRC)*. Pp7 – 16.

- Ezedinma, F. O. (1987). Prospects of Cocoyam in the Food System and Economy of Nigeria. In: Arene, Ene, L. S. O., Odurukwe, S. O. and Ezech, N. O. A (eds.). Proceedings of the 1<sup>st</sup> National Workshop on Cocoyam. Pp. 28- 32.
- FAO Statistics (2006) Data base Results
- Hazarika, C and Subramanian, S.R. (1999) Estimation of Technical Efficiency in the Stochastic Frontier Production Function Model – An Application to the Tea Industry in Assam.
- Howeler, R.H., Ezumah, H.C and Midmore, D.J. (1993) Tillage Systems for root and tuber crops in the tropics. In: *Soil and Tillage Research*. 27: 211 – 240.
- Hussain, S.S (1989). Analysis of Economic Efficiency in Northern Pakistan PhD Dissertation, University of Illinois Champaign –Urban, Illinois, U.S.A.
- International Institute of Tropical Agriculture (1992). *Sustainable Food Production in sub-Saharan Africa. IITA's Contributions*. International Institute of Tropical Agriculture, Ibadan, Nigeria.
- Landon Lane, C. and Powell, A. P. (1996). Participatory Rural Appraisal Concepts applied to Agricultural Extension: A Case Study in Sumatra. *Quarterly Bulletin of IAALD*, 41(1), 100-103.
- Lau, L. J. and Yotopoulos (1971) A test for Relative Efficiency and Application to Indian Agriculture. *American Economic Review*, Vol. 61 No. 1, pp 94 – 109.
- Meeusen N. and Van den Broeck, J (1977). Efficiency estimation from Cobb Douglas production function with composite error. *International Economic Review* , Vol 18 No 2pp: 123-134.
- National Population Commission, (1991). Nigeria's 1991 Population Census (NPC), Lagos.
- Nkematu J.A. (2000). Anambra State Agricultural Development Project Extension Services Report for 1999. In Proc. of the 14<sup>th</sup> Annual Farming Systems Research and Extension workshop in South Eastern Nigeria, 9-12 Nov.pp100-105.
- Olaniyan, G. O., Manyong, V. M. and Oyewole, B. (2001). The Dynamics of the Root and Tuber Cropping Systems in the Middle belt of Nigeria. In: Akoroda, M. O. and Ngeve, J. M. (eds.). *Proceedings of the 7<sup>th</sup> Triennial Symposium of the International Society for Tropical Root Crops (ISTRC)*. Pp75 – 81.
- Osagie, P.I.(1998) Transfer of Root Crop Technology for Alleviation of Poverty; the Contribution of Shell, Nigeria. In ; Akoroda, M. O. and Ekanayake, i. J (eds.). *Proceedings of the 6<sup>th</sup> Triennial Symposium of the International Society for Tropical Root Crops*. Pp 38 – 41.
- Parkinson, S (1984). The Contribution of Aroids in the Nutrition of People in the South Pacific. In: Chandra, S (ed.). *Edible Aroids*. Clarendon Press, Oxford, U.K pp 215-224.

- Plucknet D.C (1970). The Status and Future of Major Aroids (Colocasia, Xanthosoma, Alocasia, Crystosperma and Amorphol. Phallus. In *Tropical Root Crops Tomorrow. Proceedings of International Symposium on Tropical Root Crops*. Hawaii, Vol.1. pp 127-135
- Ratna, K.J., Gyawali, L.N., Regmi, A.P., Ghimire, A and Paudyal, K.R (2007) Impact of Participatory Extension Program on technical Efficiency of Farmers in Nepal. Paper submitted to South Asian Network of Economic Institute (SANEI), Centre for Rural Development and Self-Help (CRDS) Kathmandu, Nepal, Nov. 2007
- Skott, G. J., Best, R., Rosegrant, M. and Bokanga, M. (2000). *Root and Tubers in the Global Food System: A Vision Statement of the Year 2020*. International potato Centre: Lima, Peru.
- Splitstoesser N. E, Martin, F.W and Rhodes, A.M (1973). The Nutritional Value of Some Tropical Root Crops. *Proceedings of the Tropical Region of the American Society for Horticultural Sciences*. Vol 17 pp.290-294.
- Tambe, R. E. (1995). The Economics of Cocoyam Production by Small Holder Farmers in Manyu Division, South west Province of Cameroun. M.Sc Project Report. Department of Agricultural Economics, University of Nigeria, Nsukka.
- Udealor A., Nwadukwe, P.O and Okoronya, J.A (1996). Management of Crop Production: Crops and Cropping Systems. In Odurukwe S.O and A. Udealor (eds) *Diagnostic Survey of Farming System of Onitsha Zone of Anambra State*. Agricultural Development Project. National Root Crop Research Institute, Umudike pp.33-52.
- Umali, D.L. and Schwartz, L. (1994) Public and Private Agricultural Extension: Beyond Traditional Frontiers. *World Bank Discussion Paper No. 236*. Washington, D.C.: World Bank.22