

# A nonparametric analysis of the Greek renewable energy sector

Halkos, George and Tzeremes, Nickolaos

University of Thessaly, Department of Economics

April 2011

Online at https://mpra.ub.uni-muenchen.de/30467/ MPRA Paper No. 30467, posted 24 Apr 2011 12:57 UTC

# A nonparametric analysis of the Greek renewable energy sector

By

# George E. Halkos\* and Nickolaos G. Tzeremes

University of Thessaly, Department of Economics,

Korai 43, 38333, Volos, Greece

#### Abstract

This paper applies a bootstrapped Data Envelopment Analysis (DEA) formulation aiming to evaluate the financial performance of the firms operating in the Greek renewable energy sector. With the use of financial ratios in a DEA setting, efficiency ratios are constructed in order to analyse firms' financial performance. The results reveal that firms' performances are positively influenced by the high levels of return on assets and equity and by lower levels of debt to equity. In addition it appears that there are not significant differences of firms' efficiency levels indicating high competitiveness between firms. Finally, firms producing wind energy appear to perform better than firms producing hydropower energy. It emerges that the majority of firms are operating in the wind and hydropower energy production making the Greek market of solar energy production being an emerging segment of the Greek renewable energy sector.

**Keywords:** Renewable energy market; Data Envelopment Analysis; Financial ratios; Greece.

JEL classification: C02, C14, L25, Q2,

<sup>\*</sup> Address for Correspondence: Professor George Halkos, Department of Economics, University of Thessaly, Korai 43, 38333, Volos, Greece. Email: <u>halkos@econ.uth.gr</u>, <u>http://www.halkos.gr/</u> Tel.: 0030 24210 74920 FAX : 0030 24210 74701

## 1. Introduction

The increase in world population demands a successful implementation of sustainable development. Nowadays conventional energy sources satisfy the majority of the world energy demand. However renewable energy sources (like solar, hydropower, wind and biomass) are the main environmental friendly alternatives (Mekhilef *et al.*, 2011). Changes towards more environmental friendly energy sources will not only deter environmental degradation but they are undepleted, more flexible, and give the possibility of decentralization (Dincer, 2000). As the world becomes more sensitive to environmental issues, countries with obsolete energy sectors, like Greece, will be forced to make radical changes.

The Kyoto protocol is a product of this environmental sensitivity. According to the protocol, countries must limit the growth of Greenhouse Gases (GHGs) to 25% and the production of renewable energy sources (hereafter RES) must be the 20% of the total energy production (Chalvatzis and Hooper, 2009). Agoris *et al.* (2004) examine three different scenarios for three different energy policies under the Kyoto framework. They conclude that if the Greek government makes the proper investments, the Kyoto targets may be achieved for Greece.

Banõs *et al.* (2011) suggest that governments and businesses strangle on the decision of whether or not to establish renewable energy systems in a given place, but they fail to decide which renewable energy source or combination of sources is the best for each place. Based on that dilemma Evans *et al.* (2009) concluded that wind power can require more land and high relative capital costs but has the lowest relative greenhouse gas emissions and the least water consumption demands<sup>1</sup>.

<sup>&</sup>lt;sup>1</sup> For recent studies investigating the impact of renewable energy systems on Economics and the environment see also Hepbasli (2008) and Varun *et al.* (2009).

Kaldellis *et al.* (2004) argue that the final cost of locally produced water from RES in Greek islands is significant lower than the cost of transferred water. Doukas *et al.* (2006) investigate the sustainable electricity technologies in Greece and find that from environmental friendly energy sources, wind and biomass are of extreme interest. According to Diakoulaki and Karangelis (2007) higher penetration of renewable energy sources is the best compromised configuration for the Greek power generation sector.

Diachronically, Greek electricity market is controlled either directly or indirectly by the state. A thorough historical background of Greek electricity sector is presented by Illiadou (2009). According to the author, at 1950 the state merged the small scattered local electricity enterprises into a large national company the Public Power Corporation (PPC), which was a 100% public corporation. PPC was a monopoly as the Greek national law forbade any private energy enterprise. At 1994, private individuals were allowed for first time to produce power but only for their own use, for cogeneration with PPC and for RES. Also they were obliged to sell the excessive amount of energy which they did not consume to PPC.

Legal efforts have been made the last decade in order to comply with EU legislation and liberalize the energy market. Despite the efforts, PPC is still under public control and continues to possess almost the entire market of electricity production and provision. According to Illiadou (2009), two significant issues of the Greek energy sector are the under-investment and the inability to produce power with modern techniques which are more efficient and less costly.

Within the EU, as the Greek energy sector is responsible for the majority of total  $CO_2$  emissions, Greece must increase the restriction for GHG up to 25% between 2008-2012 (Mirasgedis *et al.* 2002). As mentioned, the Greek electricity sector is

obsolete. In 1999, 89.1% of the electricity was produced by fossil fuels, while from more friendly to the environment energy sources, only hydropower is worth mentioning with a 10.1% (de Vries *et al.*, 2003). In mainland Greece, the situation is slightly better as the production of hydropower was 27% of the total energy production but on islands 93% of the total production came from heavy or light fuel oil (RAE, 2003).

On the consumption side, in 2006 68.5% of the final energy consumption came from oil and 21% from electricity, while only 5.2% came from RES (Ministry of Development, 2009). Another interest aspect is that the vast majority of hydropower stations and wind power installations belong to PPC (de Vries *et al.*, 2003). Many authors point out that the Greek electricity sector needs radical reform. Hondroyiannis *et al.* (2002) study the relationship between energy consumption and economic growth over the period 1960-1996 and find that there is a strong relationship between them. Furthermore, they claim that structural changes in the Greek electricity sector will lead to rapid economic growth and that economic growth will lead to cleaner energy sources. Their results are in line with previous studies like Samouilidis and Mitropoulos (1984), which indicate that structural changes are needed in the Greek electricity sector.

Based on these lines this paper by applying Data Envelopment Analysis (DEA) alongside with bootstrap techniques, analyses for the first time the Greek renewable energy sector by using financial data from the whole population of firms (78 firms) operating in that sector for the period 2006 to 2008.

# 2. The theoretical background for measuring firms' financial performance

The assessment of a business unit's efficiency has attracted the interest worldwide. A simple approach to measure the efficiency is by using financial ratios which permit comparison of decision making units (DMUs) of different sizes (Halkos and Salamouris, 2004). A major drawback of this approach is that a single financial ratio does not incorporate every aspect of a unit's efficiency and thus it is not a sufficient measure. Moreover, if we examine more than one financial ratio, everyone is compared with a benchmark which is not similar for every single financial ratio. For example, if we examine the efficiency of a group of firms based on return on assets (ROA) and return on equity (ROE) it is possible that a firm which is marked as a benchmark based on ROA is not a benchmark based on ROE. Furthermore, when one makes the comparison based on a single financial ratio then it is assumed that every other factor is constant, which is a simplification of the truth (Yeh, 1996).

In order to overcome those problems, an aggregation of financial ratios is necessary. Financial ratio analysis weights a number of single financial ratios into one combined ratio (Ozcan and McCue, 1996). According to Yeh (1996), aggregation of single financial ratios is not an easy task because of the changing economic conditions. The subjectivity of the aggregation is a significant disadvantage of this approach as it is based on imagination and experienced judgment (Smith, 1990). Financial ratio analysis is used widely across the literature, applied in various sectors like banking (Gaddam *et al.* 2009), healthcare (Neumann *et al.*, 1988) and for business firms in general (Johnson and Soenen, 2003; Mulyono and Khairurizka, 2009). In other approaches, authors incorporate financial ratios in several analytical settings such as regression analysis (Harrington and Nelson, 1986), multi-discriminant models (BarNiv and Hershbarger, 1990) and logistic and probabilistic regressions (Abrams and Huang, 1987; Espahbodi, 1991).

Berger and Humphrey (1997) investigate a large number of studies and argue that frontier analysis is preferred to traditional ratio analysis as it determines objectively an overall efficiency value and provides a ranking for the units under assessment. There are two main frontier approaches, parametric and non-parametric analysis. Each of them has one significant disadvantage. Parametric analysis requires specification of the functional form while non-parametric analysis does not allow for an error term. The most remarkable non-parametric approach is the Data Envelopment Analysis applied in various sectors.

Traditionally, DEA uses absolute numbers as variables however in a number of special cases uses ratios instead (Hollingsworth and Smith, 2003). These special cases may involve the nature of the accessible data or the need for a proper reflection of the production function. Emrouznejad and Amin (2009), argue that standard DEA approach with ratios used as inputs or outputs, may lead to incorrect result. The authors suggest a number of alternative DEA models in order to address the problem.

The sector with the majority of studies in the field is probably the banking sector. Yeh (1996) investigates the efficiency of six banks in Taiwan over the period 1981-1989. A DEA model is adopted with interest and non-interest expenses and total deposits as inputs and interest income, non-interest income and total loans as outputs. Then, the group is divided in 3 subgroups: low, medium and high efficiency banks. A number of twelve financial ratios are calculated in order to assess the various characteristics of each bank. The author underlines the significance of the DEA approach in the calculation of the overall efficiency.

Halkos and Salamouris (2004) apply Lovell's (1995) model at 50 commercial Greek Banks and they investigate the efficiency of Greek commercial banking system over the period 1997-1999. Lovell (1995) uses standard macroeconomic measures and presents a modified DEA model in order to measure the overall efficiency. Halkos and Salamouris' (2004) study differ from previous ones, by applying a DEA model

6

with six outputs and no inputs. The authors justify the absence of inputs by pointing out that for banks which operate under the same market framework for money and services, all inputs are considered similar and equal. The outputs consist of six financial ratios: ROA, ROE, profit/loss per employee (P/L), efficiency ratio (EFF), net interest margin (NIM) and return difference of interest bearing assets (RDIBA). The results are in line with previous studies relative to the superiority of efficient frontier approach.

Oberholzer and Westhuizen (2004) investigate the efficiency of ten regional offices of one of the largest banks in South Africa, using financial ratios analysis and DEA. In order to measure profitability, ROA and profit margin (PM) are adopted while to assess the creation of income another two financial ratios are used, income to staff cost and income to assets. The authors conclude that DEA should be used as a complementary to financial ratios approach.

Avrikan (2011) examines the relationship between DEA super-efficiency measures and a number of significant financial ratios for Chinese banks. It is fount that the correlations between DEA estimates and financial ratios are relatively low implying that it is possible to identify inefficiencies that were not feasible to identify with financial ratio analysis. These findings confirm with previous studies in that DEA approach defines benchmarks in a more objective manner.

Apart from the banking sector, the combination of DEA and financial ratios is used in healthcare by Ozcan and McCue (1996). The authors construct an indicator (Financial Performance Index, FPI) to measure the financial performance of 170 hospitals in the USA. They apply a constant returns to scale (CRS) DEA model with FPI as the only input. In order to construct the FPI index, four financial ratios are used: ROA, operating cash flow (OCF), operating margin (OM) and total assets turnover (TATURN). The results show that FPI is an effective measure of overall efficiency.

Nikoomaram *et al.* (2010) incorporate seven financial ratios in a DEA model to measure the efficiency of 24 metal industries in Tehran over the period 2003-2008. They adopt an input oriented CRS DEA model considering operating expenses and owner's equity as inputs and net earnings and OCF as outputs. Furthermore, a multivariate regression is applied to examine the relation between DEA results and financial ratios, ROA, OCF, return on investment (ROI), residual income (RI), returns on sale (ROS), earnings per share (EPS) and price to earnings ratio (P/E). The final results indicate that ROS, EPS and OCF have significant impact on the efficiency of the industries.

Halkos and Tzeremes (2010a) include financial ratios in a DEA model and evaluate the efficiency of 23 Greek manufacturing sectors. As noted above, several authors indicate that financial ratios may lead to biased DEA efficiency estimates. The authors apply sensitivity analysis and bootstrap techniques in order to correct the problem. They find that sensitivity analysis lead to biased results while bootstrap techniques significantly improve efficiency estimates.

DEA approach has been also used in the construction of various environmental performance indicators. Hu *et al.* (2006), examine water efficiency in China. They create an index of a water adjustment ratio (WATR) by incorporating water as an input in the DEA model. Tsolas (2010) applied DEA and bootstrapping techniques in order to evaluate the performance in mining operations. The author uses a mixed mine environmental performance indicator (MMEPI) constructed by a VRS DEA model. Non-parametric approaches have been applied extensively in energy sector to measure the efficiency either of firms or entire economies. Bagdadioglu *et al.* (1996) adopt a DEA model to assess the efficiency of public and private owned organizations of electricity distribution in Turkey. Estach *et al.* (2008) study the efficiency of 12 electricity firms in Africa over the period 1998-2005. Specifically, they include in their analysis 12 operators which provide services in 12 different countries of the Southern Africa Pool. Chien and Hu (2007) investigate the impact of renewable energy on the efficiency of 45 economies for the years 2001-2002. Honma and Hu (2008) examine the regional energy efficiency in Japan using a quite extensive data set compiled by 47 firms over the period 1993-2003. They include 14 inputs, labor, private and public capital stock and 11 energy sources and GDP as an output. Finally, Halkos and Tzeremes (2009) evaluate the impact of electricity generation on the economic efficiency of 42 World and East Asia countries and years 1996-2006. They apply DEA window analysis and panel data techniques and find an inverted U-shaped relationship among electricity generation and countries' economic efficiency.

### 3. Data and Methodology

This paper uses data for a sample of 78 firms operating in the Greek renewable energy sector<sup>2</sup> as provided by ICAP  $(2009)^3$  for the period 2006-2008. In our DEA context we use three inputs and four outputs in order to measure the financial performance of the firms into consideration. The three inputs have been used in order to capture firms' capital structure, operating activity and liquidity levels<sup>4</sup>. Namely, these are: Debt to equity (Debt / Equity), Assets turnover (Turnover / Average assets)

 $<sup>^{2}</sup>$  According to ICAP(2009) the firms of our sample consist the population of the firms operating in the Greek renewable energy sector. Mainly firms operate on wind and hydropower energy, whereas the minority of them on solar energy production.

<sup>&</sup>lt;sup>3</sup> ICAP directory provides financial data which are based on the published accounts of the entire Ltd. and Plc. firms operating in Greece.

<sup>&</sup>lt;sup>4</sup> In order to deal with negative values we applied the translation invariance property of the variable returns to scale (VRS) models (Ali and Seiford, 1990; Lovell and Pastor, 1995; Pastor, 1996).

and Current ratio (Average current assets / Average short-term debt). In addition four outputs are used in order to capture firms' profitability levels. These are: Gross profit margin (Gross profits / Turnover (%)), Operating profit margin (Operating profits / Turnover (%)), Return on equity (Pre tax profits / Average equity (%)) and Return on assets (Pre tax profits / Average assets (%)).

Table 1 presents the descriptive statistics (mean vales and standard deviations) of the variables used in our DEA formulation. It appears that there are a lot of fluctuations of the variables used for the time period of our study. This can be viewed especially when looking at the standard deviations values over the years for Gross and Operating profit margins. It appears that the Greek renewable energy sector consists of firms with different performance levels indicating high levels of competitiveness. Table 1: Descriptive statistics of the inputs/outputs used for the period 2006-2008

				INPUTS	
		DEBT/ EQUITY RATIO	CURRENT RATIO	ASSETS TURNOVER RATIO	
2006	MEAN	1.912	2.765	0.178	
2006	STD	2.418	5.528	0.151	
2007	MEAN	2.657	3.622	0.167	
2007	STD	6.657	7.096	0.127	
2008	MEAN	3.236	3.382	0.186	
2008	STD	9.303	4.987	0.136	
				OUTPUTS	
				GROSS PROFIT	OPERATING PROFIT
		ROE	ROA	MARGIN	MARGIN
2006	MEAN	5.317	1.634	41.713	7.296
2006	STD	27.094	23.568	29.017	47.886
2007	MEAN	7.783	4.596	37.632	5.260
2007	STD	21.721	7.734	32.961	55.341
2008	MEAN	7.180	5.350	41.124	11.485
2008	STD	24.369	7.820	33.151	46.327

Based on the work by Koopmans (1951) and Debreu (1951) the production set  $\Psi$  constraints the production process and is the set of physically attainable points (*x*, *y*) :

$$\Psi = \left\{ (x, y) \in \mathfrak{R}_{+}^{N+M} \middle| x \text{ can produce } y \right\}$$
(1),

where  $x \in \Re_{+}^{N}$  is the input vector and  $y \in \Re_{+}^{M}$  is the output vector. As suggested by several authors (Førsund and Sarafoglou, 2002; Førsund *et al.*, 2009), Hoffman's (1957) discussion regarding Farrell's (1957) paper was the first to indicate that linear programming can be used in order to find the frontier and estimate efficiency scores, but only for the single output case. Later, Boles (1967, 1971) developed the formal linear programming problem with multiple outputs identical to the constant returns to scale (CRS) model in Charnes *et al.* (1978) who named the technique as data envelopment analysis (DEA). Later Banker *et al.* (1984) used convex hull of  $\hat{\Psi}_{FDH}$ (Derpins *et al.*, 1984) to estimate  $\Psi$  and thus to allow for variable returns to scale (VRS) as:

$$\hat{\Psi}_{_{VRS}} = \left\{ \left(x, y\right) \in \mathfrak{R}^{N+M} \middle| y \le \sum_{i=1}^{n} \gamma_i y_i; x \ge \sum_{i=1}^{n} \gamma_i x_i \text{ for } \left(\gamma_1, \dots, \gamma_n\right) \right.$$
such that 
$$\sum_{i=1}^{n} \gamma_i = 1; \gamma_i \ge 0, i = 1, \dots, n \right\}$$
(2).

This paper uses an output oriented model implying that firms try to keep constant their levels of inputs whereas simultaneously they try to maximize their

outputs i.e.: 
$$\hat{\lambda}_{VRS}(x, y) = \sup \left\{ \lambda | (x, \lambda y) \in \hat{\Psi}_{VRS} \right\}$$
 (3),

which then can be computing by solving the following linear program:

$$\hat{\boldsymbol{\lambda}}_{_{VRS}} = \sup \left\{ \boldsymbol{\lambda} \middle| \boldsymbol{\lambda} \boldsymbol{y} \leq \sum_{i=1}^{n} \gamma_i \boldsymbol{y}_i; \boldsymbol{x} \geq \sum_{i=1}^{n} \gamma_i \boldsymbol{x}_i \text{ for } (\gamma_1, \dots, \gamma_n) \right\}$$
such that  $\sum_{i=1}^{n} \gamma_i = 1; \gamma_i \geq 0, i = 1, \dots, n \right\}$ 
(4).

Simar and Wilson (1998, 2000, 2008) suggest that DEA estimators were shown to be biased by construction. They introduced an approach based on bootstrap

techniques (Efron, 1979) to correct and estimate the bias of the DEA efficiency indicators<sup>5</sup>. The bootstrap bias estimate for the original DEA estimator  $\hat{\theta}_{VRS}(x, y)$  can be calculated as:

$$\hat{BIAS}_{B}\left(\hat{\lambda}_{VRS}(x,y)\right) = B^{-1} \sum_{b=1}^{B} \hat{\lambda}^{*}_{VRS,b}(x,y) - \hat{\lambda}_{VRS}(x,y)$$
(5).

Furthermore,  $\hat{\lambda}^*_{VRS,b}(x, y)$  are the bootstrap values and *B* is the number of bootstrap replications. Then a biased corrected estimator of  $\lambda(x, y)$  can be calculated as:

$$\hat{\hat{\lambda}}_{VRS}(x, y) = \hat{\lambda}_{VRS}(x, y) - B\hat{IAS}_{B}\left(\hat{\lambda}_{VRS}(x, y)\right)$$

$$= 2\hat{\lambda}_{VRS}(x, y) - B^{-1}\sum_{b=1}^{B}\hat{\lambda}^{*}_{VRS,b}(x, y)$$
(5).

In order to implement the homogenous bootstrap algorithm for a set of bootstrap estimates  $\left\{\hat{\lambda}_{b}^{*}(x, y)|b=1, ..., B\right\}$  for a given fixed point (x, y) the following

eight steps must be carried out:

- 1. From the original data set we compute  $\hat{\lambda}_{v_{RS}}$ .
- Then we apply the "rule of thump" (Silverman, 1986, p.47-48) to obtain the bandwidth parameter h
- 3. We generate  $\beta_1^*, \dots, \beta_n^*$  by drawing with replacement from the set

$$\left\{\hat{\lambda}_{1},...,\hat{\lambda}_{n},\left(2-\hat{\lambda}_{1}\right),...,\left(2-\hat{\lambda}_{n}\right)\right\}$$

<sup>&</sup>lt;sup>5</sup> The essence of bootstrapping efficiency scores has been highlighted by several authors. For further applications of the bootstrap technique on DEA efficiency scores see also Simar and Wilson (2002), Zelenyuk and Zheka (2006), Simar and Zelenyuk (2007) and Halkos and Tzeremes (2010b).

- 4. Then we draw  $\varepsilon_i^*, i = 1, ..., n$  independently from the kernel function K(.) and compute  $\beta_i^{**} = \beta_i^* + h\varepsilon_i^*$  for each i = 1, ..., n.
- 5. For each i = 1, ..., n we compute  $\beta_i^{***} \text{ as: } \beta_i^{***} = \bar{\beta}^* + \frac{\beta_i^{**} \bar{\beta}^*}{\left(1 + h^2 \sigma_k^2 \sigma_\beta^2\right)^{1/2}}$ ,

where  $\bar{\beta}^* = \sum_{i=1}^n \beta_i^* / n$ ,  $\sigma_{\beta}^2 = \sum_{i=1}^n \left( \beta_i^* - \bar{\beta}^* \right) / n$  and  $\sigma_k^2$  is the variance of the

probability density function used for the kernel function. In addition  $\lambda_i^*$  can

then be computed as:  $\lambda_i^* = \begin{cases} 2 - \beta_i^{***} \forall \beta_i^{***} < 1 \\ \beta_i^{***} & \text{otherwise} \end{cases}$ .

- 6. The bootstrap sample is created as:  $X_n^* = \{ (x_i^*, y_i) | i = 1, ..., n \}$  where  $x_i^* = \lambda_i^* \hat{x}^{\circ} (y_i) = \lambda_i^* \hat{\lambda}_i^{-1} x_i$ .
- 7. We compute the DEA efficiency estimates  $\hat{\lambda}_i(x_i, y_i)$  for each of the original sample observations using the reference set  $X_n^*$  in order to obtain a set of bootstrap estimates.
- 8. Finally, we repeat steps 3 to 7 *B* times (at least 2000 times) to obtain a set of bootstrap estimates  $\{\hat{\lambda}_b^*(x, y) | b = 1, ..., B\}$ .

In addition this paper constructs estimates of stochastic kernels and in order to identify how the inputs/ outputs used in our study have affected the financial performance of the firms over the three year periods of our study. Following, Racine (2008) let f(.) and  $\mu(.)$  be the joint and marginal densities of (X,Y) and X respectively. Let Y and X be the dependent and independent variables accordingly.

Then the stochastic kernel (or the conditional distribution function) can be estimated

as: 
$$\hat{g}(y|x) = \hat{f}(x,y)/\hat{f}(x)$$
 (6).

Using a product Gaussian kernel the  $\hat{f}(x, y)$  can be estimated as:

$$\hat{f}(x,y) = \frac{1}{n} \sum_{i=1}^{n} \frac{1}{h_x \sqrt{2\pi}} e^{-0.5 \left(\frac{x-x_i}{h_x}\right)^2} \frac{1}{h_y \sqrt{2\pi}} e^{-0.5 \left(\frac{y-y_i}{h_y}\right)^2}$$
(7)

and 
$$\hat{f}(x)$$
 as:  $\hat{f}(x) = \frac{1}{n} \sum_{i=1}^{n} \frac{1}{h_x \sqrt{2\pi}} e^{-0.5 \left(\frac{x-x_i}{h_x}\right)^2}$  (8)

where  $(h_x, h_y)$  are representing the bandwidths calculated by the least squares crossvalidation data driven method as suggested by Hall *et al.* (2004).

#### **4.** Empirical Results

Following the methodology analysed so far, table 2 presents the results obtained after correcting firms' efficiency scores from bias<sup>6</sup>. Looking at the average efficiency values over the three years time period we can realise that forty seven firms out of seventy eight have efficiency scores greater than 0.9 (the value of 1 indicates that the firm is efficient). The minimum average biased corrected efficiency score is 0.68 and the maximum average biased corrected efficiency score is 0.96. The standard deviation of the average biased corrected efficiency values is only 0.05. This value of standard deviation indicates that the Greek renewable sector is a high competitive sector with firms operating more ore less in similar efficiency levels.

During the period of our study (looking at the average efficiency values) the ten firms with the highest efficiency scores are reported to be: Iweco Xonos Lasithiou Kritis A.E.& B.E., Aiolika Parka Moiron A.E., Terpandros Aiolika Parka A.E.,

<sup>&</sup>lt;sup>6</sup> Due to the enormous results obtained over the three year period, the original efficiency scores, the bias, the standard deviation values of bias and the 95% confidence interval of the biased corrected efficiency estimates are available upon request.

Aioliki Karistou A.E., Terna Energiaki Evrou A.E., Myhs Thermorema A.E., Aioliki Antissas A.E., Aioliki Sidirokastrou A.E., Aiolika Parka Axladion A.E. and Enteka Aiolika Parka A.E. Similarly, the ten firms with the lowest performances are reported to be: Idroenergiaki A.E., Aioliki Hellas A.E., Idor Kataskeyastiki A.E., Aioliki Energiaki Peloponisou A.E., Idroenergiaki Ellados A.E., Amiantit M.YH.S. Kastaniotiko A.E., Fdiotiki Energiaki A.E., Idroxoos Energiaki A.E., Meltemi-Kastri A.B.E.& TE. and Kallisti Energiaki A.E.

One noticeable characteristic of the firms is that the majority of the higher performers are specialised on wind energy whereas the majority of the lower performers on hydropower energy. Another point that needs to be raised is that the standard deviation values of the top ten and last ten performers are 0.007 and 0.055 respectively indicating a high competitive market. When examining the percentage changes of the biased corrected efficiency scores (% Change) it is realised that only three firms reported efficiency gains over the years. These are: Gkamesa Energiaki Hellas A.E. (3.08%), Terna Energiaki A.B.E.T.E. (0.96%) and Aioliki Karistou A.E. (0.78%). The rest of the firms report negative percentage values of efficiency changes with the ten firms with the highest negative efficiency changes to be: Kallisti Energiaki A.E. (-16.03%), Ilektron Energiaki A.E. (-16.57%), Ilektron A.E.( -19.62%), Aioliki Hellas A.E. (-21.83%), Aioliki Energiaki Peloponisou A.E. (-24.35%), Idroenergiaki Ellados A.E. (-24.68%), Idroxoos Energiaki A.E. (-30.83%), Meltemiµɛλτɛµt-Kɑsτpt A.B.E.& TE. (-35.75%), Fdiotiki Energiaki A.E. (-36.41%) and Amiantit M.YH.S. Kastaniotiko A.E. (-40.67%).

Rankings	Company Names	VRS⊳∝ 06	VRS <sub>₽</sub> 07	VRS <sub>PO</sub> 08	Average	% Change
1	IWECO XONOS LASITHIOU KRITIS A.E.& B.F	0.98346	0.96443	0.95967	0.96919	-2.41863
2	AIOLIKA PARKA MOIRON A.E.	0.98166	0.96857	0.95722	0.96915	-2.48995
3	TERPANDROS AIOLIKA PARKA A.E.	0.98438	0.94812	0.94629	0.95959	-3.86982
4	AIOLIKI KARISTOU A.E.	0.94976	0.97042	0.95724	0.95914	0.78767
5	TERNA ENERGIAKI EVROU A.E.	0.97913	0.96239	0.92806	0.95653	-5.21557
6	MYHS THERMOREMA A.E.	0.97119	0.94870	0.94860	0.95616	-2.32603
7	AIOLIKI ANTISSAS A.E.	0.97921	0.94760	0.93925	0.95535	-4.08014
8	AIOLIKI SIDIROKASTROU A.E.	0.96808	0.94210	0.93541	0.94853	-3.37480
9	AIOLIKA PARKA AXLADION A.E.	0.97400	0.94309	0.92842	0.94850	-4.67939
10	ENTEKA AIOLIKA PARKA A.E.	0.97762	0.92752	0.93765	0.94760	-4.08847
11	MYHE KERASOVOU A.E.	0.97046	0.94072	0.92503	0.94540	-4.68157
12	ELLINIKI TEXNODROMIKI ANEMOS A.E.	0.97775	0.93998	0.91052	0.94275	-6.87576
13	ROKAS AIOLIKI A.B.E.E.	0.97651	0.91168	0.93935	0.94251	-3.80474
14	IPEIROTIKI ENERGIAKI A.E.	0.96605	0.92529	0.93537	0.94224	-3.17611
15	ENERGIAKI SERVOUNIOU A.E.	0.96940	0.89979	0.95189	0.94036	-1.80638
16	ENERGI E2 AIOLIKI A.E.	0.97453	0.90896	0.92729	0.93693	-4.84666
17	AIOLIKA PARKA KRION A.E.	0.98528	0.90125	0.91779	0.93477	-6.85010
18	ANEMOESSA AIOLIKA PARKA A.E.	0.97702	0.93286	0.89054	0.93347	-8.85140
19	LAMKOS ENERGIAKI A.E.	0.97257	0.90809	0.91633	0.93233	-5.78213
20	ROKAS AIOLIKI EVOIA A.B.&E.E.	0.97970	0.88690	0.92837	0.93166	-5.23886
21	ZEFYROS E.P.E.	0.97887	0.89598	0.91675	0.93053	-6.34595
22	PANAGITSA A.E.	0.98243	0.90982	0.89661	0.92962	-8.73551
23	AIOLIKI DIDIMON A.E.	0.94614	0.90170	0.93971	0.92919	-0.67951
24	TERNA ENERGIAKI A.B.E.T.E.	0.92873	0.91789	0.93766	0.92809	0.96139
25	AIOLIKA PARKA ARKADIAS A.E.	0.96669	0.89459	0.92075	0.92734	-4.75210
26	FOTOENERGIA SIDIROKASTROU A.E.	0.98612	0.90367	0.89154	0.92711	-9.59070
27	ENERGIAKO DIKTIO E.P.E.	0.96845	0.88545	0.91998	0.92463	-5.00555
28	ROKAS AIOLIKI KRITI A.E.	0.98141	0.87645	0.90983	0.92257	-7.29383
29	BIOAERIO ENERGIAS ANO LIOSIA A.E.	0.96583	0.88905	0.91265	0.92251	-5.50626
30	KATHARO ENERGIAKI A.E.	0.97899	0.86681	0.91743	0.92108	-6.28856
31	IDROELEKTRIKI ACHAIAS A.E.	0.97584	0.92856	0.85836	0.92092	-12.03835
32	ROKAS AIOLIKI ZARAKES A.B.&E.E.	0.97199	0.89384	0.89286	0.91956	-8.14084
33	PINDOS ENERGIAKI A.E.	0.96637	0.86898	0.92289	0.91941	-4.49971
34	AIOLIKI KYKLADON A.E.	0.96880	0.89595	0.88339	0.91605	-8.81561
35	ARKADIKA MELTEMIA A.E.	0.96882	0.90287	0.87532	0.91567	-9.65155
36	AIOLIKA PARKA THRAKIS A.E.	0.94729	0.87344	0.91821	0.91298	-3.06964
37	ENERGI E2 AIOLIKA PARKA KARISTIAS A.E.	0.97202	0.88426	0.88100	0.91243	-9.36394
38	VECTOR AIOLIKA PARKA ELLADAS A.E.	0.95202	0.86844	0.90358	0.90801	-5.08812
39	KIGKORI BATHIPEDO ENERGIAKI-TEXNIKI A.E.	0.96827	0.87101	0.87978	0.90635	-9.13914
40	DIETHNIS AIOLIKI A.T.E.& B.E.	0.97650	0.85260	0.88446	0.90452	-9.42483
41	ΔEH ANANEOSIMES-ROKAS A.B. &E.E.	0.97389	0.85126	0.88733	0.90416	-8.88818
42	WRE HELLAS A.E.	0.96403	0.87032	0.87710	0.90381	-9.01721
43	ROKAS AIOLIKI THRAKI II A.B.E.E.	0.97904	0.85338	0.87770	0.90337	-10.35054
44	AIOLIKI KARPASTONIOU A.E.	0.93865	0.86402	0.90699	0.90322	-3.37314
45	NANKO ENERGIA A.B.E.&T.E.	0.97489	0.85208	0.88041	0.90246	-9.69128
46	SPERXIOS A.E.	0.96208	0.86500	0.87845	0.90184	-8.69275
47	ΔEH ANANEOSIMES-MEK ENERGIAKI BOREINO PELLIS	0.97630	0.87732	0.84927	0.90096	-13.01118

Table 2: Biased correct results, rankings and efficiency changes of firms' performance over the three years.

48       ROKAS AIOLIKI THRAKI A.B.E.E.       0.97290       0.85116       0.87461       0.89902       10.103         49       SUNERCY A.E.       0.97882       0.83943       0.87879       0.89902       10.211         50       EVROENEERGIAKI A.E.       0.96652       0.77499       0.94547       0.89853       10.503         51       IDROELEKTRIK EVRITANIAS A.E.       0.96522       0.7749       0.94547       0.89853       0.89421       12.056         53       AIOLIKI PANAXAIKOU A.E.       0.96929       0.86003       0.85242       0.89911       12.056         54       IDROELEKTRIK EVRITANIAS A.E.       0.93812       0.88871       0.88875       7.281         56       IEUCO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.93121       0.79314       0.79315       0.88754       15.452         57       IDROELEKTRIKI A.E.       0.93120       0.8913       0.8813       0.88026       5.731         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.81010       0.8813       0.88026       6.731         59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94205       0.93625       0.7515       0.8743       9.4243       9.4243       9.4243       9.4243       9.4243       9.4243       9.4243							
49       SUNERGY A.E.       0.97882       0.83943       0.87879       0.89902       -10.214         50       EVROCNERCIAKI A.E.       0.96960       0.85828       0.86771       0.89853       -10.507         51       IDROELEKTRIKO S TATHIMOS OINOUSAS SERRON A.E.       0.96520       0.77469       0.94547       0.89232       -2.077         52       IDROELEKTRIK EVRITANIAS A.E.       0.96428       0.88987       0.83433       0.88421       1.88434       -12.054         54       IDRODINAMIKI ENERGEIAKI A.E.       0.93986       0.83783       0.88621       0.88867       -7.843         55       ELLINIKI ENERGIKONTOR A.E.       0.97117       0.8078       0.88775       0.88787       -7.845         56       IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.93121       0.93134       0.93134       0.88675       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.81071       0.88816       0.88875       -7.214         59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81015       0.88714       -8624         61       ΔEKA MANNEOSIMES A.E.       0.94050       0.91419       0.8171       -0.4773         63       POLIPOTAMOS AIOLIKI ENERGIAA.E.       0.94359       0.8171	48	ROKAS AIOLIKI THRAKI A.B.E.E.	0.97290	0.85116	0.87461	0.89956 -1	0.10291
50         EVROENERGIAKI A.E.         0.96960         0.85828         0.86771         0.39853         -10.503           51         IDROELEKTRIKOS STATHMOS OINOUSAS SERRON A.E.         0.96552         0.77469         0.94547         0.8923         -2.077           52         IDROELEKTRIKI EVRITANIAS A.E.         0.95620         0.86003         0.85242         0.89331         12.067           53         AIOLIKI PANAXAIKOU A.E.         0.96929         0.80078         0.89273         0.88783         -5.496           55         ELLINIKI ENERGIAKI A.E.         0.93140         0.87313         0.88757         -7.981           56         IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.         0.93141         0.86706         0.88875         -7.241           58         GKAMESA ENERGIAKI HELLAS A.E.         0.89171         0.88706         0.8810         0.88805         -5.731           59         DIETHNIS AIOLIKI THRAKIS A.E.         0.94215         0.81161         0.88813         0.8872         -5.843           61         ΔEH ANANEOSIMES A.E.         0.94050         0.91419         0.81747         -919.622           61         ΔEH ANANEOSIMES A.E.         0.94050         0.81010         0.87451         15.300           62         NIOY BASERRRAFT A.E.	49	SUNERGY A.E.	0.97882	0.83943	0.87879	0.89902 -1	0.21888
51       IDROELEKTRIKOS STATHIMOS OINOUSAS SERRON A.E.       0.96552       0.77469       0.94547       0.89523       -2.077         52       IDROELEKTRIKI EVRITANIAS A.E.       0.95428       0.88003       0.85242       0.89931       12.053         53       AIOLIKI PANAXAIKOU A.E.       0.99629       0.80003       0.85242       0.89931       12.056         54       IDRODINAMIKI ENERGEIAKI A.E.       0.93086       0.83783       0.88821       0.88827      88787      7981         56       ELLINIKI ENERGIKONTOR A.E.       0.93114       0.79315       0.8875      7214         57       IDROELEKTRIKI A.E.       0.93527       0.8811       0.88131       0.8805      7331         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.81051       0.88113       0.8805      7214         50       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81051       0.88131       0.8802      5731         61       LEKTRON A.E.       0.94055       0.91419       0.8174       0.4771      6338       0.6277      1511         62       NIOY BASERKRAFT A.E.       0.940450       0.81175       0.84074       0.84241      1530         64       TEXNIKI ENERGIA A.E.	50	EVROENERGIAKI A.E.	0.96960	0.85828	0.86771	0.89853 -1	0.50877
52       IDROELEKTRIKI EVRITANIAS A.E.       0.95428       0.88957       0.83943       0.89442       -12.03-         53       AIOLIKI PANAXAIKOU A.E.       0.99929       0.86003       0.85242       0.89391       -12.05         54       IDRODINAMIKI ENERGIAKI A.E.       0.93986       0.8373       0.88789       -7.981         56       ELLINIKI ENERGIKONTOR A.E.       0.93714       0.80713       0.88789       -7.981         57       IDROELEKTRIKI A.E.       0.93527       0.85417       0.86780       0.88255       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.81015       0.88613       0.8806       -5.731         60       ILENTRON A.E.       0.94225       0.93625       0.5715       0.87843       -9.624         61       ΔEH ANANEOSIMES A.E.       0.94439       0.74713       0.93988       0.8713       -0.477         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93880       0.8713       0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94680       0.87646       0.8713       0.4773         64       TEXNIKI ENERGIAKI A.E.       0.94680       0.76368       0.8613       0.86371       1.530	51	IDROELEKTRIKOS STATHMOS OINOUSAS SERRON A.E.	0.96552	0.77469	0.94547	0.89523 -2	2.07755
53       AIOLIKI PANAXAIKOU A.E.       0.96929       0.86003       0.85242       0.89391       -12.050         54       IDRODINAMIKI ENERGEIAKI A.E.       0.93986       0.83783       0.88273       0.88863       -5.496         55       ELLINIKI ENERGIANTOR A.E.       0.97017       0.80078       0.88273       0.88784       -7.981         56       IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.93112       0.93134       0.79115       0.88755       -7.214         57       IDROELEKTRIKI A.E.       0.93527       0.85417       0.86756       0.88059       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.81051       0.88831       0.88026       -5.731         60       ILEKTRON A.E.       0.94205       0.93625       0.5715       0.8749       -19.622         61       ΔEH ANANEOSIMES A.E.       0.90405       0.91419       0.81704       0.87431       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94439       0.74713       0.93988       0.87451       0.83631       -16.33         64       TEXNIKI ENERGEIAKI A.E.       0.91419       0.8174       0.87429       -13.353         65       KERKINIS Y.H.S. & A.E.       0.96608       0.76368	52	IDROELEKTRIKI EVRITANIAS A.E.	0.95428	0.88957	0.83943	0.89442 -1	2.03496
54       IDRODINAMIKI ENERGEIAKI A.E.       0.93986       0.83783       0.88821       0.88863       5-5496         55       ELLINIKI ENERGIKONTOR A.E.       0.97017       0.80078       0.89273       0.88789       -7.981         56       IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.93121       0.91314       0.79315       0.88754       -15.453         57       IDROELEKTRIKI A.E.       0.93227       0.86470       0.86780       0.88255       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.94212       0.8101       0.8813       0.88262       5.7315         60       ILEKTRON A.E.       0.94205       0.93625       0.75715       0.8749       -19.622         61       ΔEH ANANEOSIMES A.E.       0.940405       0.91419       0.81704       0.87429       -13.535         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.86513       10.632         64       TEXNIKI ENERGEIAKI A.E.       0.94589       0.87656       0.80110       0.87429       -13.353         65       KERKINIS Y.H.S. & A.E.       0.96080       0.76368       0.86277       -15.13       0.8027       -15.43       0.8627       -15.43         66       AIGEOILEKTRIKI STAVROU E	53	AIOLIKI PANAXAIKOU A.E.	0.96929	0.86003	0.85242	0.89391 -1	2.05686
55       ELLINIKI ENERGIKONTOR A.E.       0.97017       0.8078       0.89273       0.88789       -7.981         56       IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.93181       0.79315       0.88754       -15.453         57       IDROELEKTRIKI A.E.       0.93527       0.88411       0.88078       0.88575       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.89181       0.84364       0.91664       0.88318       0.80826       5.731         60       ILEKTRON A.E.       0.94212       0.81051       0.88813       0.8026       5.731         61       AEH ANANEOSIMES A.E.       0.94439       0.74713       0.93988       0.87113       0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94439       0.74713       0.93988       0.8713       0.477         64       TEXNIKI ENERGEIAKI A.E.       0.94589       0.8656       0.80110       0.87451       15.303         65       KERKINIS Y.H.S. & A.E.       0.96608       0.76368       0.86277       1.513         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.93110       0.87454       0.8420       16.533         67       IJDROENERGIAKI A.E.       0.91419       0.81460       0.83024       0.78495 <td< th=""><th>54</th><th>IDRODINAMIKI ENERGEIAKI A.E.</th><th>0.93986</th><th>0.83783</th><th>0.88821</th><th>0.88863 -</th><th>5.49634</th></td<>	54	IDRODINAMIKI ENERGEIAKI A.E.	0.93986	0.83783	0.88821	0.88863 -	5.49634
56       IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.       0.931312       0.931313       0.79315       0.88754       -15.453         57       IDROELEKTRIKI A.E.       0.93527       0.85417       0.86780       0.88575       -7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.88181       0.84364       0.91664       0.88316       3.088         59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81051       0.8813       0.88026       -7.511         60       ILEKTRON A.E.       0.94405       0.91419       0.81743       -9.824       -9.624         61       ΔEH ANANEOSIMES A.E.       0.94439       0.74713       0.93988       0.87713       0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94439       0.81175       0.84074       0.87429       -13.353         64       TEXNIKI ENERGEIAKI A.E.       0.96080       0.76368       0.86513       0.8653       -10.633         65       KERKINIS Y.H.S. & A.E.       0.96080       0.76368       0.86173       0.8374       -15.17         66       AIGEOILEKTRIKI A.E.       0.91191       0.78470       0.81456       0.84903       -13.427         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94101       0.81	55	ELLINIKI ENERGIKONTOR A.E.	0.97017	0.80078	0.89273	0.88789 -7	7.98192
57       IDROELEKTRIKI A.E.       0.93527       0.85417       0.86780       0.88575       7.214         58       GKAMESA ENERGIAKI HELLAS A.E.       0.88918       0.84364       0.91664       0.88316       3.0802         59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81051       0.88813       0.8026       5.731         60       ILEKTRON A.E.       0.94205       0.93625       0.75715       0.87849       -19.622         61 <i>DELPOTAMOS ALE</i> .       0.90439       0.74713       0.93988       0.87713       -0.4743         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.4774         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.305         64       TEXNIKI ENERGEIAKI A.E.       0.94589       0.87650       0.80170       0.84573       -16.573         65       KERKINIS Y.H.S. & A.E.       0.96080       0.76368       0.86277       -1.511         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.94187       0.78470       0.81546       0.84933       -13.427         68       ILEKTRON ENERGIAKI A.E.       0.91011       0.80284       0.78434	56	IWECO MEGALI BRISI IRAKLEIOU A.E.B.E.	0.93812	0.93134	0.79315	0.88754 -1	5.45334
58       GKAMESA ENERGIAKI HELLAS A.E.       0.88918       0.84364       0.91664       0.88316       3.088         59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81051       0.86813       0.86026       -5.731         60       ILEKTRON A.E.       0.94205       0.93625       0.75715       0.87849       -19.627         61       ΔEH ANANEOSIMES A.E.       0.940405       0.91419       0.81704       0.87843       -0.624         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.303         64       TEXNIKI ENERGEIAKI A.E.       0.94080       0.76368       0.86513       0.86563       -10.633         65       KERKINIS Y.H.S. & A.E.       0.96080       0.76374       0.81546       0.84093       -13.427         68       ILEKTRON ENERGIAKI A.E.       0.94187       0.78974       0.81546       0.84093       -15.11         69       IDROENERGIAKI A.E.       0.94187       0.78470       0.81546       0.83245       -21.833         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200	57	IDROELEKTRIKI A.E.	0.93527	0.85417	0.86780	0.88575 -7	7.21453
59       DIETHNIS AIOLIKI THRAKIS A.E.       0.94212       0.81051       0.88813       0.88026       -5.731         60       ILEKTRON A.E.       0.94205       0.93625       0.75715       0.87849       -19.623         61       ΔΕΗ ANANEOSIMES A.E.       0.90405       0.91419       0.81704       0.87843       -9.624         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.307         64       TEXNIKI ENERGEIAKI A.E.       0.97038       0.81175       0.84074       0.87429       -13.353         65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86563       -10.633         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.88371       0.81474       0.84093       -13.422         68       ILEKTRON ENERGIAKI A.E.       0.94187       0.78974       0.8156       0.84093       -14.743         70       AIOLIKI HELLAS A.E.       0.94187       0.78070       0.81409       0.83245       -21.833         71       IDROENERGIAKI A.E.       0.96502       0.77000       0.81200       0.8	58	GKAMESA ENERGIAKI HELLAS A.E.	0.88918	0.84364	0.91664	0.88316 3	8.08868
60       ILEKTRON A.E.       0.94205       0.93625       0.75715       0.87849       -19.623         61       ΔEH ANANEOSIMES A.E.       0.90405       0.91419       0.81704       0.87843       -9.624         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.307         64       TEXNIKI ENERGEIAKI A.E.       0.97038       0.81175       0.84074       0.87429       -13.353         65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86563       -10.633         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.81371       0.81546       0.84074       -15.131         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78474       0.84290       -16.573         68       ILEKTRON ENERGIAKI A.E.       0.94091       0.80284       0.78495       0.8245       -21.833         70       AIOLIKI HELLAS A.E.       0.91191       0.78470       0.79450       0.83704       -14.743         72       AIOLIKI ENERGIAKI A.E.       0.95198       0.69207       0.81200       0.81869<	59	DIETHNIS AIOLIKI THRAKIS A.E.	0.94212	0.81051	0.88813	0.88026 -	5.73102
61       ΔEH ANANEOSIMES A.E.       0.90405       0.91419       0.81704       0.87843       -9.624         62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87429       -13.53         64       TEXNIKI ENERGEIAKI A.E.       0.906808       0.76368       0.86513       0.86653       -10.633         65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86277       -15.11         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78974       0.81546       0.84903       -13.422         68       ILEKTRON ENERGIAKI A.E.       0.94187       0.78974       0.81546       0.84903       -14.743         70       AIOLIKI HELLAS A.E.       0.94191       0.80284       0.78495       0.82429       -16.573         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.356         73       IDROENERGIAKI A.E.       0.97072       0.6	60	ILEKTRON A.E.	0.94205	0.93625	0.75715	0.87849 -1	9.62788
62       NIOY BASERKRAFT A.E.       0.94439       0.74713       0.93988       0.87713       -0.477         63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.307         64       TEXNIKI ENERGEIAKI A.E.       0.97038       0.81175       0.84074       0.87429       -13.536         65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86563       -10.638         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.88371       0.83425       0.8704       0.81546       0.84093       -13.422         68       ILEKTRON ENERGIAKI A.E.       0.94187       0.78474       0.81546       0.84903       -14.743         70       AIOLIKI HELLAS A.E.       0.94191       0.80284       0.78495       0.82455       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI A.E.       0.96732       0.70684       0.57386       0.74934       -40.673         75       FDIOTIKI ENERGIAKI A.E.       0.9673	61	ΔEH ANANEOSIMES A.E.	0.90405	0.91419	0.81704	0.87843 -9	9.62451
63       POLIPOTAMOS AIOLIKI ENERGIA A.E.       0.94589       0.87656       0.80110       0.87451       -15.307         64       TEXNIKI ENERGEIAKI A.E.       0.97038       0.81175       0.84074       0.87429       -13.359         65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86563       -10.633         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.88371       0.83425       0.87036       0.8277       -1.511         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78974       0.81546       0.84093       -13.422         68       ILEKTRON ENERGIAKI A.E.       0.94091       0.80284       0.78495       0.84290       -16.573         69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.744         70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97232       0.66240       0.73322       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.	62	NIOY BASERKRAFT A.E.	0.94439	0.74713	0.93988	0.87713 -0	0.47731
64         TEXNIKI ENERGEIAKI A.E.         0.97038         0.81175         0.84074         0.87429         -13.353           65         KERKINIS Y.H.S. & A.E.         0.96808         0.76368         0.86513         0.8653         -10.633           66         AIGEOILEKTRIKI STAVROU ELIKONOS A.E.         0.88371         0.83425         0.87036         0.86277         -1.511           67         AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.         0.94187         0.78974         0.81546         0.84903         -13.422           68         ILEKTRON ENERGIAKI A.E.         0.94091         0.80284         0.78495         0.84290         -16.573           69         IDROENERGIAKI A.E.         0.93191         0.78470         0.79450         0.83704         -14.743           70         AIOLIKI HELLAS A.E.         0.996502         0.77800         0.57434         0.83245         -21.837           71         IDOR KATASKEYASTIKI A.E.         0.95198         0.69207         0.81200         0.81809         -14.703           72         AIOLIKI ENERGIAKI PELOPONISOU A.E.         0.97632         0.62440         0.73232         0.77711         -24.683           73         IDROENERGIAKI A.E.         0.96732         0.66454         0.57386         0.44177	63	POLIPOTAMOS AIOLIKI ENERGIA A.E.	0.94589	0.87656	0.80110	0.87451 -1	5.30731
65       KERKINIS Y.H.S. & A.E.       0.96808       0.76368       0.86513       0.86563       -10.633         66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.88371       0.83425       0.87036       0.86277       -1.511         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78974       0.81546       0.84903       -13.427         68       ILEKTRON ENERGIAKI A.E.       0.94191       0.80284       0.78495       0.84290       -16.573         69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.743         70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.91918       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.77704       -24.852         73       IDROENERGIAKI PELOPONISOU A.E.       0.96732       0.70684       0.57386       0.74934       40.673         75       FDIOTIKI ENERGIAKI A.E.       0.97070       0.61839       0.62522       0.73999       -36.411         76       IDROXOOS ENERGIAKI A.E.       0.99639 </th <th>64</th> <th>TEXNIKI ENERGEIAKI A.E.</th> <th>0.97038</th> <th>0.81175</th> <th>0.84074</th> <th>0.87429 -1</th> <th>3.35982</th>	64	TEXNIKI ENERGEIAKI A.E.	0.97038	0.81175	0.84074	0.87429 -1	3.35982
66       AIGEOILEKTRIKI STAVROU ELIKONOS A.E.       0.88371       0.83425       0.87036       0.86277       -1.511         67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78974       0.81546       0.84903       -13.422         68       ILEKTRON ENERGIAKI A.E.       0.94091       0.80284       0.78495       0.84290       -16.573         69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.743         70       AIOLIKI HELLAS A.E.       0.93191       0.78470       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.356         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.673         75       FDIOTIKI ENERGIAKI A.E.       0.97070       0.61839       0.62252       0.73999       -36.411         76       IDROXOOS ENERGIAKI A.E. <td< th=""><th>65</th><th>KERKINIS Y.H.S. &amp; A.E.</th><th>0.96808</th><th>0.76368</th><th>0.86513</th><th>0.86563 -1</th><th>0.63507</th></td<>	65	KERKINIS Y.H.S. & A.E.	0.96808	0.76368	0.86513	0.86563 -1	0.63507
67       AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.       0.94187       0.78974       0.81546       0.84903       -13.42*         68       ILEKTRON ENERGIAKI A.E.       0.94091       0.80284       0.78495       0.84290       -16.57         69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.74         70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.83*         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.70\$         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.996732       0.70684       0.57386       0.74934       -40.675         76       IDROXOOS ENERGIAKI A.E.       0.99693       0.58425       0.66375       0.73588       -30.832         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.9	66	AIGEOILEKTRIKI STAVROU ELIKONOS A.E.	0.88371	0.83425	0.87036	0.86277 -	1.51149
68       ILEKTRON ENERGIAKI A.E.       0.94091       0.80284       0.78495       0.84290       -16.575         69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.745         70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.673         75       FDIOTIKI ENERGIAKI A.E.       0.97070       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62522       0.69050       -9.429         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384 <td< th=""><th>67</th><th>AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&amp;E.E.</th><th>0.94187</th><th>0.78974</th><th>0.81546</th><th>0.84903 -1</th><th>3.42140</th></td<>	67	AIOLIKA PARKA KIKLADON-MPOURLARI A.B.&E.E.	0.94187	0.78974	0.81546	0.84903 -1	3.42140
69       IDROENERGIAKI A.E.       0.93191       0.78470       0.79450       0.83704       -14.745         70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI PELOPONISOU A.E.       0.97732       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.97907       0.61839       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.032         78       KALLISTI ENERGIAKI A.E.       0.76	68	ILEKTRON ENERGIAKI A.E.	0.94091	0.80284	0.78495	0.84290 -1	6.57551
70       AIOLIKI HELLAS A.E.       0.96502       0.77800       0.75434       0.83245       -21.837         71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -10.33         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -9.429         8       KALLISTI ENERGIAKI A.E.       0.76388	69	IDROENERGIAKI A.E.	0.93191	0.78470	0.79450	0.83704 -1	4.74565
71       IDOR KATASKEYASTIKI A.E.       0.95198       0.69207       0.81200       0.81869       -14.703         72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.358         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.338         78       KALLISTI ENERGIAKI A.E.       0.96012       0.85675       0.86965       0.89550       -9.429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.275         Minimum       0.76388       0.58425       0.57386       0.6	70	AIOLIKI HELLAS A.E.	0.96502	0.77800	0.75434	0.83245 -2	1.83156
72       AIOLIKI ENERGIAKI PELOPONISOU A.E.       0.97692       0.64524       0.73896       0.78704       -24.356         73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.7701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68030       -9.429         78       KALLISTI ENERGIAKI A.E.       0.76388       0.68437       0.05871       8.2753         78       Manmum       0.96012       0.85665       0.58303 <th>71</th> <th>IDOR KATASKEYASTIKI A.E.</th> <th>0.95198</th> <th>0.69207</th> <th>0.81200</th> <th>0.81869 -1</th> <th>4.70370</th>	71	IDOR KATASKEYASTIKI A.E.	0.95198	0.69207	0.81200	0.81869 -1	4.70370
73       IDROENERGIAKI ELLADOS A.E.       0.97232       0.62640       0.73232       0.77701       -24.683         74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         Mean       0.96012       0.85675       0.86965       0.89550       -9.429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.2753         Minimum       0.76388       0.58425       0.57386       0.68303       -40.675         Maximum       0.98612       0.97042       0.95967       0.96919       3.0886	72	AIOLIKI ENERGIAKI PELOPONISOU A.E.	0.97692	0.64524	0.73896	0.78704 -2	4.35870
74       AMIANTIT M.YH.S. KASTANIOTIKO A.E.       0.96732       0.70684       0.57386       0.74934       -40.675         75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         Mean       0.96012       0.85675       0.86955       0.9429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.2753         Minimum       0.76388       0.58425       0.57386       0.68303       -40.675         Maximum       0.98612       0.97042       0.95967       0.96919       3.0886	73	IDROENERGIAKI ELLADOS A.E.	0.97232	0.62640	0.73232	0.77701 -2	4.68312
75       FDIOTIKI ENERGIAKI A.E.       0.97907       0.61839       0.62252       0.73999       -36.417         76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         Mean       0.96012       0.85675       0.86965       0.89550       -9.429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.2753         Minimum       0.76388       0.58425       0.57386       0.68303       -40.673         Maximum       0.98612       0.97042       0.95967       0.96919       3.0886	74	AMIANTIT M.YH.S. KASTANIOTIKO A.E.	0.96732	0.70684	0.57386	0.74934 -4	0.67533
76       IDROXOOS ENERGIAKI A.E.       0.95963       0.58425       0.66375       0.73588       -30.833         77       MELTEMIMEATEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         Mean       0.96012       0.85675       0.86965       0.89550       -9.429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.2755         Minimum       0.76388       0.58425       0.57386       0.68303       -40.675         Maximum       0.98612       0.97042       0.95967       0.96919       3.0886	75	FDIOTIKI ENERGIAKI A.E.	0.97907	0.61839	0.62252	0.73999 -3	6.41772
77       MELTEMIMEΛTEMI-KASTPI A.B.E.& TE.       0.93639       0.62562       0.60156       0.72119       -35.757         78       KALLISTI ENERGIAKI A.E.       0.76388       0.64384       0.64137       0.68303       -16.038         Mean       0.96012       0.85675       0.86965       0.89550       -9.429         Standard Deviation       0.03041       0.08886       0.08437       0.05871       8.2753         Minimum       0.76388       0.58425       0.57386       0.68303       -40.673         Maximum       0.98612       0.97042       0.95967       0.96919       3.0886	76	IDROXOOS ENERGIAKI A.E.	0.95963	0.58425	0.66375	0.73588 -3	0.83308
78         KALLISTI ENERGIAKI A.E.         0.76388         0.64384         0.64137         0.68303         -16.038           Mean         0.96012         0.85675         0.86965         0.89550         -9.429           Standard Deviation         0.03041         0.08886         0.08437         0.05871         8.2753           Minimum         0.76388         0.58425         0.57386         0.68303         -40.6753           Maximum         0.98612         0.97042         0.95967         0.96919         3.08863	77	MELTEMIMEATEMI-KASTPI A.B.E.& TE.	0.93639	0.62562	0.60156	0.72119 -3	5.75792
Mean         0.96012         0.85675         0.86955         -9.429           Standard Deviation         0.03041         0.08886         0.08437         0.05871         8.275           Minimum         0.76388         0.58425         0.57386         0.68303         -40.675           Maximum         0.98612         0.97042         0.95967         0.96919         3.0886	78	KALLISTI ENERGIAKI A.E.	0.76388	0.64384	0.64137	0.68303 -1	6.03834
Standard Deviation         0.03041         0.08886         0.08437         0.05871         8.2753           Minimum         0.76388         0.58425         0.57386         0.68303         -40.6753           Maximum         0.98612         0.97042         0.95967         0.96919         3.08863		Mean	0.96012	0.85675	0.86965	0.89550 -9	9.42994
Minimum         0.76388         0.58425         0.57386         0.68303         -40.675           Maximum         0.98612         0.97042         0.95967         0.96919         3.0886		Standard Deviation	0.03041	0.08886	0.08437	0.05871 8	8.27556
Maximum 0.98612 0.97042 0.95967 0.96919 3.088		Minimum	0.76388	0.58425	0.57386	0.68303 -4	0.67533
		Maximum	0.98612	0.97042	0.95967	0.96919 3	8.08868

A.E.

In order to examine the influence of the average values (over the three year period) of financial ratios on the average value of the efficiency scores obtained the conditional density figures have been extracted. Figure 1 indicates the stochastic kernels of gross profit margin (AVGPM- subfigure 1a), operating profit margin (AVOM- subfigure 1b), ROA (AVROA- subfigure 1c), ROE (AVROE- subfigure 1d), current ratio (AVCR- subfigure 1e), assets turnover ratio (AVATR- subfigure 1f) debt/ equity ratio (AVDER- subfigure 1g) against firms' average efficiency levels

(AVEFF). In order to understand the figures a fixed point can be chosen on the axis labeled AVEFF. Then, by slicing the graph from this point and moving parallel for instance to AVGPM axis (subfigure 1a), the estimated distribution of firms' average efficiencies levels over the examined time period conditional on average gross profit margin levels can be traced (Fotopoulos 2006, p. 452).

Looking at the subfigure 1a the conditional density has several distinctive peaks. It appears that equally positive and negative levels of firms' gross profit margin can result on higher efficiency scores. In addition it is more likely that lower levels of gross profit margin can result on lower efficiency levels. Similarly in subfigure 1b positive and negative levels of operating profit margin can result to firms' higher efficiency levels, whereas values of less than -50% of operating profit margin lead firms to lower financial efficiency levels. More clearly for subfigures 1c and 1d positive values of ROA and ROE lead to higher efficiency levels, whereas lower ROA and ROE values to lower efficiency gains.

When looking at subfigures 1e and 1f it can be realized that the majority of firms has higher efficiency levels regardless the levels of assets turnover ratio and debt/ equity ratio. Finally, when looking at subfigure 1g firms with higher debt/ equity ratio tend to have lower efficiency levels with more than 30% AVDER indicating a 0.7 to 0.75 efficiency level, 20% to 30% of AVDER indicating 0.75 to 0.85 efficiency level, 20% to 10% of AVDER indicating 0.85 to 0.95 efficiency level and less than 10% AVDER indicating more than 0.9 efficiency level.



Figure 1: Stochastic kernels of the average biased corrected efficiency scores and the inputs /outputs used for 2006-2008.

#### 4. Conclusion

The solution to environmental problems requires long-term actions that lead to sustainable development. The use of renewable energy resources seem to be the most efficient and effective way of tackling and coping with environmental degradation.

This paper analyses the Greek renewable energy sector by applying a DEA bootstrap formulation based on financial data for 78 firms for 2006-2008. The empirical results indicate that:

- Firms operating on wind energy sector tend to have a higher financial efficiency than the ones operating on hydropower energy.
- The efficiency levels of firms operating in the Greek renewable sector are of similar levels implying that the Greek renewable sector is a high competitive one.
- The firms' financial performance has been mainly influenced by their higher level of ROA, ROE and from their lower levels of debt/equity ratio.

It appears that the majority of the firms operating in the Greek renewable sector are based on the production of wind energy. However, it is our feeling that the Greek government and public policy makers must also orient their policies towards the enhancement or "opening" of the solar energy market.

According to several authors (Waldau, 2007; Sharma *et al.* 2009) solar energy has several advantages being the cleanest energy resource that does not compromise or add to the global warming. Solar energy can be exploited through the solar thermal and solar photovoltaic (PV) routes for various applications and appear to be one of the best renewable energy source (Solangi *et al.* 2011). According to Zahedi (2011) the amount of energy received in one hour by the earth from the sun is equivalent to world energy consumption in one year. In any case, sustainable development is closely related to renewable energy sources and their utilization. The attainment of sustainability demands the exploration of sustainable energy resources, the development and use of renewable energy technologies, the development of R&D and the transfer of technologies.

# References

Abrams B.A., Huang C.J. (1987). Predicting bank failure: the role of structure in affecting recent failure experiences in the USA. *Applied Economics* 19(10), 1291-1302.

Agoris D., Tigas K., Giannakidis G., Siakkis F., Vassos S., Vassilakos N., Kilias V. and Damassiotis M. (2004). An analysis of the Greek energy system in view of the Kyoto commitments. *Energy Policy* 32(18), 2019-2033.

Ali A.I., Seiford L.M. (1990). Translation invariance in data envelopment analysis. *Operations Research Letters* 9(6), 403-405.

Avrikan, N. (2011). Association of DEA super-efficiency estimates with financial ratios: Investigating the case of Chinese banks. *OMEGA* 39(3), 323-334.

Bagdadioglu, N., Price, C.M.W., Weyman-Jones, T.G. (1996). Efficiency and ownership in electricity distribution: A non-parametric model of Turkish experience. *Energy Economics* 18(1-2), 1-23.

Banker R.D., Charnes A., Cooper W.W. (1984). Some Models for Estimating Technical and Scale Inefficiencies in Data Envelopment Analysis. *Management Science* 30(9), 1078–1092.

Banõs R., Manzano-Agugliaro F., Montoya F.G., Gil C., Alcayde A., Gomes J. (2011). Optimization methods applied to renewable and sustainable energy: A review. *Renewable and Sustainable Energy Reviews* 15(4), 1753-1766.

BarNiv R., Hershbarger R.A., (1990). Classifying Financial Distress in the Life Insurance Industry. *Journal of Risk and Insurance* 57(1), 110-136.

BarNiv R., Hathorn J., Mehrez A., Kline D. (1999). Confidence intervals for the probability of insolvency in the insurance industry. *Journal of Risk and Insurance* 66 (1), 125-137.

Berger A.N., Humphrey D.B. (1997). Efficiency of financial institutions: International survey and directions for future research. *European Journal of Operational Research* 98(2), 175-212.

Boles, J.N. (1967). Efficiency squared—efficient computation of efficiency indexes, *Western Farm Economic Association Proceedings 1966*, 137–142.

Boles, J.N. (1971). The 1130 Farrell efficiency system-multiple products, multiple factors. Giannini Foundation of Agricultural Economics, University of California, Berkeley, USA.

Chalvatzis K.J., Hooper E. (2009). Energy security vs. climate change: Theoretical framework development and experience in selected EU electricity markets. *Renewable and Sustainable Energy Reviews* 13(9), 2703-2709.

Charnes, A., Cooper, W.W., Rhodes, E.L. (1978). Measuring the efficiency of decision making units. *European Journal of Operational Research* 2(6), 429-444.

Chien T., Hu J.L. (2007). Renewable energy and macroeconomic efficiency of OECD and non-OECD economies. *Energy Policy* 35(7), 3606-3615.

de Vries H.J., Roos C.J., Beurskens L.W.M., Kooijman A.L., Uyterlinde M.A. (2003). Renewable electricity policies in Europe: Country fact sheets 2003. ECN Energietechnologie. Project number: 7.7449.02.03.

Debreu, G. (1951). The coefficient of resource utilization. *Econometrics* 19(3):273–292.

Derpins D, Simar L, Tulkens H. (1984). Measuring labor efficiency in post offices. In: Marchand M, Pestieau P, Tulkens H (eds). *The performance of public enterprises: concepts and measurement*. North-Holland, Amstredam, pp 243–267.

Diakoulaki D., Karangelis F. (2007). Multi-criteria decision analysis and cost-benefit analysis of alternative scenarios for the power generation sector in Greece. *Renewable and Sustainable Energy Reviews* 11(4), 716-727.

Dincer I. (2000). Renewable energy and sustainable development: a crucial review. *Renewable and Sustainable Energy Reviews* 4(1), 157-175.

Doukas H., Patlitzianas K.D., Psarras J. (2006). Supporting sustainable electricity technologies in Greece using MCDM. *Resources Policy* 31(2), 129-136.

Efron, B. (1979). Bootstrap methods: another look at the jackknife. *Annals of Statistics* 7(1), 1-16.

Emrouznejad A., Amin G.R. (2009). DEA models for ratio data: Convexity consideration. *Applied Mathematical Modelling* 33(1), 486-498.

Espahbodi P. (1991). Identification of problem banks and binary choice models. *Journal of Banking and Finance* 15(1), 51-73.

Estach A., Tovar B., Trujillo L. (2008). How efficient are African electricity companies? Evidence from the Southern African countries. *Energy Policy* 36(6), 1969-1979.

Evans A, Strezov V, Evans TJ. (2009). Assessment of sustainability indicators for renewable energy technologies. *Renewable and Sustainable Energy Reviews* 13(5): 1082–8.

Farrell, M. (1957). The measurement of productive efficiency. *Journal of the Royal Statistical Society Series A* 120(3), 253–281.

Førsund, F.R., Sarafoglou, N. (2002). On the origins of Data Envelopment Analysis, *Journal of the Productivity Analysis* 17(1/2), 23-40.

Førsund, F.R., Kittelsen, S.A.C., Krivonozhko, V.E. (2009). Farrell revisited–Visualizing properties of DEA production frontiers, *Journal of the Operational Research Society* 60(11), 1535-1545.

Fotopoulos, G. (2006) Nonparametric analysis of regional income dynamics: The case of Greece. *Economics Letters* 91(3), 450-457.

Gaddam, L., Khathlan, K., Malik, S. A. (2009). Commercial Banks in Saudi Arabia- A study of Financial Performance. *Journal of International Finance and Economics*, available from: http://www.highbeam.com/doc/1G1-208535043.html.

Halkos G.E., Salamouris D. (2004). Efficiency measurement of the Greek commercial banks with the use of financial ratios: a data envelopment analysis approach. *Management Accounting Research* 15(2), 201-224.

Halkos G.E., Tzeremes NG. (2009). Electricity generation and economic efficiency: Panel data evidence from world and East Asian countries. *Global Economic Review* 38 (3), 251-263.

Halkos G.E., Tzeremes N.G. (2010a). Performance evaluation using bootstrapping DEA techniques: Evidence from industry ratio analysis. MRPA paper No. 25072. Available from: <u>http://mpra.ub.uni-muenchen.de/25072/</u>.

Halkos GE, Tzeremes NG. (2010b). The effect of foreign ownership on SMEs performance: An efficiency analysis perspective. *Journal of Productivity Analysis* 34(2), 167-180.

Hall, P., Racine J. S., Li Q. (2004). Cross-validation and the estimation of conditional probability densities. *Journal of the American Statistical Association* 99(468), 1015–1026.

Harrington S.E., Nelson J.M. (1986). Regression-based methodology for solvency surveillance in the property-liability insurance industry. *Journal of Risk and Insurance*53 (4), 583-605.

Hepbasli A. (2008). A key review on exergetic analysis and assessment of renewable energy resources for a sustainable future. *Renewable and Sustainable Energy Reviews* 12(3): 593–661.

Hoffman, A. J. (1957). Discussion on Mr. Farrell's Paper. *Journal of the Royal Statistical Society Series A* 120(III), 282-284.

Hollingsworth B., Smith P. (2003). Use of ratios in data envelopment analysis. *Applied Economics Letters* 10(11), 733-735.

Hondroyiannis G., Lolos S., Papapetrou E. (2002). Energy consumption and economic growth: assessing the evidence from Greece. *Energy Economics* 24(4), 319-336.

Honma S., Hu J.L. (2008). Total-factor energy efficiency of regions in Japan. *Energy Policy* 36(2), 821-833.

Hu J.L., Wang S.C., Yeh F.Y. (2006). Total-factor water efficiency of regions in China. *Resources Policy* 31(4), 217-230.

ICAP (2009). An Analysis of the Greek renewable and sustainable energy market. ICAP, Management consultants, December 2009, Athens (in Greek).

Illiadou E.N. (2009). Electricity sector reform in Greece. *Utilities Policy* 17(1), 76-87. Johnson R., Soenen L. (2003). Indicator of successful companies. *European Management Journal* 21 (3), 364-369.

Kaldellis J.K., Kavadias K.A., Kondili E. (2004). Renewable energy desalination plants for the Greek islands: technical and economic considerations. *Desalination* 170(2) 187-203.

Koopmans T.C. (1951). An analysis of production as an efficient combination of activities. In: Koopmans TC (ed) *Activity analysis of production and allocation*. Wiley, New York, pp.33–97.

Lovell C.A.K. (1995). Measuring the macroeconomic performance of the Taiwanese economy. *International Journal of Production Economics* 39 (1-2), 165-178.

Lovell C.A.K., Pastor J.T. (1995). Units invariant and translation invariant DEA models. *Operation Research Letters* 18(3), 147-151.

Mekhilef S., Saidur R., Safari A. (2011). A review on solar energy use in industries. *Renewable and Sustainable Energy Reviews* 15(4), 1777–1790.

Ministry of Development. 2009. *Energy outlook of Greece*. Ministry of Development, Hellenic Republic, February 2009, Athens. Available from: http://www.cres.gr/kape/pdf/download/Energy\_Outlook\_2009\_EN%20.pdf.

Mirasgedis S., Sarafidis Y., Georgopoulou E., Lalas D.P. (2002). The role of renewable energy sources within the framework of the Kyoto Protocol: the case of Greece. *Renewable and Sustainable Energy Reviews* 6(3), 247-269.

Mulyono D.M., Khairurizka B. (2009). The effect of financial ratios, firm size, and cash flow from operating activities in the interim report to the stock return. *Chinese Business Review* 8 (6), 44-55.

Neumann B.R., Suver J.D., Zelman W.N. (1988). *Financial management: Concepts and applications for health care providers*. National Health Publishing, Owings Mills, MD.

Nikoomaram, H., Mohammadi, M., Mahmoodi, M. (2010). Efficiency Measurement of Enterprises Using the Financial Variables of Performance Assessment and Data Envelopment Analysis. *Applied Mathematical Sciences* 4 (37), 1843-1854.

Oberholzer M., Westhuizen G. (2004). An empirical study on measuring efficiency and profitability of bank regions. *Meditari Accountancy Research* 12(1), 165-178.

Ozcan Y., McCue M. (1996). Development of a financial performance index for hospitals: DEA approach. *Journal of the Operational Research Society* 47(1), 18-26.

Pastor J.T. (1996). Translation invariance in data envelopment analysis: a generalization. *Annals of Operations Research* 66(2), 91-102.

Racine J.S. (2008). Nonparametric Econometrics: A Primer. Foundations in trends in Econometrics 3(1), 1-88.

RAE. (2003). General Information on the Greek Electricity Sector for the period 2000-2003 : Installed capacity, production & consumption levels. Renewable Energy Sources and Long Term Energy Planning. Regulatory Authority for Energy.

Samouilidis J.E., Mitropoulos C.S. (1984). Energy and economic growth in industrialized countries: The case of Greece. *Energy Economics* 6 (3), 191-201.

Sharma A., Chen C.R., vu Lan N. (2009). Solar-energy drying systems: A review. *Renewable and Sustainable Energy Reviews* 13(6-7), 1185–1210.

Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*. Monographs on Statistics and Applied Probability. Chapman & Hall.

Simar L., Wilson P.W. (1998). Sensitivity analysis of efficiency scores: how to bootstrap in nonparametric frontier models. *Management Science* 44(1)49–61.

Simar L., Wilson P.W. (2000). A general methodology for bootstrapping in non-parametric frontier models. *Journal of Applied Statistics* 27(6):779–802.

Simar L., Wilson P.W. (2002). Nonparametric tests of returns to scale. *European Journal* of Operational Research 139(1),115–132

Simar L., Wilson P. (2008). Statistical interference in nonparametric frontier models: recent developments and perspectives. In: Fried H, Lovell CAK, Schmidt S (eds) *The measurement of productive efficiency and productivity change*. Oxford University Press, New York.

Simar L., Zelenyuk V. (2007). Statistical inference for aggregates of farrell-type efficiencies. *Journal of Applied Econometrics* 22(7), 1367-1394.

Smith P. (1990). Data envelopment analysis applied to financial statements. *OMEGA* 18(2), 131-138.

Solangi K.H., Islam M.R., Saidur R., Rahim N.A., Fayaz H. (2011). A review on global solar energy policy. *Renewable and Sustainable Energy Reviews* 15(4) 2149-2163.

Tsolas I.E. (2010). Performance assessment of mining operations using nonparametric production analysis: A bootstrapping approach in DEA. *Resources Policy*, doi:10.1016/j.resourpol.2010.10.003.

Varun, Prakash R, Bhat IK. (2009). Energy, economics and environmental impacts of renewable energy systems. *Renewable and Sustainable Energy Reviews* 13(9): 2716–21.

Waldau A.J. (2007). Photovoltaics and renewable energies in Europe. *Renewable and Sustainable Energy Reviews* 11(7), 1414-1437.

Yeh Q. (1996). The application of data envelopment analysis in conjunction with financial ratios for bank performance evaluation. *Journal of the Operational Research Society* 47(8), 980-988.

Zahedi A. (2011). Maximizing solar PV energy penetration using energy storage technology. *Renewable and Sustainable Energy Reviews* 15(1), 866-870.

Zelenyuk V., Zheka V. (2006). Corporate governance and firm's efficiency: the case of a transitional country, Ukraine. *Journal of Productivity Analysis* 25(1), 143-157.