



Munich Personal RePEc Archive

# **Changes in energy efficiency in Australia: A decomposition of aggregate energy intensity using Logarithmic Mean Divisia approach**

Shahiduzzaman, Md and Alam, Khorshed

School of Accounting, Economics Finance, Australian Centre for  
Sustainable Business Development, University of Southern  
Queensland

January 2012

Online at <https://mpra.ub.uni-muenchen.de/36250/>

MPRA Paper No. 36250, posted 28 Jan 2012 14:28 UTC

# **Changes in energy efficiency in Australia: A decomposition of aggregate energy intensity using Logarithmic Mean Divisia approach**

**Md Shahiduzzaman\***

School of Accounting, Economics & Finance and  
Australian Centre for Sustainable Business & Development  
University of Southern Queensland, Australia

**Khorshed Alam**

School of Accounting, Economics & Finance and  
Australian Centre for Sustainable Business & Development  
University of Southern Queensland, Australia

## **Abstract**

This paper provides an empirical estimation of energy efficiency and other proximate factors that explain energy intensity in Australia for the period 1978-2009. The analysis is performed by decomposing the changes in energy intensity by means of energy efficiency, fuel mix and structural changes both at sectoral and sub-sectoral levels of the economy. Results show that the driving forces behind the decrease in energy intensity in Australia are efficiency effect and sectoral composition effect, where the former is found to be more prominent than the latter. Moreover, the favourable impact of the composition effect has been consistently slowed down in the recent past. A perfect positive association characterizes the relationship between energy intensity and carbon intensity in Australia. Given the trends in decomposition factors, it is necessary to boost energy efficiency further to reduce Australia's overall contribution to energy intensity and carbon emissions in the future.

**Key words:** Energy intensity; Energy efficiency; Index decomposition analysis

\*Corresponding author. Tel.: 61 0458823191; fax: 61 7 46315597

Email addresses: [MD.Shahiduzzaman@usq.edu.au](mailto:MD.Shahiduzzaman@usq.edu.au) (M. Shahiduzzaman),  
[Khorshed.Alam@usq.edu.au](mailto:Khorshed.Alam@usq.edu.au) (K. Alam)

# **Changes in energy efficiency in Australia: A decomposition of aggregate energy intensity using Logarithmic Mean Divisia approach**

## **1. Introduction**

As energy accounts for the largest share of greenhouse gases (GHG) emissions<sup>1</sup>, contemporary energy and environmental policies consider energy efficiency to be at the forefront of policy objectives (Ang 2006; IEA 2008; Kanako 2008; Wilson *et al.* 1993). In retrospect, the recent policy document on climate change in Australia affirmed the need of improving energy efficiency as one of the key elements to reduce the country's carbon emissions (Commonwealth of Australia 2011). In the European Union (EU) countries, while carbon pricing and specific renewable energy targets are in place, a separate target has also been set to reduce energy consumption by 20% in 2020 through the improvement of energy efficiency (EU 2008). In several summits (2005 in Gleneagles, 2006 in St Petersburg, and 2007 in Heiligendamm), the leaders of group of eight (G8) avowed the role of energy efficiency in both advanced and emerging economies to combat climate change, which has further been reinforced in the 2009 G8 Summit in L'Aquila. A separate policy to improve energy efficiency is required in order to correct for the associated market failure related to energy efficiency and to encourage cost-effective energy efficiency actions (Ryan *et al.* 2011).

In the context of designing appropriate policies, a clear exposition of the present state of energy efficiency and its historical trend would be of foremost importance. Energy efficiency trends need to be monitored at both aggregate economy and end-use levels, while the achievement of policies may be evaluated in terms of national aggregates. This requires the use of a single framework that can adequately capture the perspectives on energy

---

<sup>1</sup> Energy use accounted for 83% of anthropogenic GHG emissions in Annex I countries in 2008 (IEA 2010).

efficiency changes from end-use to aggregate level. Nonetheless, the measurement of energy efficiency is not that straight forward at the aggregate level as it is at the lower level of aggregation. As for example, at the most refined level of disaggregation, energy efficiency can simply be defined as an inverse of changes in energy intensity (energy per unit of monetary or physical activity<sup>2</sup>). However, this simple measurement of energy efficiency may not be applicable at the aggregate level as there are some other factors than efficiency, such as structural changes, which could contribute to the observed changes in energy intensity. For example, if the composition of the economy changes over time from energy intensive industrial sector to the less energy intensive service sectors, energy intensity can decline notably without any change in energy efficiency. Similarly, at an early stage of economic development, shifts from low energy intensive sector, such as agriculture to high energy intensive industrial sector can lead the energy intensity to increase. Similarly, energy intensity could be affected by the changes in fuel mix due to the differences in economic productivity among different energy types (Ma & Stern 2008). It is, therefore, necessary to find an appropriate method that can separate out the energy efficiency trends from other proximate determinants of the aggregate energy intensity. Decomposition method can be used as a suitable tool in this case as it accurately separates energy efficiency from the factors unrelated to the efficiency at a given level of disaggregation, for example, at the sub-sectoral/end-use levels (Ang & Zhang 2000). The economy-wide energy efficiency trend is thus derived using a bottom-up framework, providing a meaningful interpretation (Ang 2006).

This paper provides an empirical estimation of energy efficiency trends and other proximate factors that explain energy intensity in Australia for the period 1978-2009 by applying the Index Decomposition Approach (IDA), more specifically, the Log Mean Divisia

---

<sup>2</sup> The measure had often been used in the literature in the 1970s and early 1980s at the aggregate level of economy due mainly to its simplicity and the scarcity of energy consumption data at disaggregate levels.

Index (LMDI) technique. Another branch of IDA is the Arithmetic Mean Divisia Index (AMDI) method, which has been dominantly used in the earlier studies in Australia (Cox et al. 1997; Harris & Thorpe 2000; Tedesco & Thorpe 2003; Wilson et al. 1993). In recent years, there are some studies at Australian Bureau of Agricultural and Resource Economics – Bureau of Rural Science (ABARE-BRS) those have used the LMDI approach (Petchey 2010; Sandu & Petchey 2009; Sandu & Syed 2008). Sandu and Syed (2008) and earlier studies made use data for relatively aggregate level, while most recent studies (Petchey 2010; Sandu & Petchey 2009) have employed data at more disaggregate levels. Theoretically, the more disaggregated the series is, the more accurate the energy efficiency measure is due to less mix-up of heterogeneous nature of the output at the lower level (Ang 2006; Petchey 2010). This study complements the recent trend in literature in four main aspects. Firstly, the time series used in this study is considerably longer: 1989-90 to 2006-07 used by Sandu and Petchey (2009) and 1989-90 to 2007-08 by Petchey (2010) as compared to 1977-78 to 2008-09 utilized in this study. The use of longer time series enabled us to monitor the trend of energy intensity, energy efficiency and structural factors aftermath the oil crisis in 1970s along with the changes in recent years, therefore providing rich set of perspectives. Secondly, this study included the fuel mix effect in the decomposition, which has not been covered in the recent decomposition studies. Thirdly, added focus has been given to the electricity generation sub-sector, which is at the core of CO<sub>2</sub> emissions problem in Australia. Finally, a succinct review of the decomposition literature in Australia in the area of energy and environmental has been provided.

The organization of the paper is as follows: Following introduction in Section 1, Section 2 provides a brief overview of Australia's energy intensity and compares the performances with international standards, Section 3 includes review of literature, section 4 describes the

methodology and data, Section 5 presents and discusses the decomposition results, and finally, Section 6 presents conclusions.

## **2. Overview of Australia's energy intensity**

### *2.1 Historical trend*

While Australia experienced an overall decline in annual average growth of total energy consumption over the last four decades, average growth in energy consumption remained relatively unchanged in the 1980s and 1990s (Table 1). Nonetheless Gross Domestic Product (GDP) grew, on average, at a faster rate and remained above the growth rate of energy consumption since 1980s (Table 1). During 2001-2009, GDP growth rate in Australia was about 1.46 percentage point higher than the growth of total energy consumption. The pattern reflects a decreasing energy intensity trend in the Australian economy in the last three decades, with a substantial improvement in the most recent periods.

There are, however, demonstrated variations of growth rates of energy consumption across time and sectors of the economy (Table 1). Energy consumption grew at a faster pace in the "Mining" sector, followed by "Electricity generation" and "Services" sectors as compared to other sectors of the economy. The magnificent growth of energy use in the "Mining" sector in 1980s reflects the increasing use of natural gas as a field and plant fuel in the rapidly growing petroleum production sectors (Wilson *et al.* 1993). The sectoral contribution of the "Mining" sector to GDP increased steadily over the period of time so as its growth in energy consumption (Table 2).

**Table 1: Annual growth of energy consumption in Australia**

	1974- 1980	1981- 1990	1991- 2000	2001- 2009	1974- 2009
	%	%	%	%	%
Agriculture	3.34	1.76	2.65	3.45	2.80
Mining	5.32	7.47	5.53	5.48	5.95
Manufacturing	0.84	1.1	1.13	0.63	0.93
Electricity generation	6.54	3.73	2.99	2.28	3.89
Construction	7.08	0.93	-3.51	-1.12	0.85
Transport	3.15	2.09	2.28	1.41	2.23
Services <sup>a</sup>	3.59	3.78	3.78	2.66	3.45
Residential	2.15	2.12	1.98	1.15	1.85
Other <sup>b</sup>	0.96	0.57	1.19	0.01	0.68
All sectors	3.06	2.37	2.34	1.68	2.36
GDP growth rate <sup>c</sup>	2.78	3.01	3.45	3.14	3.10
Population growth rate	1.2	1.5	1.2	1.5	1.4

Notes:

<sup>a</sup> Includes ANZSIC Divisions F, G, H, J, K, L, M, N, O, P, Q and the water, sewerage and drainage industries.

<sup>b</sup> Includes consumption of lubricants and greases, bitumen and solvents, as well as energy consumption in the gas production and distribution industries.

<sup>c</sup> Growth of Industry Gross Value Added, Chain Volume measures, reference year 2008-09.

Sources: ABARE (2009); Cat no 5206.0 Australian National Accounts: National Income, Expenditure and Product, Table 33. Industry Gross Value Added, Chain volume measures, Annual, Australian Bureau of Statistics. Cat no 3105: Australian Historical Population and Cat no 3101.0: Australian Demographic Statistics, Australian Bureau of Statistics.

**Table 2: Sectoral share to GDP <sup>a</sup>**

	1975- 1980	1981- 1990	1991- 2000	2001- 2009	1975- 2009
	%	%	%	%	%
Agriculture	3.35	2.81	2.61	2.34	2.78
Mining	6.10	6.23	7.76	7.37	6.87
Manufacturing	17.01	15.13	12.64	10.59	13.84
Electricity, gas and water supply	3.00	3.37	3.23	2.66	3.07
Construction	7.30	6.80	6.09	6.88	6.77
Transport, postal and warehousing	4.71	5.01	5.08	5.28	5.02
Services	48.37	50.69	54.56	56.88	52.63
Residential	6.84	7.37	7.43	7.63	7.32

<sup>a</sup> Industry gross value added (chain value measure, reference year 2007-08) at basic prices.

Source: ABS (2010a).

“Electricity generation”, “Transport” and “Manufacturing” are the three dominant sectors of Australia’s total energy consumption, together representing about 78 percent of total energy consumption during 2001-2009 (Table 3). While growth of energy use declined steadily for the “Electricity generation” sector over the last three decades (Table 1), its share to total energy consumption increased substantially from 21 percent during 1974-1980 to about 30 percent during 2001-2009 to support the growing demand for electricity in the economy (Table 3). The increasing share of the “Electricity generation” sector to total energy consumption resulted in an increasing use of coal in the primary energy mix over the last four decades (Figure 1). On the other hand, both energy growth (Table 1) and share to total energy consumption (Table 3) declined gradually for the “Manufacturing” and “Transport” sectors over the same period of time. In the “Manufacturing” sector, annual growth of energy consumption increased in the 1980s and 1990s (Table 1), despite its declining output share to GDP (Table 2). In the “Services” sector, average growth of energy consumption remained unchanged in the 1980s and 1990s, while the output contribution of the sector increased steadily over the period of time (Table 2). The contribution of “Services” sector stood about 57 percent of GDP but only about 5 percent of total energy consumption during 2001-2009. “Manufacturing”, however, constituted, about 23 percent of total energy consumption for all sectors of the economy as compared to about 11 percent share to GDP during 2001-2009 (Table 3). The declining share (output) of “Manufacturing” and increasing share of “Services” over the period postulate the sectoral shift of the Australian economy.

To sum up, the above analysis indicates that there are a number of factors, such as economic activity, structural change and fuel mix that could possibly explain the changes in energy consumption pattern in the Australian economy in the last four decades. It is, therefore, pertinent to segregate the factors appropriately to identify the relative role of energy efficiency in energy consumption in Australia.



**Table 3: Sectoral composition of total energy consumption**


	1974-1980	1981-1990	1991-2000	2001-2009	1974-2009
	%	%	%	%	%
Agriculture	1.46	1.58	1.43	1.7	1.54
Mining	2.46	2.88	4.97	6.28	4.15
Manufacturing	33.18	27.83	25.51	23.09	27.40
Electricity generation	21.12	26.44	27.42	30.11	26.27
Construction	1.13	1.07	0.74	0.5	0.86
Transport	26.33	26.41	25.7	24.72	25.79
Services <sup>a</sup>	3.26	3.56	4.16	4.6	3.90
Residential	8.85	8.36	8.18	7.53	8.23
Other <sup>b</sup>	2.16	1.86	1.58	1.46	1.77
Total	100	100	100	100	100

<sup>a</sup> Includes ANZSIC Divisions F, G, H, J, K, L, M, N, O, P, Q and the water, sewerage and drainage industries.

<sup>b</sup> Includes consumption of lubricants and greases, bitumen and solvents, as well as energy consumption in the gas production and distribution industries.

Source: ABARE (2009)

**Figure 1: Changes in fuel mix in total energy consumption**



Notes: “Renewables and other” includes hydro electricity, wind, solar, Bio-fuel, wood & wood-waste and Bassage.

Source: Author’s compilation using data from Australian energy consumption by fuel, Table C, ABARE (2009).

## 2.2 Australian's energy intensity as compared to the international standard

While Australia achieved a decline in aggregate energy intensity over the last few decades, its achievement is relatively weaker as compared to the competing advanced countries. As shown in Table 4, aggregate energy intensity in Australia remained well above the one in OECD countries since 1990s. Indeed, most OECD countries experienced a steady decline in energy intensity following the oil prices shock in mid-1970s, which continued in the subsequent decades. Australia, on the other hand, experienced an increase in energy intensity during the period of 1970-1977 before experiencing a fairly strong decline until the mid-1980s. The declining trend of energy intensity in Australia then discontinued until the early 1990s but again experienced a gradual decline through the 1990s to recent times.

**Table 4: Ratio of total primary energy supply (TPES) to GDP in Australia as compared to selected advanced countries**

	GDP per capita	TPES/GDP (PPP) (toe per thousand 2005 International \$)							
	PPP	1980	1985	1990	1995	2000	2005	2006	2007
	2005								
Australia	34167.26	0.22	0.20	0.21	0.19	0.18	0.17	0.17	0.17
France	31377.51	0.17	0.17	0.16	0.16	0.15	0.15	0.14	0.13
Germany	33572.47	0.22	0.21	0.17	0.15	0.13	0.13	0.13	0.12
Italy	28144.01	0.12	0.11	0.11	0.11	0.11	0.11	0.11	0.10
Japan	30310.34	0.16	0.14	0.14	0.14	0.14	0.13	0.13	0.13
Netherlands	35104.53	0.21	0.18	0.17	0.16	0.14	0.14	0.13	0.13
New Zealand	24876.47	0.17	0.18	0.21	0.21	0.20	0.16	0.16	0.16
Switzerland	35733.14	0.11	0.11	0.11	0.10	0.10	0.10	0.10	0.09
UK	32690.14	0.19	0.17	0.15	0.15	0.13	0.11	0.11	0.10
USA	41832.65	0.31	0.26	0.24	0.23	0.21	0.19	0.18	0.18
High income: OECD	29808.72	0.23	0.20	0.19	0.18	0.17	0.16	0.15	0.15


<sup>a</sup> Constant 2005 international \$.

Source: Authors' elaboration of data from the World Bank (2010).

Figure 2 shows the performance of energy intensity in Australia as compared to the USA. As can be seen in the figure, energy intensity in the USA was considerably higher than that of Australia in the 1960s and 1970s. Since early 1980s, while energy intensity in both of the countries has experienced a declining trend, energy intensity in USA reduced more

sharply than that in Australia. A similar trend is also witnessed in the case of Germany, which experienced a very similar level of energy intensity to Australia in the early 1970s, which, however, was followed by a considerably steeper decline in the last four decades (Table 1). Given the trends, Australia's energy intensity remained well above the most advanced countries' in the last three decades. Australia, therefore, needs to have a substantial improvement of energy efficiency to keep pace with the advanced countries.

**Figure 2: Trends of aggregate energy intensity: Australia vs. USA**



Notes: Energy intensity calculated as the ratio of total primary energy consumption (toe per thousand 2005 International \$) against GDP (PPP constant 2005 international \$).

Source: Authors' elaboration of data from the World Bank (2010).

Focacci (2003) found that falling energy intensity has historically been accompanied by reducing CO<sub>2</sub> intensity in Italy, Japan, UK and USA. In case of Australia, the country does not seem to have experienced any significant reduction in either energy intensity or CO<sub>2</sub> emissions intensity in the 1980s and 1990s (Focacci 2003). Geller *et al.* (2006) reported that the Australia's reduction in energy use per unit of GDP and improvement of energy efficiency (i.e., energy intensity effect as seen in Fig 2) is relatively lower than the major OECD countries.

### 3. Review of literature

A rich body of literature has emerged employing decomposition method in energy and environmental analysis since 1980s (see, Ang & Zhang 2000, for a survey ). Early studies mostly focused on the industrial energy consumption (Park *et al.* 1993), while the recent trend has been to extend the analysis to an economy-wide level by appropriately combining sectoral and sub-sectoral data (Greening *et al.* 1997; Ma & Stern 2008; Petchey 2010; Sandu & Petchey 2009). While the relative roles of the efficiency effect and structural effect are country specific (Greening *et al.* 1997), the literature places emphasis on the efficiency effects in reducing energy intensity, especially in the advanced countries' cases (IEA 2004).

In case of Australia, Wilson *et al.* (1993) utilized the AMDI method, which has been later replicated in other studies in subsequent years to examine energy intensity or efficiency trends in Australia (Cox *et al.* 1997; Harris & Thorpe 2000; Tedesco & Thorpe 2003). More recently, Sandu and Syed (2008), Sandu and Petchey (2009) and Petchey (2010) have applied the LMDI approach to decompose end use energy intensity in the Australian economy. On the other hand, Wood (2009) adopted the structural decomposition analysis (SDA) to examine the impacts of industrial efficiency and other proximate factors on changes in greenhouse gas emissions in Australia.<sup>3</sup>

The results from the previous studies are mixed with respect to the relative importance of the real intensity effects and composition effects on changing energy intensity. Wilson *et al.* (1993) and Cox *et al.* (1997) found the role of real intensity to be dominant in changing aggregate energy intensity in Australia. On the other hand, in a relatively recent study, Tedesco and Thorpe (2003) found that structural factors (e.g., reduction of energy intensive

---

<sup>3</sup> The difference between IDA and SDA is that the latter uses an input-output model, which can be applied to a given set of energy and production data at any level of aggregation. These two methods have been developed independently in the literature and pose distinct advantages and focus. Interested readers can consult Hoekstra and van den Bergh (2003) for a comparison between them.

production activities) played a dominant role in declining aggregate energy intensity in Australia over the period 1974-2001. From the decomposition results for total energy intensity, they found that real intensity actually increased in the latter part of the 1990s after remaining relatively unchanged in the first half of the decade. On the other hand, in the case of final energy consumption, real intensity increased during mid-1980s to mid-1990s before experiencing a sharp decline in the following period of the sample (Tedesco & Thorpe 2003). A more consistent and possibly stronger downward trend of structural effect was observed in the 1990s in the case of both total and final energy intensity in Australia. Petchey (2010) and Sandu and Petchey (2009) also noted the sustained decline of real intensity, however, not discussed explicitly the role of the structural factors, at least at the aggregate economy context. Another major finding from some of the previous studies is that the changes in real energy intensity were mainly attributed to the change in fuel mix (Harris & Thorpe 2000; Tedesco & Thorpe 2003). The result is, however, different in Wilson *et al.* (1993) and Cox *et al.* (1997), who found little evidence of fuel mix effect in declining energy intensity since mid-1980s. Note that, the fuel mix effect in the aforesaid studies is investigated as a factorization of real intensity effect, not as a factor of total energy intensity (Wilson *et al.* 1993). In this methodological approach, real intensity is explained as fuel mix effect and as an unaccounted (residual) component used as a proxy of technical efficiency (Liu *et al.* 1992). Therefore, the premise of the approach is that an unaccounted or residual factor exists in the decomposition analysis. With respect to complete decomposition, where there is no residual factor in the model, the use of this approach thus becomes problematic to quantify technical efficiency. Recent trend in literature is thus to investigate the fuel mix effect as part of the function of aggregate energy intensity (e.g., Ma & Stern 2008). As mentioned above the methodological feature of the aforesaid studies in Australia is the use of an AMDI approach. In a recent study on CO<sub>2</sub> emissions in Greece, Hatzigeorgiou *et al.* (2008) found a

large positive fuel share effect using the AMDI approach. On the other hand, in the case of perfect decomposition by a LMDI approach, the fuel share effect was found to be small and negative (Hatzigeorgiou *et al.* 2008). Therefore, the measurement of fuel mix effect in the previous studies in Australia could be distorted due to the use of an AMDI approach as it provides imperfect decomposition. In recent studies in Australia, i.e., Sandu and Syed (2008), Sandu and Petchey (2009) and Petchey (2010) did not include the role of fuel mix effects in the decomposition analysis.

#### **4. Methodology and data**

Both AMDI and LMDI methods are built upon the theoretical rigor of Divisia aggregation. Boyd *et al.*(1987) proposed the Divisia index approach in energy decomposition analysis, where the index is defined as a weighted average of logarithmic growth rates. Another commonly used index number approach used in the energy decomposition literature is the Laspeyres index (Park 1992; Zhang 2003). In the Laspeyres index the weights are based on values on some base year. Therefore, the results are sensitive to the choice of base year. Ang and Choi (1997) pointed out that the problems with the base year weight in isolating two or more effects. In particular, isolation of each main effect associated with a change in the corresponding variable to energy consumption/intensity, while holding all other variables constant with respect to the base year, may lead to an unexplained residual value (Ang & Choi 1997; Ang & Zhang 2000). In the case of a Divisia index, the weights are allowed to change over time. Another difference between Laspeyres index and Divisia index is that the former is based on the concept of percentage change while the latter is based on the concept of logarithmic change. According to Tornqvist *et al.* (1985), log change “is the only symmetric, additive, and normed indicator of relative change” (p. 43). There are, however, still some differences with respect to the desirable properties between the methods linked to

Divisia, such as AMDI and LMDI. As discussed by Ang (2004), while both AMDI and LMDI approaches satisfy the time reversal test, LMDI is the only approach out of the two that satisfies the Fisher's (1922) factor reversal test (Ang & Zhang 2000; Sato 1976). From an application point of view, both AMDI and LMDI approaches pose computational problems with zero values as they are based on log changes. This is particularly true when different fuel vectors are included in the analysis to examine the fuel mix effects. This is quite common that the consumption of a particular fuel type is not observed for one or more periods in an economic sub-sector. This problem can be handled by substituting the zero values with a small positive number, for example, something between  $10^{-10}$  and  $10^{-20}$ , therefore finding converging results as the small number approaches zero (Ang & Choi 1997; Choi & Ang 2001, 2002). In case of some previous studies in Australia as cited above, the zero values were replaced by  $10^{-6}$  (Harris & Thorpe 2000; Tedesco & Thorpe 2003). However, as shown in Ang and Choi (1997), the AMDI method may not lead to a converging result. In contrast, the converging results are guaranteed in case of a LMDI approach (Ang & Choi 1997; Ang & Liu 2007). Therefore, LMDI approach is preferred than the other methods of decomposition (Ang 2004). As articulated by Ang (2004), the LMDI is the "best" decomposition method providing complete decomposition results with no residual among various alternatives commonly used in the literature. Therefore, our selection of the LMDI as the decomposition method is not arbitrary, rather based on the virtue of the methodological superiority.

#### 4.1 Model

Suppose, an economy is composed of various sectors and sub-sectors, and energy consumption in subsector  $k$  is denoted as  $E_k$ . We can therefore write

$$E_k = \frac{E_k}{Q_k} \cdot \frac{Q_k}{Q_j} \cdot \frac{Q_j}{Q} \cdot Q \quad (1)$$

Where,  $Q$  represents aggregate output.  $Q_k$  and  $Q_j$  denote output of subsector  $k$  and sector  $j$ , respectively.

Energy consumption at sector  $j$ ,  $E_j$  is the aggregation of the sub-sectoral level of energy consumption within the sector,

$$E_j = \sum_k E_k \quad (2)$$

Similarly, energy consumption at the aggregate economy  $E$  is the sum of energy consumption by various sectors.

$$E = \sum_j E_j \quad (3)$$

Combining, (1) through (3):

$$E = \sum_j \sum_k \frac{E_k}{Q_k} \cdot \frac{Q_k}{Q_j} \cdot \frac{Q_j}{Q} \cdot Q \quad (4)$$

Dividing both side of the equation (4) by  $Q$ , we can write,

$$\frac{E}{Q} = \sum_j \sum_k \frac{E_k}{Q_k} \cdot \frac{Q_k}{Q_j} \cdot \frac{Q_j}{Q} \quad (5)$$

Where,  $\frac{E}{Q}$  represents the aggregate energy intensity ( $I$ ) of the economy.

Incorporating fuel mix effect, equation (5) can be modified as:

$$I = \sum_j \sum_k \sum_m \frac{E_{km}}{E_k} \cdot \frac{E_k}{Q_k} \cdot \frac{Q_k}{Q_j} \cdot \frac{Q_j}{Q} \quad (6)$$

where,  $m$  denotes the fuel vectors in total energy consumption of subsector  $k$ .

Equation (6) can be symbolized as

$$I = \sum_j \sum_k \sum_m S_m \cdot I_k \cdot S_k \cdot S_j \quad (7)$$

Where,  $S_m$  is the share of fuel  $m$  in total energy consumption of subsector  $k$ ,  $I_k$  represents real intensity, i.e., energy intensity at the subsector  $k$ ,  $S_k$  is the output share of a subsector  $k$  to sector  $j$ ,  $S_j$  is the output share of a sector  $j$  to the aggregate economy.



Differentiating equation (7) with respect to time yields,

$$\begin{aligned} \dot{I} = & \sum_j \sum_k \sum_m \dot{S}_m \cdot I_k \cdot S_k \cdot S_j + \sum_j \sum_k \sum_m S_m \cdot \dot{I}_k \cdot S_k \cdot S_j + \sum_j \sum_k \sum_m S_m \cdot I_k \cdot \dot{S}_k \cdot S_j \\ & + \sum_j \sum_k \sum_m S_m \cdot I_k \cdot S_k \cdot \dot{S}_j \end{aligned} \quad (8)$$

Writing equation (8) in terms of growth rates and integrating,

$$\begin{aligned} \Delta I = & \int \sum_j \sum_k \sum_m g_{sm} \cdot \omega_{jkm} \cdot dt + \int \sum_j \sum_k \sum_m g_{lk} \cdot \omega_{jkm} \cdot dt + \int \sum_j \sum_k \sum_m g_{Sk} \cdot \omega_{jkm} \cdot dt \\ & \int \sum_j \sum_k \sum_m g_{Sm} \cdot \omega_{jkm} \cdot dt \end{aligned} \quad (9)$$

where,  $\omega_{ijkm} = S_m \cdot S_k \cdot S_j$ . Equation (9) can be solved by utilizing the Sato (1976) and Vartia (1976) weighting scheme, where logarithmic mean is used as a weight function. According to Sato-Vartia, the weight function  $f$  can be specified as<sup>4</sup>:

$$f(\varphi, \gamma) = (\gamma - \varphi) / (\ln \gamma - \ln \varphi), \text{ for } \gamma \neq \varphi \quad (10)$$

Where  $\varphi = \omega_{ijkm}$  at time 0, and  $\gamma = \omega_{ijkm}$  at time  $t$ , in this case.

Using the notations of equation (10), equation (9) becomes,

$$\begin{aligned} \Delta I = & \sum_j \sum_k \sum_m \int (\varphi, \gamma) (\ln S_{mt} - \ln S_{m0}) + \sum_j \sum_k \sum_m \int (\varphi, \gamma) (\ln I_{kt} - \ln I_{k0}) \\ & \sum_j \sum_k \sum_m \int (\varphi, \gamma) (\ln S_{kt} - \ln S_{k0}) + \sum_j \sum_k \sum_m \int (\varphi, \gamma) (\ln S_{jt} - \ln S_{j0}) \end{aligned} \quad (11)$$

Equation (11) is the additive LMDI specification, which can be denoted as:

$$\Delta I = \Delta I_{fm} + \Delta I_{eff} + \Delta I_{strss} + \Delta I_{strs} \quad (12)$$

where,  $\Delta I$  represents the total intensity effect,  $\Delta I_{fm}$  is the intensity change due to change in fuel mix and  $I_{strss}$ ,  $I_{strs}$  and  $\Delta I_{stri}$  represent total intensity change due to structural change at subsector and sector level, respectively.

<sup>4</sup> See Sato (1976) for details on the weight function.

The above model is a complete decomposition model and can be applied when sub-sectoral data for economic sectors are available.

#### 4.2 Data

Our decomposition is based on two levels of industrial disaggregation comprising 8 sectors and 14 sub-sectors of the Australian economy. The sectors are – “Agriculture, forestry and fishing (division A)”, “Mining (division B)<sup>5</sup>”, Manufacturing (division C)”, “Electricity, gas and water services (division D)” and “Construction (division E)”, “Commercial and services (divisions F, G, H, J, K, L, M, N, O, P, Q)”, “Transport, postal and warehousing” (division I) and “Residential” sectors. We take rent of the residential sectors - gross value added for “Ownership of dwellings” - as output of the residential sector. The sub-sectoral disaggregation is made in the case of “Manufacturing”, “Electricity, gas and water services” and “Transport and storage” sectors. The sub-sectors in the “Manufacturing” sector are categorized as – “Petroleum, coal, chemical and associated products”, “Food, beverage and tobacco products”, “Textile, clothing, footwear and leather”, “Wood, paper and printing”, “Non-metallic mineral products”, “Metal products” and “Machinery and equipment”. Subsectors in “Electricity, gas and water services” are categorized as – “Electricity generation and supply”, “Gas Production and distribution” and “Water supply and Waste services”. Sub-sectoral categories in “Transport, postal and warehousing” are “Road transport”, “Rail, pipeline and other transport, “Air and space transport” and “Other transport and storage”. The level of disaggregation and the sample chosen in the study are based on the best available data and consistent series for fuel vectors and output. The fuel vectors included in the study are coal, petroleum, natural gas, electricity and others. The sample period for the study is 1978-2009. Data for energy consumption are collected online from the ABARE (2009) (Table F, Australian energy consumption, by industry and fuel type) and ABS (Table

---

<sup>5</sup> Divisions and sub-divisions are based on Australian and New Zealand Standard Industrial Classification (ANZSIC) – 2006.


33, Cat no 5206.0, Australian National Accounts: National Income, Expenditure and Product). Energy consumption data are in Giga joule and Industry Gross Value Added data are in million Australian dollars in Chain volume measures (reference year 2007-08).

## 5. Decomposition results and discussions

### 5.1 Energy intensity in total energy consumption

The complete decomposition of the changes in aggregate energy intensity change in Australia for the sample period is presented in Appendix A. Figure 3 shows the trends of indices of various underlying factors that govern energy intensity function. As seen in the figure, real intensity dropped sharply in the 1980s indicating an improvement of energy efficiency during the period. Real intensity remained below the aggregate energy intensity trend until mid-1990s. Since then, for most of the 1990s and until recently, energy efficiency did not experience a notable improvement leaving the real intensity trend well above the trend of aggregate energy intensity. These results are mostly consistent with earlier studies in Australia (Cox et al. 1997; Tedesco & Thorpe 2003; Wilson et al. 1994). Wilson *et al.*(1994) noted the significant contribution of energy efficiency in decreasing and increasing aggregate intensity during 1978-1986 and 1986-1991, respectively.

**Figure 3: Trends of decomposition factors of changes in total energy intensity**



Sources: Authors' estimation.

**Table 5: Decomposition results for the changes in aggregate energy intensity: aggregated for different periods**

Period	Fuel mix effect	Real intensity	Structural effect : subsector	Structural effect : sector	Aggregate intensity
1979-1986	-0.09	-120.36	17.40	3.05	-100.00
1987-1992	-0.05	-97.10	127.79	-130.64	-100.00
1993-1996	0.01	-42.94	22.83	-79.90	-100.00
1997-2000	-0.03	-19.44	16.34	-96.87	-100.00
2001-2005	-0.20	-43.33	24.38	-80.84	-100.00
2006-2009	-0.02	-92.96	41.48	-48.50	-100.00

Notes: Figures exhibit changes in the decomposed factors in terms of changes in aggregate intensity. Negative numbers represent the positive (favourable) contribution of reducing aggregate energy intensity. The opposite is true for the positive numbers.


Source: Authors' estimation.

Our results indicate that the decline in real intensity was about 33% higher than the decline in aggregate intensity during 1978-1986 (Table 5). During 1978-1986, changes in fuel mix helped to reduce overall intensity, while structural changes at both sectoral and sub-sectoral levels posed as barriers to reducing aggregate energy intensity. From 1987 to 1992, decline in aggregate intensity was attributed to the significant decline of real intensity and sectoral shift of the economy as the tertiary services sector started to play the dominant role in industry composition. On the other hand, sub-sectoral composition partly played negative roles in reducing energy intensity. The result is consistent with Cox *et al.* (1997). Note that the sub-sectoral shifts in this analysis only reflect the sub-sectoral shifts of the three most energy intensive sectors of the economy, i.e., “Manufacturing”, “Transport, postal and warehousing”, and “Electricity, gas, water and waste services” only. Throughout the sample period, changes in fuel mix provided some impetus in reducing aggregate intensity but its overall contribution was very small in most periods except 2000-2005, where large increase in the petroleum prices led to the reduction of energy consumption in some sub-sectors (e.g., “Petroleum, coal and chemical”). Wilson *et al.* (1993) and Cox *et al.* (1997) found little

contribution of fuel mix effects in declining energy intensity since mid-1980s.<sup>6</sup> In a recent study on China applying a LMDI approach, Ma and Stern (2008) also found little contribution of fuel mix in declining energy intensity over the period 1994-2003.

The bright picture of reducing real energy intensity or improving of energy intensity during the 1980s has gloomed significantly in most part of the 1990s and up until mid-2000s in Australia. As pointed out by Tedesco and Thorpe (2003), this dismal picture may correspond to the era of lower energy prices preceding the oil price shock in the 1970s. Historically, real prices of coal continued to decline in most part of the 1990s and in the early 2000s. During the period, the dominant contribution of the reduction of aggregate energy intensity came from the changes in sectoral composition of the economy. The sectoral share of the Services sector to GDP increased by around 4 percentage points from 1980s to 1990s (Table 2). During most recent years (2005-2009) energy efficiency improved again to reduce energy intensity.

**Figure 4: Yearly changes of real intensity: 1978-2009**




Note: Negative value indicates decreasing energy intensity

Source: Authors' estimation.

<sup>6</sup> Note that these studies use useful energy measure, which is calculated by multiplying the delivered energy (the energy content) by arbitrarily fixed conversion efficiency for a fuel type. In this study, we also applied the fixed conversion efficiency as used by Wilson *et al.* (1993) and the subsequent studies in Australia, but found qualitatively similar results.

**Figure 5: Yearly changes in sectoral composition: 1978-2009**



Note: Negative value indicates decreasing energy intensity.

Source: Authors' estimation.


Figure 4 and Figure 5 plot the yearly changes in real intensity and sectoral composition and their effects on energy intensity. As indicated by the negative values, most of the changes in real intensity have led to declines in aggregate intensity but the contribution has reduced significantly in the 1990s. The fitted (polynomial) curve indicates the improvement of energy efficiency in recent years. This could be associated with the increase in energy prices in the recent past, growing concerns on environmental issues and incentive mechanisms of the government. Several potential downside risk factors could be identified. As seen in Figure 4, energy efficiency deteriorated in 2009 and was even reversed in 2006. Secondly, the robust contribution of the changes in sectoral composition on the reduction of energy intensity is most likely to be slowed significantly in the forthcoming years. Thirdly, fuel mix effects have historically played a smaller role in reducing energy intensity. Given the trends, it is necessary to improve energy efficiency further to reduce Australia's overall contribution to energy intensity in the future.

In terms of net changes, real intensity attributed to 73 percent and sectoral share attributed to 57 percent of the total changes in aggregate energy intensity during 1978 to 2009. This suggests that energy efficiency has been the dominant factor in reducing energy intensity in Australia during the sample period in the study.

### *5.2 Energy intensity in the final energy use*

As total energy consumption entails energy consumption in the conversion sectors as well as energy consumption in the end-use sectors of the economy, it would be worthwhile to distinguish the trend of end-use energy intensity from that of total energy intensity to gauge the energy efficiency trends in final energy use. In order to do this, we excluded coal products from the “Electricity generation subsector”, petroleum from “Petroleum, coal, chemical and associated products” sub-sector and gas products from “Gas production subsector”. The trend of indices of the decomposition factors are displayed in Figure 6. Some interesting findings are emerged from the trends of decomposed factors in final energy use. First, unlike Figure 3, no sharp decline of real intensity was observed during 1980s. The change in real intensity is seen as less profound than the change in aggregate intensity during the sample period. Second, with some usual fluctuations, real intensity in final energy use remained relatively unchanged during 1989-1995. Third, real intensity in final energy use declined steadily since 1995 but at a lower rate than aggregate intensity. Fourth, sectoral shift continued to produce favourable effects in reducing aggregate intensity since 1978. Finally, similar to total energy, fuel mix provided the smallest effect on the changes in final energy intensity (Appendix B). The decomposition results for final energy consumption by aggregating for different periods are reported in Appendix B.

**Figure 6: Trends of decomposition factors of changes in final energy intensity**



Source: Authors' estimation.


### 5.3 Energy efficiency to limit carbon pollution

A fundamental fact about Australia's energy consumption is the dominance of carbon intensive coal and oil products over gas and renewable (Figure 1). Coal and oil together constitutes about three fourth of total energy consumption in Australia. Therefore, the story of Australia's energy consumption is basically a story of carbon intensive fossil fuels consumption, where coal has remained as a key source of total energy supply, representing an average of 41 percent share in total energy consumption during 2001-09. Energy related emissions attributed to about 91 percent of national CO<sub>2</sub> emissions and 74 percent of national GHG emissions in Australia in 2009 (DCCEE 2011). Given the high energy intensity and carbon intensity of the energy use, Australia ranks among the top twenty polluting countries of the world with its per capita carbon pollution remaining above the level of any other developed countries. Despite the close association between energy consumption and carbon pollution, energy policy and climate change policy in Australia have historically been characterized by conflicting objectives and separate paths (Riedy 2005). Energy policy has traditionally been developed to maximise economic return by ensuring abundant supply and



lowering energy prices (DPMC 2004).<sup>7</sup> Yet, abundant and low-cost energy has lifted carbon pollution level of the country as compared to the global standard. Only in recent years, a significant progress has been achieved to unify the two policies to achieve clean energy future of the country. The Department of Climate Change, established on 3 December 2007, has been reorganized as the Department of Climate Change and Energy Efficiency in April 2011. Improvement of energy efficiency has now become an important element of reducing carbon pollution in Australia (Commonwealth of Australia 2011).

**Figure 7: Trend of energy intensity and CO<sub>2</sub> intensity in Australia**



Notes: Energy (kilo tonne of oil equivalent) intensity and CO<sub>2</sub> (Kilo tonne of carbon) intensity are calculated against Gross value added at basic prices (chain value measures, reference year 2007-08).

CO<sub>2</sub> emissions represent national CO<sub>2</sub> Emissions from Fossil-Fuel Burning, Cement Manufacture and Gas Flaring.

Source: Authors' estimation, ABS ( Cat no 5206.0, Table 33) and Boden *et al.*(2011)


Figure 7 compares the trends in energy intensity (dotted line) and CO<sub>2</sub> emissions intensity (solid line) in Australia during the period 1975-2008. As can be seen from the figure, the linear trends for both of the series are very similar during the time of the sample

<sup>7</sup> Energy prices in Australia are one of the lowest among the OECD countries.

period. The Pearson correlation coefficient between energy intensity and carbon intensity is .91 with a p-value of 0.0001. The strong association between energy intensity and carbon intensity indicates that the carbon emissions can be decreased through reducing energy intensity in the economy in general. Nonetheless, while the climate change strategies qualitatively stipulate improvement of energy efficiency as an important policy tool to reduce carbon pollution in Australia, there is no specific quantitative plan regarding the reduction of energy intensity in the near- or long-term.


Our decomposition results reveal that the driving forces behind the decrease in energy intensity in Australia are real intensity (efficiency) effect and sectoral composition effect, where the efficiency effect is more prominent than the composition effect. During 1978 to 2009, total energy intensity declined by 29.6 percent – an annual average rate of decline of 0.93 percent. As discussed above, a large part of the changes are attributed to changes in real intensity, while changes in sectoral composition also provide some strong impetus. Moreover, the favourable impact of the composition effect has been consistently slowed down in the recent past (Figure 5). This means that efficiency effect has to play a more profound role to sustain the present trend of intensity reduction. Based on the decomposition results, in the absence of any real intensity effect during the sample period, total energy consumption in Australia would have been about 87 percent (3422.18 PJ) greater than the actual figure in 2009 (Figure 8).

**Figure 8: Energy consumption: Actual vs. Scenario 1**




Finally, there are variations in energy intensity or efficiency trends and other decomposition factors between total energy and final energy uses in the economy (Figure 3 and Figure 6). These differences are attributed to the energy consumption in the conversion sectors of the economy. In Australia, Public electricity and heat production accounted for about 37 percent of CO<sub>2</sub> emissions in 2009 (DCCEE 2011). Figure 9 shows the trends of real intensity in the “Electricity generation and supply” subsector as compared to that in aggregate economy estimated using a LMDI approach. The figure shows a clear picture of divergence in energy efficiency in the “Electricity generation” sector from the trends in the aggregate economy, where real intensity increased significantly in the case of the former since mid-1990s. The trend in real intensity in the “Electricity generation” sector can be compared with the trends in thermal efficiency measured as a ratio of electricity generation to the sum of energy inputs in terms of energy contents (Figure 10). As can be clearly seen in Figure 10, the improvement of thermal efficiency has levelled off since the early 1990s after a notable improvement in 1980s.

**Figure 9: Trends of real intensity: Electricity generation and supply and aggregate economy**



**Figure 10: The trend of thermal efficiency in Australia's electricity generation**



## 6. Conclusion

In this study, we decomposed the energy intensity of Australia for the period 1978-2009 by applying the LMDI technique. Our decomposition results indicate that energy efficiency has played a dominant role in reducing energy intensity in Australia during the sample period. However, the contribution varies across decades. As for example, after a notable improvement in 1980s, the improvement of energy efficiency has remained relatively static during the 1990s before fostering again in the recent periods. Several potential downside risk factors could also be identified from the vintage of overall trends. Energy efficiency

deteriorated in 2009 and was even reversed in 2006. Secondly, the robust contribution of the changes in sectoral composition in reducing energy intensity is most likely to be slowed significantly in the forthcoming years. Thirdly, fuel mix effects have historically played a smaller role in reducing energy intensity.

The decomposition results indicate a clear picture of divergence in energy efficiency in Electricity generation and supply from the trends in aggregate economy, where real intensity increased significantly in the case of former since mid-1990s. The trend in thermal efficiency changes indicate that its improvements have levelled off since mid-1990s. Australia's electricity generation is more carbon intensive than other countries and its coal and gas plants are less efficient than the competing countries due to mature technologies used in coal-fired plants (GE Australia 2011). The latest projection of Australian energy use to 2029-30 assumes an improvement of energy efficiency in the electricity generation from coal-fired plants at an average rate of 0.2 percent a year (Syed *et al.* 2010). Given the long-run trends of energy efficiency, Australia, therefore, needs a significant investment and technological breakthrough to reduce both the energy and carbon intensity of the electricity generation sector.

Emission intensity of the Australian economy is relatively higher as compared to comparable economies. Given the trends in decomposition factors, it is necessary to improve energy efficiency further to reduce Australia's overall contribution to emissions intensity in the future. Australia is an Annex I country and a signatory of the Kyoto protocol. Due to its high emissions profile, the country has been facing enormous challenge of reducing CO<sub>2</sub> emissions. While improvement of energy efficiency has been included as an important element in present energy and environmental policies in Australia, a close monitoring of energy intensity and efficiency trends is of an utmost importance due to their close association with CO<sub>2</sub> emissions in the country.

## References

- ABARE 2009. Australian energy statistics, Energy update 2009, various tables, Australian Bureau of Agricultural and Resource Economics, Australian Government, Canberra.
- ABS 2010a. Australian National Accounts: National Income, Expenditure and Product, Cat no 5206. Australian Bureau of Statistics, Canberra, Australia.
- Ang, B 2006. Monitoring changes in economy-wide energy efficiency: From energy-GDP ratio to composite efficiency index. *Energy Policy*, vol. 34, no. 5, pp.574-82.
- Ang, B & Choi, KH 1997. Decomposition of aggregate energy and gas emission intensities for industry: a refined Divisia index method. *The Energy Journal*, vol. 18, no. 3, pp.59-74.
- Ang, BW 2004. Decomposition analysis for policymaking in energy:: which is the preferred method? *Energy Policy*, vol. 32, no. 9, pp.1131-9.
- Ang, BW & Zhang, FQ 2000. A survey of index decomposition analysis in energy and environmental studies. *Energy*, vol. 25, no. 12, pp.1149-76.
- Ang, BW & Liu, N 2007. Handling zero values in the logarithmic mean Divisia index decomposition approach. *Energy Policy*, vol. 35, no. 1, pp.238-46.
- Boden, T, Marland, G & Andres, B 2011. National CO<sub>2</sub> Emissions from Fossil-Fuel Burning, Cement Manufacture, and Gas Flaring: 1751-2008. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- Boyd, G, McDonald, J, Ross, M & Hansont, D 1987. Separating the changing composition of US manufacturing production from energy efficiency improvements: a Divisia index approach. *The Energy Journal*, vol. 8, no. 2, pp.77-96.
- Choi, KH & Ang, B 2001. A time-series analysis of energy-related carbon emissions in Korea. *Energy Policy*, vol. 29, no. 13, pp.1155-61.
- Choi, KH & Ang, B 2002. Measuring thermal efficiency improvement in power generation:: the Divisia decomposition approach. *Energy*, vol. 27, no. 5, pp.447-55.
- Commonwealth of Australia, Securing a clean energy future: The Australian Government's climate change plan, 2011. Australian Government, Canberra.
- Cox, A, Ho Trieu, L, Warr, S & Rolph, C 1997, Trends in Australian Energy Intensity, 1973-74 to 1994-95, Canberra.
- DCCEE 2011. National Greenhouse Gas Inventory - Kyoto Protocol Accounting Framework Department of Climate Change and Energy Efficiency (DCCEE), Australian Government, <<http://ageis.climatechange.gov.au/>>.
- DPMC 2004. Securing Australia's Energy Future Department of Prime Minister and Cabinet (DPMC), Commonwealth of Australia, Canberra.

EU 2008, Energy efficiency: delivering the 20% target COM(2008) 772, European Union (EU), Europa, Brussels.

Fisher, I 1922. The making of index numbers. Houghton Mifflin Co.

Focacci, A 2003. Empirical evidence in the analysis of the environmental and energy policies of a series of industrialised nations, during the period 1960-1997, using widely employed macroeconomic indicators. *Energy Policy*, vol. 31, no. 4, pp.333-52.

GE Australia 2011. Protecting prosperity: Lesson from leading low-carbon economics, , Sydney.

Geller, H, Harrington, P, Rosenfeld, AH, Tanishima, S & Unander, F 2006. Policies for increasing energy efficiency: Thirty years of experience in OECD countries. *Energy Policy*, vol. 34, no. 5, pp.556-73.

Greening, LA, Davis, WB, Schipper, L & Khrushch, M 1997. Comparison of six decomposition methods: application to aggregate energy intensity for manufacturing in 10 OECD countries. *Energy Economics*, vol. 19, no. 3, pp.375-90.

Harris, J & Thorpe, S 2000, Trends in Australian Energy Intensity, 1973-74 to 1997-98 Australian Bureau of Agricultural and Resources Economics (ABARE), Canberra.

Hatzigeorgiou, E, Polatidis, H & Haralambopoulos, D 2008. CO<sub>2</sub> emissions in Greece for 1990-2002: A decomposition analysis and comparison of results using the Arithmetic Mean Divisia Index and Logarithmic Mean Divisia Index techniques. *Energy*, vol. 33, no. 3, pp.492-9.

Hoekstra, R & van den Bergh, JCJM 2003. Comparing structural decomposition analysis and index. *Energy Economics*, vol. 25, no. 1, pp.39-64.

IEA 2004, Oil Crises and Climate Challenges: 30 Years of Energy Use in IEA Countries International Energy Agency (IEA).

IEA 2008. Worldwide Trends in Energy Use and Efficiency: Key Insights from IEA Indicator Analysis International Energy Agency (IEA), Paris, France.

IEA 2010. CO<sub>2</sub> emissions from fuel combustion highlights International Energy Agency (IEA), Paris, France.

Kanako, T 2008. Assessment of energy efficiency performance measures in industry and their application for policy. *Energy Policy*, vol. 36, no. 8, pp.2887-902.

Liu, X, Ang, B & Ong, H 1992. Interfuel substitution and decomposition of changes in industrial energy consumption. *Energy*, vol. 17, no. 7, pp.689-96.

Ma, C & Stern, DI 2008. China's changing energy intensity trend: A decomposition analysis. *Energy Economics*, vol. 30, no. 3, pp.1037-53.

- Park, S-H, Dissmann, B & Nam, K-Y 1993. A cross-country decomposition analysis of manufacturing energy consumption. *Energy*, vol. 18, no. 8, pp.843-58.
- Park, SH 1992. Decomposition of industrial energy consumption:: An alternative method. *Energy Economics*, vol. 14, no. 4, pp.265-70.
- Petchey, R 2010, End use energy intensity in the Australian economy, Australian Bureau of Agricultural and Resources Economics-Bureau of Rural Science, Canberra.
- Riedy, C 2005. *The Eye of the Storm: An Integral Perspective on Sustainable Development and Climate Change Response* PhD thesis, University of Technology Sydney, Sydney.
- Ryan, L, Moarif, S, Levina, E & Baron, R 2011. Energy efficiency and carbon pricing International Energy Agency.
- Sandu, S & Syed, A 2008, Trends in energy intensity in Australian industry Australian Bureau of Agricultural and Resources Economics (ABARE), Canberra.
- Sandu, S & Petchey, R 2009, End use energy intensity in the Australian economy, Australian Bureau of Agricultural and Resources Economics (ABARE), Canberra.
- Sato, K 1976. The ideal log-change index number. *The Review of Economics and Statistics*, pp.223-8.
- Syed, A, Melanie, J, Thorpe, S & Penney, K 2010, Australian energy projections to 2029-30, Commonwealth of Australia, Canberra.
- Tedesco, L & Thorpe, S 2003, Trends in Australian Energy Intensity, 1973-74 to 2000-01 Canberra.
- Tornqvist, L, Vartia, P & Vartia, YO 1985. How should relative changes be measured? *American Statistician*, pp.43-6.
- Vartia, YO 1976. Ideal log-change index numbers. *Scandinavian Journal of Statistics*, pp.121-6.
- Wilson, B, Ho Trieu, L & Bowen, B 1993, Energy Efficiency Trends in Australia, Canberra.
- Wilson, B, Trieu, LH & Bowen, B 1994. Energy efficiency trends in Australia. *Energy Policy*, vol. 22, no. 4, pp.287-95.
- Wood, R 2009. Structural decomposition analysis of Australia's greenhouse gas emissions. *Energy Policy*, vol. 37, no. 11, pp.4943-8.
- World Bank 2010. *The World Development Indicators CD-ROM 2010*. The World Bank.
- Zhang, Z 2003. Why did the energy intensity fall in China's industrial sector in the 1990s? The relative importance of structural change and intensity change. *Energy Economics*, vol. 25, no. 6, pp.625-38.



## Appendix A: LMDI Decomposition Results 1978-2009 (1978=1): Total energy intensity

Year	Fuel mix effect	Real intensity	Structural effect : subsector	Structural effect : sector	Aggregate intensity
1978	1.00000	1.00000	1.00000	1.00000	1.00000
1979	1.00000	0.99576	1.00069	0.99895	0.99540
1980	1.00000	0.99475	0.99906	1.00169	0.99549
1981	0.99999	0.98568	1.00254	1.00187	0.99007
1982	0.99999	0.98543	1.00269	1.00161	0.98970
1983	0.99999	0.98582	1.00137	1.00339	0.99054
1984	0.99998	0.98389	1.00245	1.00206	0.98835
1985	0.99998	0.98169	1.00231	1.00231	0.98625
1986	0.99998	0.97671	1.00339	1.00059	0.98062
1987	0.99998	0.97859	1.00427	0.99823	0.98106
1988	0.99998	0.97373	1.00587	0.99511	0.97468
1989	0.99998	0.97403	1.00761	0.99567	0.97721
1990	0.99998	0.97407	1.00816	0.99393	0.97607
1991	0.99998	0.97358	1.00745	0.99518	0.97613
1992	0.99998	0.97208	1.00967	0.99421	0.97582
1993	0.99998	0.97283	1.01033	0.99203	0.97508
1994	0.99998	0.96980	1.01025	0.99075	0.97070
1995	0.99998	0.97084	1.01049	0.98920	0.97045
1996	0.99998	0.96889	1.01143	0.98817	0.96840
1997	0.99998	0.96912	1.01177	0.98523	0.96606
1998	0.99998	0.97031	1.01197	0.98372	0.96597
1999	0.99998	0.97021	1.01192	0.97969	0.96186
2000	0.99998	0.96847	1.01257	0.97721	0.95831
2001	0.99997	0.96787	1.01185	0.97775	0.95757
2002	0.99997	0.96731	1.01167	0.97534	0.95449
2003	0.99997	0.96604	1.01228	0.97495	0.95343
2004	0.99996	0.96593	1.01403	0.97179	0.95187
2005	0.99996	0.96479	1.01473	0.97030	0.94994
2006	0.99997	0.96555	1.01651	0.96825	0.95035
2007	0.99997	0.96198	1.01802	0.96667	0.94670
2008	0.99996	0.95809	1.02004	0.96496	0.94306
2009	0.99996	0.95702	1.01839	0.96621	0.94170

## Appendix B: LMDI Decomposition Results 1978-2009 (1978=1): Final energy intensity

Year	Fuel mix effect	Real intensity	Structural effect : subsector	Structural effect : sector	Aggregate intensity
1978	1.00000	1.00000	1.00000	1.00000	1.00000
1979	1.00000	0.99853	0.99995	0.99882	0.99730
1980	1.00000	0.99637	0.99925	0.99942	0.99504
1981	0.99999	0.99023	1.00149	0.99968	0.99140
1982	0.99999	0.98984	1.00155	0.99879	0.99018
1983	0.99999	0.99051	1.00089	0.99745	0.98888
1984	0.99999	0.98962	1.00071	0.99694	0.98730
1985	0.99999	0.98637	1.00053	0.99718	0.98411
1986	0.99999	0.98428	1.00072	0.99629	0.98133
1987	0.99998	0.98467	1.00038	0.99476	0.97988
1988	0.99998	0.98111	1.00127	0.99296	0.97543
1989	0.99998	0.97996	1.00259	0.99345	0.97606
1990	0.99998	0.98198	1.00320	0.99140	0.97665
1991	0.99998	0.98054	1.00261	0.99162	0.97486
1992	0.99998	0.97896	1.00404	0.99101	0.97407
1993	0.99998	0.98076	1.00388	0.98965	0.97437
1994	0.99998	0.97905	1.00373	0.98919	0.97208
1995	0.99998	0.97964	1.00419	0.98857	0.97250
1996	0.99998	0.97578	1.00462	0.98943	0.96992
1997	0.99998	0.97490	1.00492	0.98874	0.96867
1998	0.99998	0.97386	1.00503	0.98745	0.96649
1999	0.99998	0.97300	1.00527	0.98510	0.96355
2000	0.99998	0.97244	1.00520	0.98388	0.96175
2001	0.99998	0.97004	1.00473	0.98470	0.95972
2002	0.99998	0.96744	1.00556	0.98366	0.95692
2003	0.99998	0.96654	1.00607	0.98413	0.95698
2004	0.99998	0.96670	1.00703	0.98284	0.95680
2005	0.99998	0.96496	1.00738	0.98269	0.95526
2006	0.99998	0.96464	1.00828	0.98153	0.95466
2007	0.99998	0.96252	1.01020	0.98135	0.95422
2008	0.99999	0.96178	1.01113	0.98125	0.95426
2009	0.99999	0.96239	1.00999	0.97990	0.95248

**Acknowledgements:** We thank David Stern and Chunbo Ma for very useful comments.