



Munich Personal RePEc Archive

Reason-Based Rationalization

Dietrich, Franz and List, Christian

CNRS, Centre d'Economie de la Sorbonne, Paris I, France,
University of East Anglia, Norwich, U.K., London School of
Economics, London, U.K.

25 November 2013

Online at <https://mpra.ub.uni-muenchen.de/51776/>
MPRA Paper No. 51776, posted 29 Nov 2013 05:24 UTC

Reason-Based Rationalization

Franz Dietrich

CNRS & University of East Anglia

Christian List

London School of Economics

This version: 25 November 2013*

Abstract

We introduce a “reason-based” way of rationalizing an agent’s choice behaviour, which explains choices by specifying which properties of the options or choice context the agent cares about (the “motivationally salient properties”) and how he or she cares about these properties (the “fundamental preference relation”). Reason-based rationalizations can explain non-classical choice behaviour, including boundedly rational and sophisticated rational behaviour, and predict choices in unobserved contexts, an issue neglected in standard choice theory. We characterize the behavioural implications of different reason-based models and distinguish two kinds of context-dependent motivation: “context-variant” motivation, where the agent cares about different properties in different contexts, and “context-regarding” motivation, where the agent cares not only about properties of the options, but also about properties relating to the context.

1 Introduction

The classical theory of individual choice faces many notorious problems. It is challenged by empirically well-established violations of rationality due to framing effects, menu-dependent choice, susceptibility to nudges, the use of heuristics, unawareness, and other related phenomena. For example, a mere redescription of the same options can sometimes alter an agent’s choice behaviour. Call this *the problem of bounded rationality*. The classical theory is also challenged by its inability to explain various intuitively rational but sophisticated forms of choice, such as choices based on norm-following or non-consequentialism. It does not distinguish such sophisticated choices from ordinary

*This work has been presented on numerous occasions, beginning with the LSE Choice Group workshop on “Rationalizability and Choice”, July 2011. We thank the audiences at these occasions for helpful comments and suggestions.

rationality violations. For example, someone who always chooses the second-largest (rather than largest) piece of cake offered to him (or her) for politeness violates the weak axiom of revealed preference and thus counts as “irrational” in the classical sense. Call this *the problem of sophisticated rationality*. We suggest that the classical theory’s difficulty in addressing both problems stems from the lack of a model of how agents conceptualize options in any given choice context. When we provide such a model, a unified explanation of many of the challenging phenomena can be given.

Our basic idea is the following. When an agent chooses between several options in some context, e.g., different yoghurts in a supermarket, he (or she) conceptualizes each option not as a primitive object, but as a bundle of properties. Each option can have a large number of properties; however, the agent considers not all of them, but only a subset: the *motivationally salient* properties. In the supermarket, these may include whether the yoghurt is fruit-flavoured, low-fat, and free from artificial sweeteners, but exclude whether the yoghurt has an odd (as opposed to even) number of letters on its label (an irrelevant property), and whether it has been sustainably produced (which many consumers ignore). The agent then makes his choice on the basis of a *fundamental preference relation* over property bundles. He chooses one option over another, e.g., a low-fat cherry yoghurt over a full-fat, sugar-free vanilla one, if and only if his fundamental preference relation ranks the set of motivationally salient properties of the first option, say {low-fat, fruit-flavoured}, above the set of motivationally salient properties of the second, say {full-fat, vanilla-flavoured, artificially sweetened}.

We call an agent’s choice behaviour *reason-based rationalizable* if it can be explained in this way. A *reason-based rationalization*, as we define it, explains an agent’s choice behaviour by specifying (i) which properties the agent cares about in each choice context and (ii) how he cares about these properties. We formalize part (i) by a *motivational salience function*, which assigns to each context a set of motivationally salient properties, and part (ii) by the agent’s *fundamental preference relation* over property bundles.

Crucially, the motivationally salient properties may be of different kinds. They may include not only *option properties*, which options have independently of the choice context (philosophers would call them “intrinsic” properties), but also *relational properties*, which options have relative to the context, and *context properties*, which are properties of the context alone. “Being fruit-flavoured” and “being low-fat” (in the case of yoghurts) are option properties; they depend solely on the yoghurt itself. Whether a yoghurt is the only cherry yoghurt on display or the cheapest one in the supermarket are relational properties; they depend also on the other available yoghurts. Examples of context properties, finally, are whether the yoghurts on offer include luxury brands

(this depends solely on the menu of options) and whether there is cheerful music in the background (this depends on features of the context over and above the menu).

Reason-based rationalizations can capture two kinds of context-dependence in an agent's motivation. First, the context may affect which properties are motivationally salient, so that the agent cares about different properties in different contexts. We call this *context-variant motivation*. For example, some contexts make the agent diet-conscious, others not. Second, the motivationally salient properties may go beyond option properties and include relational or context properties, so that the agent cares explicitly about the context or about how the options relate to it. We call this *context-regarding motivation*. For example, the agent cares about whether the choice of an option is polite in the given context or whether there are luxury options available.

Many boundedly rational and sophisticated rational forms of choice can be explained by these two kinds of context-dependence. Arguably, bounded rationality, such as susceptibility to framing, nudging, or dynamic inconsistency, often involves *context-variant* motivation. Sophisticated rationality, such as norm-following or non-consequentialism, often involves *context-regarding* motivation. (Of course, we do not claim that context-variance is always boundedly rational or that context-regardingness is always sophisticated.)

Note that, while we suggest that agents *conceptualize* options as bundles of motivationally salient properties, we could not *define* each option directly as a bundle of motivationally salient properties. Since an agent may conceptualize the same option in terms of different properties in different contexts, we cannot know the agent's motivationally salient properties *ex ante*; they can be inferred, at most, after observing the agent's choices (see Bhattacharyya, Pattanaik, and Xu 2011 for a similar observation).

This paper is structured as follows. In Section 2, we introduce our basic framework and discuss some examples. In Section 3, we examine the choice-behavioural implications of the two kinds of context-dependence. In Section 4, we show how choice behaviour can reveal which properties are motivationally salient and what the fundamental preference relation is. In Section 5, we explore the prediction of choices in unobserved contexts, a largely neglected topic in standard choice theory. Importantly, the build-up in the early sections is needed in order to harvest the fruits of our approach in the later sections.

To the best of our knowledge, our framework is novel. There is, of course, a growing body of works in decision theory offering non-standard approaches to rationalization (e.g., Suzumura and Xu 2001; Kalai, Rubinstein, and Spiegler 2002; Manzini and Mariotti 2007, 2012; Salant and Rubinstein 2008; Bernheim and Rangel 2009; Mandler, Manzini, and Mariotti 2012; Cherepanov, Feddersen, and Sandroni 2013). In the

Appendix, we briefly discuss two conceptually related papers by Bossert and Suzumura (2009) and Bhattacharyya, Pattanaik, and Xu (2011) about the phenomenon of context-dependence. Our model offers a response to problems identified by them. It also formalizes a distinction drawn by Rubinstein (2006) between different reasons for choice, which parallels our distinction between context-regarding and context-unregarding motivation. More extensive reviews of the literature can be found in our earlier papers on preference formation (Dietrich and List 2012, 2013a,b; Dietrich 2012) and in the monograph by Bossert and Suzumura (2010).¹

2 A general framework

2.1 Observable primitives

Our observable primitives are the following:

- A non-empty set of *options*, denoted X . Typical elements are x, y, z, \dots
- A non-empty set of *contexts*, denoted \mathcal{K} , which can be defined in two ways. On the classical (“extensional”) definition, each context $K \in \mathcal{K}$ is a non-empty set $K \subseteq X$ of feasible options, which the agent may choose from. On a more general (“non-extensional”) definition, each context $K \in \mathcal{K}$ *induces* a non-empty feasible set $[K] \subseteq X$, but may carry additional information about the choice environment. Formally, K could be a pair (Y, λ) of a feasible set $Y (= [K])$ and an environmental parameter λ , representing a cue, default criterion, room temperature, background music, or even the psychological or bodily state of the agent (e.g., sober or drunk). (This resembles the notion of a frame or “set of ancillary conditions” in Salant and Rubinstein 2008 or Bernheim and Rangel 2009.) For simplicity, we write K for $[K]$. This creates no ambiguity, as it is always clear whether K refers to the context broadly defined or to the feasible set $[K]$ (e.g., in “ $x \in K$ ”, K refers to $[K]$).

¹In Dietrich and List (2013a,b), we investigated the relationship between motivationally salient properties (“reasons”) and preferences (related contributions on the logic of preferences include Liu 2010 and Osherson and Weinstein 2012). The present paper goes significantly beyond those earlier papers, and there is no overlap in results. In particular, (i) we treat “motivationally salient properties” no longer as primitives, but as derivable from observable data; (ii) our main observable primitive is now a choice function, which we seek to explain; (iii) we now introduce relational and context properties, which allow us to consider two kinds of context-dependence; and (iv) we develop a framework for predictions of future choices. For a philosophical discussion of some limitations of classical rational choice theory, which also supports our current “reason-based” perspective, see Pettit (1991).

- A *choice function* $C : \mathcal{K} \rightarrow 2^X$, which assigns to each context $K \in \mathcal{K}$ a non-empty set of chosen options in K (i.e., $C(K) \subseteq K$).

2.2 Properties

When making a choice in context K , an agent effectively selects among different pairs of the form (x, K) , where $x \in K$. We call the elements of $X \times \mathcal{K}$ *option-context pairs*.² In our framework, the properties of option-context pairs are key determinants of the agent’s choice. A *property* is a characteristic that an option-context pair may or may not have (thus properties are binary). Formally, it is an abstract object, P , that picks out a subset $[P] \subseteq X \times \mathcal{K}$ called its *extension*, which consists of all option-context pairs that “have” or “satisfy” the property. We assume that the extension of any property is distinct from \emptyset and $X \times \mathcal{K}$; this rules out properties that are never satisfied or always satisfied.

Although we often identify a property with its extension, it is sometimes useful to allow distinct properties to have the same extension, so as to capture those framing effects in which the description of a property matters. For example, the properties “80% fat-free” and “20% fat” (in foods) have the same extension but different descriptions and may prompt different choice dispositions in a boundedly rational agent.

We distinguish between three kinds of properties:

Option properties: These are properties whose possession by an option-context pair depends only on the option, not on the context. Examples are “being fat-free” or “being a 500g pot” (in the case of yoghurts) and “being an apple” (in the case of fruits). Formally, P is an *option property* if

$$(x, K) \in [P] \Leftrightarrow (x, K') \in [P] \text{ for all } x \in X \text{ and } K, K' \in \mathcal{K}.$$

Context properties: These are properties whose possession by an option-context pair depends only on the context, not on the option. Examples are “offering more than one feasible option”, “offering a Rolls Royce among the feasible options”, and – if contexts are defined as specifying the choice environment over and above the feasible set – the time, room temperature, or framing of the choice problem. Formally, P is a *context property* if

$$(x, K) \in [P] \Leftrightarrow (x', K) \in [P] \text{ for all } x, x' \in X \text{ and } K \in \mathcal{K}.$$

²Note that some pairs (x, K) in $X \times \mathcal{K}$ are “infeasible” in the sense that $x \notin K$.

Relational properties: These are properties whose possession by an option-context pair depends on both the option and the context, capturing the relationship between option and context. Examples are “not being the last available fruit of a particular kind”, which a polite dinner party guest may care about, or “being the largest item on the menu”, which a greedy consumer may focus on. Formally, P is a *relational property* if it is neither an option property nor a context property.

We call properties that are not option properties *context-regarding* and properties that are not context properties *option-regarding*. Relational properties are context-regarding *and* option-regarding.

To explain an agent’s choice behaviour, we consider a set \mathcal{P} of potentially relevant properties, called a *property system*. This could be specified in different ways, depending on the modeller’s goals. It contains the properties that the modeller has at his or her disposal to rationalize the agent’s choices. The slimmer this set, the fewer patterns of choice can be explained, i.e., the more demanding our notion of reason-based rationalizability becomes. We partition \mathcal{P} into the set $\mathcal{P}_{\text{option}}$ of option properties, the set $\mathcal{P}_{\text{context}}$ of context properties, and the set $\mathcal{P}_{\text{relational}}$ of relational properties. For any option x and any context K , we write

- $\mathcal{P}(x, K)$ for the set $\{P \in \mathcal{P} : (x, K) \in [P]\}$ of all properties of the pair (x, K) ,
- $\mathcal{P}(x) = \mathcal{P}(x, K) \cap \mathcal{P}_{\text{option}}$ for the set of option properties of x , and
- $\mathcal{P}(K) = \mathcal{P}(x, K) \cap \mathcal{P}_{\text{context}}$ for the set of context properties of K .

Each set $\mathcal{P}(x, K)$ is assumed to be finite. (Of course, X , \mathcal{K} , and \mathcal{P} need not be finite.) A subset of \mathcal{P} is called a *property bundle*.

2.3 An example

We give an example to which we will refer repeatedly. It involves a choice of fruit at a dinner party (as in Sen’s well-known example of a polite dinner-party guest). Let X contain different fruits: apples, bananas, chocolate-covered pears, and possibly others. Each kind of fruit comes in up to three sizes: big, medium, and small. A choice context is a non-empty feasible set $K \subseteq X$, consisting of fruits currently in the basket. The set of possible contexts is $\mathcal{K} = 2^X \setminus \{\emptyset\}$. For present purposes, we consider a set of properties $\mathcal{P} = \{\text{big, medium, small, chocolate-offering, polite}\}$, where

- “big”, “medium”, and “small” are the option properties of being a big, medium, and small fruit, respectively;

- “chocolate-offering” is the context property of offering at least one chocolate-covered fruit among the feasible options;
- “polite” is the relational property of not being the last available fruit of its kind, i.e., not being the last apple in the basket, the last banana, the last chocolate-covered pear, and so on.

We consider four agents whose choice behaviour we will subsequently explain in terms of the properties in \mathcal{P} .

Bon-vivant Bonnie always chooses a largest available fruit. For any K , she chooses

$$C(K) = \{x \in K : x \text{ is largest in } K\},$$

where “medium” is larger than “small”, and “big” is larger than both other sizes.

Polite Pauline politely avoids choosing the last available fruit of its kind and only secondarily cares about a fruit’s size. For any K , she chooses

$$C(K) = \{x \in K : x \text{ is largest in } K^* \text{ if } K^* \neq \emptyset \text{ and largest in } K \text{ if } K^* = \emptyset\},$$

where K^* is the set of all fruits in K that are not the last available ones of their kind.

Chocoholic Coco picks any fruit indifferently when no chocolate-covered fruit is available, but otherwise chooses a largest available fruit, because the smell of chocolate makes him hungry. For any K , he chooses

$$C(K) = \begin{cases} K & \text{if no chocolate-covered fruit is available in } K, \\ \{x \in K : x \text{ is largest in } K\} & \text{if a chocolate-covered fruit is available in } K. \end{cases}$$

Weak-willed William makes the same polite choices as Pauline when no chocolate-covered fruit is available, and the same “greedy” choices as Bonnie otherwise, as the smell of chocolate makes him lose his inhibitions. Formally, $C(K)$ is as in Pauline’s case when there is no chocolate-covered fruit in K and as in Bonnie’s case when there is.

To explain the behaviour of these agents, we now introduce our central concept.

2.4 Reason-based models

A *reason-based model* of an agent, \mathcal{M} , is a pair (M, \geq) consisting of:

- A *motivational salience function* M (formally a function from \mathcal{K} into $2^{\mathcal{P}}$), which assigns to each context $K \in \mathcal{K}$ a set $M(K)$ of *motivationally salient* properties in context K . We require that any contexts with the same context properties induce the same motivationally salient properties, i.e., if $\mathcal{P}(K) = \mathcal{P}(K')$ then $M(K) = M(K')$. (So, differences in motivation are attributable to differences in context properties.)
- A *fundamental preference relation* \geq over property bundles (formally a binary relation on $2^{\mathcal{P}}$, on which we initially impose no restrictions). We write $>$ and \equiv for the strict and indifference relations induced by \geq .

Informally, M specifies which properties the agent cares about in each context, and \geq specifies how the agent cares about these properties, by ranking different property bundles relative to one another. Note that a reason-based model is always defined relative to a given property system \mathcal{P} .

A reason-based model tells us (i) how the agent conceptualizes options in each context, (ii) how he forms his preferences over the options, and (iii) what choices he is disposed to make. Formally, according to \mathcal{M} :

- Any option x is *conceptualized* in context K as the set of motivationally salient properties of (x, K) , denoted $x_K = \mathcal{P}(x, K) \cap M(K)$.
- The agent's *preference relation* in context K is the binary relation \succsim_K on X defined as follows:

$$x \succsim_K y \Leftrightarrow x_K \geq y_K \text{ for all } x, y \in X.$$

We write \succ_K and \sim_K for the strict and indifference relations induced by \succsim_K .

- The agent's *choice dispositions* are given by the function $C^{\mathcal{M}} : \mathcal{K} \rightarrow 2^X$ which assigns to each context the set of most preferred feasible options in that context:

$$C^{\mathcal{M}}(K) = \{x \in K : x \succsim_K y \text{ for all } y \in K\}.$$

This defines an *improper choice function* (“improper” because $C^{\mathcal{M}}(K)$ may be empty for some K if \geq is not well-behaved).

We call a choice function $C : \mathcal{K} \rightarrow 2^X$ *reason-based rationalizable* (relative to \mathcal{P}) if there exists a reason-based model \mathcal{M} (relative to \mathcal{P}) such that $C = C^{\mathcal{M}}$. We then call \mathcal{M} a *rationalization* of C . The four choice functions of our example are all reason-based rationalizable, as we now show.

Bon-vivant Bonnie's choice function can be rationalized by defining the set of motivationally salient properties in any context K as

$$M(K) = \{\text{big}, \text{medium}, \text{small}\} \text{ (so } M \text{ is a constant function),}$$

and defining the fundamental preference relation \geq such that the three singleton property bundles $\{\text{big}\}$, $\{\text{medium}\}$, and $\{\text{small}\}$ stand in the linear order satisfying

$$\{\text{big}\} > \{\text{medium}\} > \{\text{small}\}.$$
³

For instance, in a context K that offers only a small apple a and a big banana b , Bonnie chooses the banana b . She conceptualizes the two fruits as

$$a_K = \mathcal{P}(a, K) \cap M(K) = \{\text{small}\},$$

$$b_K = \mathcal{P}(b, K) \cap M(K) = \{\text{big}\},$$

and $b_K \succsim_K a_K$ since $\{\text{big}\} > \{\text{small}\}$.

Polite Pauline's choice function can be rationalized by defining the set of motivationally salient properties in any context K as

$$M(K) = \{\text{big}, \text{medium}, \text{small}, \text{polite}\} \text{ (so, again, } M \text{ is a constant function),}$$

and defining the fundamental preference relation \geq such that the property bundles $\{\text{big}, \text{polite}\}$, $\{\text{medium}, \text{polite}\}$, $\{\text{small}, \text{polite}\}$, $\{\text{big}\}$, $\{\text{medium}\}$ and $\{\text{small}\}$ stand in the linear order satisfying

$$\{\text{big}, \text{polite}\} > \{\text{medium}, \text{polite}\} > \{\text{small}, \text{polite}\} > \{\text{big}\} > \{\text{medium}\} > \{\text{small}\}.$$

For instance, if only two small apples a and a' and one big banana b are available in context K , Pauline chooses an apple. She conceptualizes the three fruits as

$$a_K = \mathcal{P}(a, K) \cap M(K) = \{\text{small}, \text{polite}\},$$

$$a'_K = \mathcal{P}(a', K) \cap M(K) = \{\text{small}, \text{polite}\},$$

$$b_K = \mathcal{P}(b, K) \cap M(K) = \{\text{big}\},$$

where $a_K \sim_K a'_K \succsim_K b_K$ since $\{\text{small}, \text{polite}\} \equiv \{\text{small}, \text{polite}\} > \{\text{big}\}$.

³Formally, $\geq = \overline{\{(\{\text{big}\}, \{\text{big}\}), (\{\text{big}\}, \{\text{medium}\}), (\{\text{big}\}, \{\text{small}\}), (\{\text{medium}\}, \{\text{medium}\}), (\{\text{medium}\}, \{\text{small}\}), (\{\text{small}\}, \{\text{small}\})\}}$.

Chocoholic Coco’s choice function can be rationalized by defining the set of motivationally salient properties in any context K as

$$M(K) = \begin{cases} \emptyset & \text{if no chocolate-covered fruit is available in } K, \\ & \text{i.e., chocolate-offering } \notin \mathcal{P}(K), \\ \{\text{big, medium,} & \text{if a chocolate-covered fruit is available in } K, \\ \text{small}\} & \text{i.e., chocolate-offering } \in \mathcal{P}(K), \end{cases}$$

and defining the fundamental preference relation \geq as in Bonnie’s case, with the only additional stipulation that $\emptyset \equiv \emptyset$. For instance, in a context without a tempting chocolate-covered fruit, he picks any fruit indifferently, because he conceptualizes every fruit as the same empty property bundle \emptyset , where $\emptyset \equiv \emptyset$.

Weak-willed William’s choice function can be rationalized by defining the set of motivationally salient properties in any context K as

$$M(K) = \begin{cases} \{\text{big, medium,} & \text{if no chocolate-covered fruit is available in } K, \\ \text{small, polite}\} & \text{i.e., chocolate-offering } \notin \mathcal{P}(K), \\ \{\text{big, medium,} & \text{if a chocolate-covered fruit is available in } K, \\ \text{small}\} & \text{i.e., chocolate-offering } \in \mathcal{P}(K), \end{cases}$$

and defining the fundamental preference relation \geq as in Pauline’s case. So, if context K offers only two small apples a and a' and one big banana b , then, undisturbed by any smell of chocolate, he conceptualizes these fruits as Pauline does and politely chooses a small apple. If a small chocolate-covered pear is added to the basket, he conceptualizes the fruits as Bonnie does and chooses the big banana.

2.5 Two kinds of context-dependent motivation

In our example, Polite Pauline and Chocoholic Coco are affected by the context in opposite ways. Pauline *cares about* the context, since the relational property “polite” is motivationally salient for her. Coco’s set of motivationally salient properties *varies with* the context: different contexts make him care about different properties. We say that an agent’s motivation, according to model $\mathcal{M} = (M, \geq)$, is

- *context-regarding* if the range of the motivational salience function M includes not only sets of option properties (i.e., $M(K)$ contains at least one context-regarding property for some $K \in \mathcal{K}$), and *context-unregarding* otherwise;
- *context-variant* if M is a non-constant function (i.e., $M(K)$ is not the same for all $K \in \mathcal{K}$), and *context-invariant* otherwise.

How do the two kinds of context-dependence affect an agent's conceptualization of the options in each context?

Case 1. Both kinds of context-dependence are permitted: Any option x is conceptualized in context K as

$$x_K = \mathcal{P}(x, K) \cap M(K).$$

This expression involves the context in two places. It involves (i) the set of properties of the option-context pair (x, K) , which may include context-regarding properties, and (ii) the set of motivationally salient properties in context K , which may depend on K .

Case 2. Context-unregarding motivation: The first source of context-dependence disappears. Any option x is conceptualized in context K as

$$x_K = \mathcal{P}(x) \cap M(K),$$

since each $M(K)$ only contains option properties, so that $\mathcal{P}(x, K) \cap M(K) = \mathcal{P}(x) \cap M(K)$.

Case 3. Context-invariant motivation: The second source of context-dependence disappears. Any option x is conceptualized in context K as

$$x_K = \mathcal{P}(x, K) \cap M,$$

since M is a constant function, so that $M(K)$ can be replaced by a single set M of motivationally salient properties. Here the first component of the reason-based model (M, \geq) can be redefined simply as this fixed set M .

Case 4. No context-dependence: Both sources of context-dependence disappear. Any option x is conceptualized in context K as

$$x_K = \mathcal{P}(x) \cap M.$$

Table 1 summarizes the four cases. Interpretationally, Pauline and Bonnie, whose motivation is context-invariant, seem more rational than William and Coco, whose motivation varies with the context, prompted by subtle environmental features such as the smell of chocolate. Bonnie exemplifies the case of classical rationality: context-invariant motivation and context-unregarding conceptualization of the options. Pauline displays

sophisticated rational behaviour: she considers not only properties of the options, but also properties concerning the relationship between the options and the context, such as politeness. William tries to display the same sophisticated behaviour, but is susceptible to variations in motivation across different contexts. Coco, finally, focuses only on option properties, but, like William, lacks a stable motivation.

		Context-variant motivation?	
		Yes	No
Context-regarding motivation?	Yes	$x_K = \mathcal{P}(x, K) \cap M(K)$ (e.g., William)	$x_K = \mathcal{P}(x, K) \cap M$ (e.g., Pauline)
	No	$x_K = \mathcal{P}(x) \cap M(K)$ (e.g., Coco)	$x_K = \mathcal{P}(x) \cap M$ (e.g., Bonnie)

Table 1: The agent’s conceptualization of option x in context K

2.6 Some illustrative non-classical choice behaviours

To illustrate that many non-classical choice behaviours can be represented in our framework, we briefly consider framing effects, choices by heuristics or checklists, and non-consequentialist choices.

Framing effects: Framing effects can be understood as special kinds of choice reversals. A *choice reversal* occurs when there are contexts K and K' and options x and y such that x is chosen over y in K and y is chosen over x in K' , where at least one choice is strict. (Option x is *chosen weakly over* option y in context K if $x, y \in K$ and $x \in C(K)$; and *strictly* if, in addition, $y \notin C(K)$.) Choice reversals can have two distinct sources, according to a reason-based rationalization of C . Their source is *context-variance* if K and K' induce different sets of motivationally salient properties $M(K) \neq M(K')$ both of which contain only option properties. Their source is *context-regardingness* if K and K' induce the same set $M(K) = M(K')$, but this set contains some relational or context properties that distinguish the choice between x and y in the two contexts. (There are also mixed cases.) In either case, the agent prefers x to y as conceptualized in context K , and y to x as conceptualized in context K' , as illustrated in Figure 1. We might define a *framing effect* as a choice reversal whose source is context-variance, and define the *frame* in each context K as the set of context properties $\mathcal{P}(K)$ “responsible” for $M(K)$. (In Section 5, we introduce a notion of *causally relevant* context properties that could be used to refine this definition.) Crucially, whether a choice reversal counts as a framing effect depends on the reason-based model by which we rationalize C . Note that,




Figure 1: A choice reversal

if K and K' offer the same feasible options, framing effects can occur only if contexts are defined non-extensionally, as consisting of both a feasible set and an environmental parameter (as in Salant and Rubinstein 2008); otherwise $M(K)$ and $M(K')$ would have to coincide. If K and K' offer different feasible options, framing effects are possible even when contexts are defined extensionally, provided they are distinguished by some context properties (such as “offering luxury goods”) that lead to the difference between $M(K)$ and $M(K')$.

Checklists or “take-the-best” heuristics: Here, the agent considers a list of criteria by which the options can be distinguished and places the criteria in some order of importance. For any set of feasible options, the agent first compares the options in terms of the first criterion; if there are ties, he moves on to the second criterion; if there are still ties, he moves on to the third; and so on. Gigerenzer et al. (e.g., 2000) describe empirical examples of such choice procedures, and Mandler, Manzini, and Mariotti (e.g., 2012) offer a formal analysis. In our framework, we can rationalize such choice behaviour by a reason-based model (M, \geq) with a lexicographic fundamental preference relation \geq , where property bundles are ranked on the basis of some order of importance over properties. To illustrate, let P_1, P_2, P_3, \dots denote the first, second, third, ..., properties in this order (assuming a finite \mathcal{P}). We can define the fundamental preference relation \geq as follows: for any property bundles S_1 and S_2 , $S_1 \geq S_2$ if and only if either $S_1 = S_2$ or there is some n such that $P_n \in S_1, P_n \notin S_2$, and $S_1 \cap \{P_1, \dots, P_{n-1}\} = S_2 \cap \{P_1, \dots, P_{n-1}\}$. A lexicographic fundamental preference relation can be combined with either context-variant or context-invariant motivation, and with either context-regarding or context-unregarding motivation. This opens up greater generality than usually acknowledged.

Non-consequentialism: A non-consequentialist agent, in the most general sense, makes a choice in a given context not just on the basis of the chosen option itself (the outcome), but also on the basis of what the choice context is or how each option relates to that context (the act of choosing the option). Any context-regarding motivation can thus be associated with a form of non-consequentialism. More narrowly, we may consider an agent who cares about whether each option is “permissible” or “norm-conforming” in a given context. The relevant criterion may be politeness, legality, or moral permissibility in the context. Let us introduce a relational property P such that any option-context pair (x, K) satisfies P if and only if the choice of x is deemed permissible or norm-conforming in context K . If P is in every $M(K)$ and the fundamental preference relation ranks property bundles that include P above bundles that do not, the agent will always choose a permissible or norm-conforming option, unless no such option is feasible. Note that this could not generally be modelled without context-regarding motivation. For earlier discussions of non-consequentialist and “norm-conditional” choices, see, e.g., Suzumura and Xu (2001) and Bossert and Suzumura (2009).

3 Choice-behavioural implications

When does a choice function $C : \mathcal{K} \rightarrow 2^X$ have a reason-based rationalization? In this section, we first give necessary and sufficient conditions for reason-based rationalizability without any restriction, permitting both context-variant and context-regarding motivation. We then characterize the opposite case, without any context-dependence. Finally, we address the two intermediate cases, where rationalizability is restricted to either context-invariant or context-unregarding motivation but not both. We also suggest criteria for selecting a rationalization when it is not unique. The reader may skip this section if he or she is interested primarily in constructing reason-based models from observed choices (Section 4) or in predicting choices in novel contexts (Section 5).

3.1 Reason-based rationalizability without any restriction

We begin by stating two axioms which, together, imply that choice is based on properties. The first is an “intra-context” axiom. It states that the agent’s choice in any given context does not distinguish between options that have the same bundle of properties in that context:

Axiom 1 For all contexts $K \in \mathcal{K}$ and all options $x, y \in K$, if $\mathcal{P}(x, K) = \mathcal{P}(y, K)$, then $x \in C(K) \Leftrightarrow y \in C(K)$.

The second axiom is an “inter-context” axiom. It states that if two contexts offer the same feasible property bundles, the agent chooses options with the same property bundles in those contexts:

Axiom 2 For all contexts $K, K' \in \mathcal{K}$, if $\{\mathcal{P}(x, K) : x \in K\} = \{\mathcal{P}(x, K') : x \in K'\}$, then $\{\mathcal{P}(x, K) : x \in C(K)\} = \{\mathcal{P}(x, K') : x \in C(K')\}$.

Axiom 2 does not require that the same *options* be chosen in contexts offering the same feasible property bundles; it only requires that options *instantiating the same property bundles* be chosen. The axiom requires no relationship between the choices in contexts K and K' with different context properties (i.e., $\mathcal{P}(K) \neq \mathcal{P}(K')$), since these automatically offer different feasible property bundles.

Axioms 1 and 2 do not by themselves imply any maximizing behaviour.⁴ This gap is filled by our third axiom, a variant of Richter’s (1971) axiom of “revelation coherence” (which, in turn, is a weakening of the weak axiom of revealed preference; see, e.g., Samuelson 1948). Unlike Richter, we formulate our axiom at the level of property bundles, not options. We adapt some revealed-preference terminology. For any property bundles S and S' :

- S is *feasible* in context K if $S = \mathcal{P}(x, K)$ for some feasible option $x \in K$;
- S is *chosen* in context K if $S = \mathcal{P}(x, K)$ for some option $x \in C(K)$;
- S is *revealed weakly preferred* to S' (formally $S \succsim^C S'$) if, in some context, S is chosen while S' is feasible; S is *revealed strictly preferred* to S' if, in some context, S is chosen while S' is feasible and not chosen.⁵

⁴They are jointly equivalent to choice being rationalizable by a *generalized reason-based model*, defined by (i) a motivational salience function and (ii) a choice function defined on property bundles, not on options (which is more general than a fundamental preference relation \geq over property bundles).

⁵We speak of “revealed preference” rather than “revealed fundamental preference” to avoid giving the impression that the relation \succsim^C expresses the agent’s fundamental preferences. When the agent revealed-prefers bundle S to bundle S' by choosing the former over the latter in some context, only certain subsets of S and S' are typically motivationally salient in that context, and the agent’s fundamental preference is held between these subsets, not between S and S' . In Section 4, we introduce a notion of revealed *fundamental* preference. Our definition of revealed preference as a relation \succsim^C between property bundles induces (and is equivalent to) a definition of context-variant revealed preference between options (denoted \succsim_K^C). Option x is revealed weakly preferred to option y in context K ($x \succsim_K^C y$) if and only if $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$. In classical choice theory, without the resources of properties, it is hard to define an interesting notion of context-variant revealed preference. The classical revealed-preference relation is defined context-invariantly and fails to rationalize many observable choice behaviours.

Axiom 3 If a property bundle $S \subseteq \mathcal{P}$ is feasible in some context $K \in \mathcal{K}$ and is revealed weakly preferred to every feasible property bundle in context K , then S is chosen in context K .

Like Axiom 2, Axiom 3 is less restrictive than one might think. For the choices in context K to constrain those in context K' , the two contexts must have the same context properties, i.e., $\mathcal{P}(K) = \mathcal{P}(K')$. Otherwise there will be no property bundles that are feasible in both K and K' . In fact:

Lemma 1 *Axiom 3 strengthens Axiom 2.*

Theorem 1 *A choice function C is reason-based rationalizable if and only if it satisfies Axioms 1 and 3 (and by implication 2).⁶*

This result, like all subsequent results, holds for each property system \mathcal{P} . We can thus test for rationalizability in different property systems, e.g., by asking: Is the agent's choice between cars rationalizable in a system of colour-related properties? In a system of prestige-related properties? In a system of prestige- and price-related properties?⁷

Reason-based rationalizations need not be unique. For a given choice function C , there may exist more than one reason-based model \mathcal{M} such that $C = C^{\mathcal{M}}$. Different rationalizations are far from equivalent, as discussed in more detail later. In particular, they may lead to different predictions for novel choice contexts outside the set \mathcal{K} of “observed” contexts, as shown in Section 5. We now reduce and later (in Section 4) eliminate the non-uniqueness of \mathcal{M} , by imposing additional restrictions on the admissible reason-based models.

3.2 Reason-based rationalizability without any context-dependence

So far, we have allowed rationalizations to display both kinds of context-dependence. We now consider the opposite, limiting case with no context-dependence at all. Consider the following variants of Axioms 1 and 2, obtained by referring only to context-unregarding properties:

⁶The conjunction of Axioms 1 and 3 is in fact equivalent to the following single axiom: for every context $K \in \mathcal{K}$ and every option $x \in K$, if the property bundle $\mathcal{P}(x, K)$ is revealed weakly preferred to the property bundle $\mathcal{P}(y, K)$ for every option $y \in K$, then $x \in C(K)$.

⁷To make this explicit, we could restate Theorem 1 (and similarly other results) as follows: *For every property system \mathcal{P} , a choice function C is reason-based rationalizable in \mathcal{P} if and only if it satisfies Axioms 1 and 3 (and thereby 2).*

Axiom 1* For all contexts $K \in \mathcal{K}$ and all options $x, y \in K$, if $\mathcal{P}(x) = \mathcal{P}(y)$, then $x \in C(K) \Leftrightarrow y \in C(K)$.

Axiom 2* For all contexts $K, K' \in \mathcal{K}$, if $\{\mathcal{P}(x) : x \in K\} = \{\mathcal{P}(x) : x \in K'\}$, then $\{\mathcal{P}(x) : x \in C(K)\} = \{\mathcal{P}(x) : x \in C(K')\}$.

In our example, Bon-vivant Bonnie satisfies both axioms; Chocoholic Coco satisfies Axiom 1* but violates Axiom 2* (to see this, suppose K contains a chocolate-covered pear while K' does not); and Polite Pauline and Weak-willed William violate even Axiom 1* (they care about a relational property).

We also introduce an analogue of Axiom 3, namely Richter’s (1971) original axiom of *revelation coherence*, extended to our framework where contexts (if defined non-extensionally) can be more general than feasible sets.

Axiom 3* For all contexts $K \in \mathcal{K}$ and any feasible option $x \in K$, if, for every option $y \in K$, there is a context $K' \in \mathcal{K}$ in which x is chosen weakly over y , then $x \in C(K)$.

To state our characterization of reason-based rationalizability without any context-dependence, call the set of contexts \mathcal{K} *closed under cloning* if \mathcal{K} is closed under transforming any context by adding “clones” of feasible options; formally, whenever a context $K \in \mathcal{K}$ contains an option x such that $\mathcal{P}(x) = \mathcal{P}(x')$ for another option $x' \in X$ (a *clone* of x), there is a context $K' \in \mathcal{K}$ such that $K' = K \cup \{x'\}$. This is a weak condition.⁸

Theorem 2 *Given a set of contexts \mathcal{K} that is closed under cloning, a choice function C is reason-based rationalizable with context-invariant and context-unregarding motivation if and only if it satisfies Axioms 1*, 2*, and 3*.*

In fact, Axiom 3* alone is equivalent to rationalizability of choice by a binary relation over options, as is well-known in the classical case where contexts are feasible sets (Richter 1971 and Bossert and Suzumura 2010).

⁸It holds vacuously if no two distinct options in X have the same properties, i.e., for any $x, x' \in X$, $x \neq x'$ implies $\mathcal{P}(x) \neq \mathcal{P}(x')$. The condition is also natural because if an option x' is property-wise indistinguishable from a currently feasible option x , one would expect that x' can become feasible too. Presumably, if x , but not x' , can be feasible (together with some other options), this difference stems from x and x' having different properties. We could further weaken or modify the condition, e.g., by replacing “ $K' = K \cup \{x'\}$ ” with “ $K' = (K \setminus \{x : \mathcal{P}(x) = \mathcal{P}(x')\}) \cup \{x'\}$ ”, so that x' is not added but substituted for the existing feasible options that are property-wise indistinguishable from it.

Remark 1 A choice function C satisfies Axiom 3* if and only if it is rationalizable by a preference relation, i.e., there is a binary relation \succsim on X such that for all contexts $K \in \mathcal{K}$,

$$C(K) = \{x \in K : x \succsim y \text{ for all } y \in K\}.$$

This, however, is not a *reason-based* rationalization, and to obtain such a rationalization, our two additional axioms, 1* and 2*, are needed, as Theorem 2 shows.

3.3 Reason-based rationalizability with either context-unregarding or context-invariant motivation

We finally turn to reason-based rationalizability with one but not both kinds of context-dependence. We begin with the case in which the agent’s motivation can be context-variant, but not context-regarding. The axioms characterizing this case lie logically “between” Axioms 1*, 2*, and 3*, which characterize reason-based rationalizability without any context-dependence (Theorem 2), and Axioms 1, 2, and 3, which characterize reason-based rationalizability *simpliciter* (Theorem 1). Specifically, they are Axioms 1* and 3 and a new axiom that weakens Axiom 2* in the presence of 1*. We omit the details here, since the new axiom has a complex form.

Let us now consider the case of context-invariant but possibly context-regarding motivation, which subsumes sophisticated rational behaviour, as in Polite Pauline’s case. Surprisingly, the conditions characterizing this case are the same as those characterizing reason-based rationalizability without any restrictions. Thus, any choice behaviour that is reason-based rationalizable also has a rationalization with context-invariant motivation. Although this suggests that the restriction to context-invariance has no choice-behavioural implications, we show in Section 5 that this impression is misleading. The restriction to context-invariance can affect the prediction of choices in novel contexts (outside \mathcal{K}).

Before stating the present result formally, let us give an illustration. As we have seen, Chocoholic Coco can be rationalized by a reason-based model with context-variant motivation. This captures our informal description of Coco’s behaviour. However, a less intuitive rationalization is also possible. It ascribes context-*invariant* motivation to Coco, at the expense of making this motivation context-regarding. This alternative model (M, \geq) is the following:

- M assigns to each context the same set of motivationally salient properties $M = \{\text{big, medium, small, chocolate-offering}\}$, instead of letting motivationally salient properties vary with the presence or absence of chocolate;

- \geq places any property bundles that do not contain the property “chocolate-offering” in the same indifference class (e.g., $\{\text{big}\} \equiv \{\text{small}\}$), and ranks property bundles by size when they contain one of the size properties together with the property “chocolate-offering” (e.g., $\{\text{big}, \text{chocolate-offering}\} > \{\text{medium}, \text{chocolate-offering}\} > \{\text{small}, \text{chocolate-offering}\}$).

Generally, two reason-based models \mathcal{M} and \mathcal{M}' are *behaviourally equivalent* if they induce the same (possibly improper) choice function, i.e., if $C^{\mathcal{M}} = C^{\mathcal{M}'}$.

Proposition 1 *Every reason-based model is behaviourally equivalent to one with context-invariant motivation.*

Corollary 1 *A choice function C has a reason-based rationalization with context-invariant motivation if and only if it has a reason-based rationalization simpliciter.*

The possibility of re-modelling any reason-based rationalization in a context-invariant way disappears once we impose further requirements on \mathcal{M} , such as the requirement that motivation be context-unregarding or that it be “revealed”, as discussed in Section 4.⁹ As a consequence of Proposition 1, Theorem 1 can be re-stated as a characterization of context-invariant reason-based choice:

Theorem 3 *A choice function C is reason-based rationalizable with context-invariant motivation if and only if it satisfies Axioms 1 and 3 (and by implication 2).*

3.4 Criteria for selecting a rationalization in cases of non-uniqueness

How can we select a reason-based model (M, \geq) in cases of non-uniqueness?¹⁰ This question matters because different models attribute to the agent different cognitive processes, which may differ in psychological adequacy and lead to different predictions about the agent’s future choices, as discussed in Section 5. There are at least three kinds of criteria for selecting a model.

⁹Even when this re-modelling is possible, it may sacrifice parsimony and psychological adequacy, as evident from the proof of Proposition 1. Here, every property that was motivationally salient in *some* context in the original model and every context property (at least every context property on which $M(K)$ in the original model may depend) becomes motivationally salient in the new model. Formally, $(\cup_{K \in \mathcal{K}} M(K)) \cup \mathcal{P}_{\text{context}} \subseteq M^*$, where (M, \geq) and (M^*, \geq^*) , with M^* constant, are the original (context-variant) and new (context-invariant) models, respectively. Thus, any effects of the context on the agent’s motivation are explained away by ascribing a very rich motivation to him.

¹⁰Non-uniqueness in the rationalization of choice behaviour is familiar from classical choice theory, where the same choice function can often be rationalized by more than one binary relation over the options. The relation becomes unique if the domain of the choice function (i.e., the set of contexts in which choice is observed) is “rich”, i.e., contains all sets of one or two options.

Revelation criteria: These require that, as far as possible:

- (i) the motivational salience function M deem only those properties motivationally salient that make an observable difference to the agent's choice behaviour, and
- (ii) the fundamental preference relation \geq over property bundles be derived in a systematic way from the agent's choice behaviour.

The goal is to minimize behaviourally ungrounded ascriptions of motivation and fundamental preference. This is the topic of Section 4.

Non-choice data: Verbal reports or neurophysiological data, such as responses to stimuli related to various properties, may help us test hypotheses about

- (i) which properties are motivationally salient for the agent in context K (and thus belong to $M(K)$),
- (ii) which context properties causally affect motivational salience, so that $M(K)$ may vary as contexts K vary in those properties, and
- (iii) which property bundles the agent fundamentally prefers to which others.

One might hypothesize that people have better conscious access to how they conceptualize the options in a given context K and therefore to the motivationally salient properties in that context (those in $M(K)$) than to the context properties that causally affect what $M(K)$ is (i.e., those which, empirically, would come out as significant explanatory variables for M). If this is correct, verbal reports may be more relevant to questions (i) and (iii) than to question (ii). Changes in $M(K)$ might be due, for example, to subconscious influences, as in framing or nudging effects.

Parsimony criteria: We may try to select a *parsimonious* model (M, \geq) , where

- (i) the sets $M(K)$ of motivationally salient properties generated by M are (a) as small as possible and (b) as unchanging as possible across different K , and
- (ii) the relation \geq is as sparse as possible (e.g., defined over the fewest possible property bundles).

Often there is a trade-off between different dimensions of parsimony. If the sets $M(K)$ contain only few properties, they may not be stable across different K , and vice versa. As the proof of Proposition 1 shows, we can always achieve context-invariance by defining M

constantly as the entire set \mathcal{P} and the fundamental preference relation \geq as the revealed preference relation \succsim^C over property bundles. This respects criterion (i), part (b), but sacrifices parsimony in the specification of the set of motivationally salient properties in each context – criterion (i), part (a) – and may be psychologically implausible. It may also conflict with a choice-behavioural revelation criterion and with non-choice data. In consequence, the predictions made for future choices may be unreliable. By contrast, if our aim is to respect criterion (i), part (a), and to make the sets $M(K)$ as small as possible, we can specify a partial ordering over reason-based models by defining (M, \geq) to be at least as parsimonious as (M', \geq') if and only if (i) $M(K) \subseteq M'(K)$ for every K and (ii) \geq is a subrelation of \geq' . This partial ordering over models will often go against criterion (i), part (b).

4 The revealed reason-based model

A familiar concept from classical choice theory is the revealed preference relation over options, which can be inferred from the agent’s choice behaviour. Analogously, we now introduce the revealed reason-based model, which can be inferred from the observed choice function. Like a revealed preference relation, a revealed reason-based model has an empirical basis. It is constructed by

- counting a property as motivationally salient in a given context if and only if it makes a behavioural difference (in a sense defined below), and
- counting a property bundle S as fundamentally preferred to another property bundle T if and only if the agent is observed to choose an option x over another option y , where x and y are revealed to be conceptualized as S and T , respectively (in a sense defined below).

We first introduce the notion of revealed motivation, then define the revealed reason-based model, and finally characterize the class of choice functions that are rationalizable by such a model, also offering an example of a choice function that falls outside this class.

4.1 Revealed motivationally salient properties

Informally, our strategy for determining whether a property P is motivationally salient for an agent in a context K is to ask whether the presence or absence of P in an option makes a difference to the agent’s choice in contexts “like” K , i.e., contexts K' with the

same context properties as K (where $\mathcal{P}(K') = \mathcal{P}(K)$). The agent’s behaviour in contexts with different context properties is irrelevant, since it could stem from different motivationally salient properties. The choice of moisturizer over sunscreen in a cloudy context provides no evidence for whether “protecting against UV radiation” is motivationally salient in a context with the context property of bright sunshine. (Recall that our definition of a reason-based model allows contexts with different context properties to induce different motivationally salient properties.)

To formalize these ideas, we begin with some preliminary terminology. Two property bundles *agree* on a property $P \in \mathcal{P}$ if both or neither contain P ; otherwise, they *differ* in P . A property bundle S is *weakly between* two property bundles T and T' if S agrees with each of T and T' on every property on which they agree. If, in addition, S is distinct from each of T and T' , then S is *strictly between* T and T' . (For instance, $\{P, Q\}$ is strictly between $\{P\}$ and $\{Q\}$, as is \emptyset .) For any pair of property bundles, if one of the bundles is chosen in some context K while the other is feasible, the pair is called *revealed comparable*. We now consider a context K and let $\mathcal{K}_0 = \{K' \in \mathcal{K} : \mathcal{P}(K') = \mathcal{P}(K)\}$ be the set of contexts with the same context properties as K .

One might think that a property P is motivationally salient in context K if and only if there is at least one context in \mathcal{K}_0 in which the agent reveals a strict preference between two property bundles that differ in P . However, this criterion is inadequate, because the two bundles may also differ in other properties. The agent may choose the larger of two T-shirts, not because it is larger, but because it is blue. So, before we can infer that P is motivationally salient, we must verify that the two property bundles differ *minimally*. They certainly do so in case they differ only in P . But sometimes differences in P go along with other differences, such as when T-shirts that differ in size also differ in colour. We say that two revealed comparable property bundles S and S' *differ minimally* if there is no property bundle that is strictly between them and revealed comparable to at least one of them.

This suggests the following criterion for property P to be revealed motivationally salient in context K : there exist property bundles S and S' such that

- (rev1) S and S' differ in P ,
- (rev2) S is revealed strictly preferred to S' or vice versa, where the contexts in which S and S' are feasible have the same context properties as K (i.e., $S \cap \mathcal{P}_{\text{context}} = S' \cap \mathcal{P}_{\text{context}} = \mathcal{P}(K)$), and
- (rev3) S and S' differ minimally.

In fact, this criterion is only sufficient for revealed motivational salience, not necessary, because it does not capture some natural cases. Suppose, again, the options are T-shirts, and P is the property of largeness. If every context offers either only large T-shirts or only small ones, P cannot satisfy the above three-part criterion, since no revealed comparable sets S and S' ever satisfy (rev2). But suppose that whenever only large T-shirts are available the agent chooses the darkest one, and whenever only small T-shirts are available he chooses the lightest one. Assuming there are no context properties in \mathcal{P} that allow us to distinguish those contexts further and to which we could attribute the behavioural difference, it is natural to conclude that property P is motivationally salient. The reason is that the agent's choice between two property bundles containing the property "large" (a large dark T-shirt and a large light one) is reversed when we remove the property "large" from these bundles (so that we are now comparing a small dark T-shirt and a small light one). This case is not covered by (rev1)-(rev3) and suggests the following more general criterion.

Property P is *revealed motivationally salient* in context K if there exist two pairs of property bundles (S, T) and (S', T') such that

- (REV1) the two pairs differ in P , i.e., either S and S' differ in P , or T and T' differ in P (or both),
- (REV2) S is revealed preferred to T while T' is revealed preferred to S' or vice versa (with at least one preference strict), where the contexts in which S and T , or S' and T' , are feasible have the same context properties as K (i.e., $S \cap \mathcal{P}_{\text{context}} = S' \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}} = T' \cap \mathcal{P}_{\text{context}} = \mathcal{P}(K)$), and
- (REV3) the pair (S, T) differs minimally from the pair (S', T') , i.e., there is no other pair (S'', T'') (with S'' revealed comparable to T'') such that S'' is weakly between S and S' and T'' is weakly between T and T' .

In our example, S and T could be the property bundles instantiated by the large dark T-shirt and the large light T-shirt, and S' and T' the bundles instantiated by the small dark T-shirt and the small light T-shirt, respectively.

Note that (REV1)-(REV3) generalize (rev1)-(rev3):

Proposition 2 *For any context $K \in \mathcal{K}$, any property $P \in \mathcal{P}$ that satisfies (rev1)-(rev3) (for some $S, S' \subseteq \mathcal{P}$) also satisfies (REV1)-(REV3) (for some $S, S', T, T' \subseteq \mathcal{P}$).*

The present definition has the following natural implication:

Lemma 2 (*informal statement*) *The revealed preference between any two revealed comparable property bundles S and T (i.e., whether $S \succsim^C T$) depends only on*

- *the context properties contained in S and T (these determine the contexts K in which S and T are feasible), and*
- *the properties contained in S and T that are revealed motivationally salient in such contexts K .*

We define the *revealed motivational salience function* as the function M^C (from \mathcal{K} into $2^{\mathcal{P}}$) satisfying:

for each context K , $M^C(K) = \{P \in \mathcal{P} : P \text{ is revealed motivationally salient in } K\}$.

To illustrate, it can be checked that the revealed motivational salience functions of the four agents in our example above – Bonnie, Pauline, Coco, and William – are precisely the motivational salience functions that we used to rationalize their choices.¹¹

4.2 The revealed model

We can now complete our definition of the revealed reason-based model. Given the revealed motivational salience function M^C , any option x is *revealed conceptualized* in context K as

$$x_K^C = \mathcal{P}(x, K) \cap M^C(K).$$

We define a property bundle S to be *revealed weakly fundamentally preferred* to another property bundle T , denoted $S \geq^C T$, if, in some context $K \in \mathcal{K}$, there are feasible options x and y that are revealed conceptualized as $x_K^C = S$ and $y_K^C = T$ such that $x \in C(K)$. The model (M^C, \geq^C) is called the *revealed reason-based model*. It can be checked that the reason-based models that we used to rationalize the four agents in our example are the revealed models.

In analogy to our earlier definitions, we say that an agent’s motivation is

¹¹For instance, in Bonnie’s case, to check that $\text{big} \in M^C(K)$ for any K that offers no chocolate-covered pear, verify (rev1)-(rev3) for $S = \{\text{big}\}$ and $S' = \{\text{medium}\}$; to check that $\text{big} \in M^C(K)$ for any K that offers chocolate-covered pears, verify (rev1)-(rev3) for $S = \{\text{big}, \text{chocolate-offering}\}$ and $S' = \{\text{medium}, \text{chocolate-offering}\}$. In Pauline’s case, to check that $\text{polite} \in M^C(K)$ for any K that offers no chocolate-covered pear, verify (rev1)-(rev3) for $S = \{\text{big}, \text{polite}\}$ and $S' = \{\text{big}\}$; to check the same for any K that offers chocolate-covered pears, verify (rev1)-(rev3) for $S = \{\text{big}, \text{polite}, \text{chocolate-offering}\}$ and $S' = \{\text{big}, \text{chocolate-offering}\}$. To be precise, the sets $M^C(K)$ take this form as long as X contains sufficiently many fruits; e.g., when we just considered the property bundle $S = \{\text{big}, \text{chocolate-offering}\}$, we implicitly assumed that X contains a big chocolate-covered pear.

- *revealed context-regarding* if the range of the revealed motivational salience function M^C includes not only sets of option properties, and *revealed context-unregarding* otherwise;
- *revealed context-variant* if M^C is a non-constant function, and *revealed context-invariant* otherwise.

In our example, Coco and William have revealed context-variant motivation, while Bonnie and Pauline do not; and Pauline and William have revealed context-regarding motivation, while Bonnie and Coco do not.

Is every reason-based rationalizable choice function also rationalizable by the revealed model? Recall that reason-based rationalizability *simpliciter* requires Axioms 1 and 3 (which, in turn, imply Axiom 2). For rationalizability by the revealed model, we must strengthen these axioms by adding the following variant of Axiom 2.

Axiom 2** For all contexts $K, K' \in \mathcal{K}$, if $\{x_K^C : x \in K\} = \{x_{K'}^C : x \in K'\}$, then $\{x_K^C : x \in C(K)\} = \{x_{K'}^C : x \in C(K')\}$.

Our theorem requires a technical condition. Call the set \mathcal{K} of contexts *rich* if, whenever two property bundles S and T are simultaneously feasible in some context in \mathcal{K} , then \mathcal{K} contains a context in which *only* S and T are feasible.

Theorem 4 *Given a rich set of contexts \mathcal{K} , a choice function C is rationalizable by the revealed reason-based model (M^C, \geq^C) if and only if it satisfies Axioms 1, 2**, and 3.¹²*

Surprisingly, we obtain this theorem without explicitly imposing the following variant of Axiom 1.

Axiom 1** For all contexts $K \in \mathcal{K}$ and all options $x, y \in K$, if $x_K^C = y_K^C$, then $x \in C(K) \Leftrightarrow y \in C(K)$.

Lemma 3 *Axioms 1 and 1** are equivalent.*

¹²We may further ask whether a given choice function C is rationalizable by a model (M^C, \geq) in which M^C is the revealed motivational salience function but \geq is unrestricted. In the Appendix, we prove that, given richness of \mathcal{K} , a choice function C is rationalizable by *some* model of the form (M^C, \geq) if and only if it satisfies Axioms 1, 2**, and 3, in which case the model is essentially identical to the revealed model (M^C, \geq^C) . Two models (M, \geq) and (M', \geq') are *essentially identical* if (i) $M = M'$, and (ii) the fundamental preference relations \geq and \geq' coincide wherever they are choice-behaviourally relevant (i.e., $S \geq T \Leftrightarrow S \geq' T$ for all property bundles S and T such that there are options x and y in some context K that are conceptualized as $\mathcal{P}(x, K) \cap M(K) = S$ and $\mathcal{P}(y, K) \cap M(K) = T$, respectively).

4.3 Reason-based choice not rationalizable by the revealed model

To see that rationalizability by the revealed model is more demanding than reason-based rationalizability *simpliciter*, we give an example. Suppose the options are electoral candidates, and the contexts are elections. Let $\mathcal{K} = \{K_1, K_2\}$, and consider an agent who in context K_1 votes for any candidate with the (option) property “experienced” (say, over 20 years of political experience) and in context K_2 votes for any candidate with the (option) property “young” (say, aged below 50), where candidates of both kinds are available in both contexts. This choice behaviour can be rationalized by a reason-based model (M, \geq) in which $M(K_1) = \{\text{experienced}\}$ and $M(K_2) = \{\text{young}\}$, and \geq satisfies

$$\{\text{experienced}\} > \emptyset \text{ and } \{\text{young}\} > \emptyset.$$

What is the revealed model? Suppose there is a perfect anti-correlation between the properties “experienced” and “young”: a candidate in X is experienced if and only if he or she is not young. We then have no choice-behavioural basis for determining whether “experienced” or “young” or both are motivationally salient for our voter in any context: the agent might have voted for an experienced candidate in context K_1 , not because he cares about (and likes) experience in politicians, but because he cares about (and dislikes) youth. As a result, both properties are *revealed* motivationally salient in contexts K_1 and K_2 . We have $M^C(K_1) = M^C(K_2) = \{\text{experienced}, \text{young}\}$.¹³

It is impossible to rationalize the agent’s choice behaviour by the revealed reason-based model (M^C, \geq^C) or any other model of the form (M^C, \geq) , since, according to any such model, the agent always conceptualizes every candidate either as $\{\text{experienced}\}$ or as $\{\text{young}\}$, where the agent’s choice in context K_1 can only be rationalized if $\{\text{experienced}\} > \{\text{young}\}$, while the choice in context K_2 can only be rationalized if $\{\text{young}\} > \{\text{experienced}\}$.¹⁴

Formally, the present choice behaviour violates Axiom 2** above. Although

$$\{x_{K_1}^C : x \in K_1\} = \{x_{K_2}^C : x \in K_2\} (= \{\{\text{experienced}\}, \{\text{young}\}\}),$$

we have $\{x_{K_1}^C : x \in C(K_1)\} \neq \{x_{K_2}^C : x \in C(K_2)\}$, since

$$\{x_{K_1}^C : x \in C(K_1)\} = \{\{\text{experienced}\}\} \text{ and } \{x_{K_2}^C : x \in C(K_2)\} = \{\{\text{young}\}\}.$$

This completes our discussion of revealed reason-based rationalizability.

¹³We assume that \mathcal{P} contains only the option properties “experienced” and “young” and some context properties to which the change in motivation from K_1 to K_2 can be attributed.

¹⁴The observation that choice may be rationalizable, but not by the revealed model, is somewhat familiar from classical choice theory: if the goal is to rationalize choice by a complete and transitive preference relation, then choice may have such a rationalization although the revealed preference relation is neither complete nor transitive.

5 Predicting choices in novel contexts

Standard choice theory is largely silent on the question of how to predict choices in novel, previously unobserved contexts. In almost every empirical science, we make predictions about future events (or otherwise unobserved events), based on past observations. Astronomers predict future solar eclipses or encounters with comets based on the past trajectories of the relevant celestial bodies; epidemiologists predict outbreaks of future epidemics based on past epidemiological data; and econometricians use past data of the economy to predict its future. Choice theory is an exception in that predictions and observations are usually taken to be the same thing: the choice function is the observed *and* predicted object at once.

Genuine predictions, however, would have to be about choice contexts outside the domain \mathcal{K} of observed contexts, perhaps with feasible options outside the set X . If we rationalize an agent's choices simply by identifying a preference relation on X , we cannot make such predictions, since we have no systematic way of extending this relation to options outside X . Instead, we can make only two limited kinds of predictions:

- Any choice function defined on a set \mathcal{K} of contexts can predict choices when contexts in \mathcal{K} recur in the future. Here, however, the preference relation on X – the rationalization of the choice function – does no work, since even a not-yet-rationalized choice function allows us to make the same predictions.
- A preference relation on X might be used to predict choices in contexts that are not in \mathcal{K} but involve only “old” options from X . In such “slightly novel” contexts, we would predict that the agent will maximize the same preference relation over the feasible options.

Going beyond those rather trivial predictions, we introduce a reason-based approach towards predictions in genuinely novel contexts, involving options outside X . We first introduce a simple framework for predictions and then explore predictions of more and less conservative kinds.

5.1 A framework for predictions

We take the options in X , the contexts in \mathcal{K} , and the choice function C to refer to *previously observed* choices, and introduce some further primitives:

- An extended set $X^+ \supseteq X$ of options. This contains additional options the agent might encounter.

- An extended set $\mathcal{K}^+ \supseteq \mathcal{K}$ of contexts. This contains additional choice contexts the agent might encounter. Every “new” context K (in $\mathcal{K}^+ \setminus \mathcal{K}$), like every “old” one (in \mathcal{K}), induces a non-empty set $[K]$ of feasible options (as before, K may be defined non-extensionally, so as to carry additional information about the choice environment). Again, we write K for $[K]$ when there is no ambiguity. While in “old” contexts (in \mathcal{K}) only “old” options (in X) are feasible, in “new” contexts (in $\mathcal{K}^+ \setminus \mathcal{K}$) “new” options (in $X^+ \setminus X$) can be feasible.
- The agent’s extended choice function C^+ on \mathcal{K}^+ . This is an extension of the observed choice function C (i.e., the restriction of C^+ to \mathcal{K} coincides with C) and is interpreted as the “true” choice function, capturing the choices the agent would make when confronted with the contexts in \mathcal{K}^+ .

Having observed the agent’s choices in the domain \mathcal{K} , we wish to predict his choices in \mathcal{K}^+ . Ideally, we would like to predict as much of the “true” choice function C^+ as possible, based on the observed choice function C . We define a *choice predictor* as a choice function π on some domain $\mathcal{D} \subseteq \mathcal{K}^+$ (where typically $\mathcal{K} \subseteq \mathcal{D} \subseteq \mathcal{K}^+$). For each K in \mathcal{D} , $\pi(K)$ is the predicted choice in context K . The predictor is *accurate* if it predicts the agent’s choice correctly in all contexts in \mathcal{D} , i.e., if $\pi(K) = C^+(K)$ for all K in \mathcal{D} .

As we have already pointed out, a preference relation on X is insufficient to define any interesting predictors. It only allows us to define a predictor for old contexts $K \in \mathcal{K}$ or for new contexts $K \notin \mathcal{K}$ that contain only old options in X . We want to show that reason-based rationalizations allow us to make predictions for genuinely new contexts.

We now assume that the properties in \mathcal{P} are defined over the extended set of option-context pairs $X^+ \times \mathcal{K}^+$ (and not just over the pairs in $X \times \mathcal{K}$). For any domain of contexts $\mathcal{D} \subseteq \mathcal{K}^+$, a *reason-based model for domain \mathcal{D}* , (M, \geq) , is defined like a regular reason-based model, but ranges over the set of contexts \mathcal{D} instead of \mathcal{K} ; in particular, M is a function from \mathcal{D} into $2^{\mathcal{P}}$ in such a model. We use the same notational conventions as before.

Our strategy for defining a choice predictor is the following:

- Take a reason-based model $\mathcal{M} = (M, \geq)$ for the domain \mathcal{K} of observed choice as given.
- Extend this to a model $\mathcal{M}' = (M', \geq)$ for some domain \mathcal{D} with $\mathcal{K} \subseteq \mathcal{D} \subseteq \mathcal{K}^+$.
- Define a choice predictor on \mathcal{D} as the choice function $\pi := C^{\mathcal{M}'}$ induced by the extended model.

By an *extension* of the model $\mathcal{M} = (M, \geq)$ to the domain $\mathcal{D} \supseteq \mathcal{K}$ we mean a reason-based model $\mathcal{M}' = (M', \geq)$ for domain \mathcal{D} whose restriction to \mathcal{K} is \mathcal{M} . Formally, (i) the restriction of the function M' to the subdomain \mathcal{K} is M , and (ii) the two models have the same fundamental preference relation \geq .

5.2 Cautious, semi-courageous, and courageous prediction

We now define three reason-based choice predictors. Each is based on a reason-based model $\mathcal{M} = (M, \geq)$ by which we have rationalized the agent's observed choice, such as the revealed model (M^C, \geq^C) , as discussed in Section 4.

Cautious prediction: We define the *cautious choice predictor* (based on \mathcal{M}) as the choice function $\pi := C^{\mathcal{M}'}$ induced by the extended model $\mathcal{M}' = (M', \geq)$ whose domain \mathcal{D} consists of every context $K \in \mathcal{K}^+$ such that K offers the same feasible property bundles as some observed context $L \in \mathcal{K}$:

$$\{\mathcal{P}(x, K) : x \in K\} = \{\mathcal{P}(x, L) : x \in L\}. \quad (1)$$

Note that (1) implies $\mathcal{P}(K) = \mathcal{P}(L)$, so that $M(K)$ must equal $M(L)$. By implication, the extension \mathcal{M}' of \mathcal{M} is uniquely defined.

The cautious predictor makes predictions only for choice contexts that offer exactly the same feasible property bundles as some observed context. This does not make use of the fact that reason-based choices depend only on motivationally salient properties. For example, we would like to predict the choices Bonnie would make from a “new” fruit basket (in $\mathcal{K}^+ \setminus \mathcal{K}$) that is identical to an “old” basket (in \mathcal{K}) in terms of the sizes of available fruit but not in terms of other, non-salient properties. The cautious predictor cannot make such predictions. We now introduce a less conservative predictor that focuses not on entire property bundles but only on bundles of motivationally salient properties.

Semi-courageous prediction: We define the *semi-courageous choice predictor* (based on \mathcal{M}) as the choice function $\pi := C^{\mathcal{M}'}$ induced by the extended model $\mathcal{M}' = (M', \geq)$ whose domain \mathcal{D} consists of every context $K \in \mathcal{K}^+$ such that

- (i) K has the same context properties as some observed context, i.e., $\mathcal{P}(K) = \mathcal{P}(L)$ for some L in \mathcal{K} (so that $M(K) = M(L)$), and
- (ii) the set of *options as conceptualized in K* (feasible bundles of *motivationally salient* properties) is the same as that in some observed context, i.e., $\{x_K : x \in K\} = \{x_L : x \in L\}$ for some L' in \mathcal{K} .

Note that L and L' in clauses (i) and (ii) can be distinct. Although the semi-courageous predictor can predict choices in contexts offering new feasible property bundles, it is still somewhat restrictive. Clause (i) is often unnecessarily demanding. Its role is to tell us how we must define $M(K)$, namely as $M(L)$. Sometimes, however, we can infer how to define $M(K)$ without clause (i). Imagine an agent with context-invariant motivation (according to \mathcal{M}), such as Bonnie. If we are willing to assume that the agent's motivation remains context-invariant in novel contexts, we can define $M(K)$ as unchanged in novel contexts K . This suggests the following, more general predictor.

Courageous prediction: We begin with a preliminary definition. In a reason-based model $\mathcal{M}' = (M', \geq)$ for some domain \mathcal{D} , we call a context property P *causally relevant* if its presence or absence in a context can make a difference to the agent's set of motivationally salient properties in that context, i.e., if there are contexts $K, K' \in \mathcal{D}$ such that

(cau1) K has property P while K' does not (or vice versa),

(cau2) K and K' induce different sets of motivationally salient properties, i.e., $M'(K) \neq M'(K')$,

(cau3) K and K' differ minimally, i.e., there is no context $K'' \in \mathcal{D}$ whose set of context properties $\mathcal{P}(K'')$ is strictly between the sets $\mathcal{P}(K)$ and $\mathcal{P}(K')$.¹⁵

Let $CAU^{\mathcal{M}'}$ denote the set of causally relevant context properties in model \mathcal{M}' .¹⁶ Two things are worth noting. First, in the important special case of context-invariant motivation, *no* context property is causally relevant. Second, the causally relevant context properties fully determine the agent's set of motivationally salient properties. Formally:

Proposition 3 *Let $\mathcal{M}' = (M', \geq)$ be any reason-based model (for some domain \mathcal{D} of contexts). Then:*

(a) \mathcal{M}' has context-invariant motivation if and only if $CAU^{\mathcal{M}'} = \emptyset$.

(b) For all contexts K and K' ,

$$\mathcal{P}(K) \cap CAU^{\mathcal{M}'} = \mathcal{P}(K') \cap CAU^{\mathcal{M}'} \Rightarrow M'(K) = M'(K').$$

¹⁵This clause excludes the possibility that K and K' differ in context properties unrelated to P to which the difference in motivation between K and K' could be causally attributed.

¹⁶If \mathcal{M}' is a model with revealed motivation (i.e., $\mathcal{M}' = (M^C, \geq)$), causal relevance is fully determined by observed choice, so that we may speak of *revealed causal relevance* and write CAU^C instead of $CAU^{\mathcal{M}'}$.

We define the *courageous choice predictor* (based on \mathcal{M}) as the choice function $\pi := C^{\mathcal{M}'}$ induced by the extended model $\mathcal{M}' = (M', \geq)$ whose domain \mathcal{D} consists of every context $K \in \mathcal{K}^+$ such that

- (i*) K has the same causally relevant properties as some observed context, i.e., $\mathcal{P}(K) \cap CAU^{\mathcal{M}} = \mathcal{P}(L) \cap CAU^{\mathcal{M}}$ for some L in \mathcal{K} ; we then define $M(K)$ as $M(L)$;¹⁷ and
- (ii) the set of *options as conceptualized in K* is the same as that in some observed context, i.e., $\{x_K : x \in K\} = \{x_L : x \in L'\}$ for some L' in \mathcal{K} .

The relationship between the three predictors: Our three predictors are increasingly general, as the next remark shows.

Remark 2 *Given a reason-based rationalization \mathcal{M} of the observed choice function C ,*

- (a) *the cautious predictor extends the observed choice function C ;*
- (b) *the semi-courageous predictor extends the cautious predictor; and*
- (c) *the courageous predictor extends the semi-courageous predictor.*¹⁸

5.3 When is each choice predictor accurate?

Under what conditions can we trust cautious, semi-courageous, and courageous predictions? In other words, when is each predictor accurate, i.e., when does it coincide with the true choice function C^+ on the relevant domain? Our next result shows that the accuracy of each predictor depends on whether certain observed patterns in the agent's choices are *robust*, i.e., whether they continue to hold in contexts outside \mathcal{K} . Our most conservative predictor, the cautious one, relies on the robustness of a very basic pattern (namely the fact that choice is reason-based), while the other predictors rely on the robustness of more demanding patterns.

¹⁷By Proposition 3, the definition of $M(K)$ does not depend on the choice of L .

¹⁸The three predictors could be extended further in a way analogous to one of the routes we mentioned for predictions based on classical rationalizations by a preference relation. Specifically, we could extend each predictor by dropping the requirement that any context K for which we make a prediction must offer the same feasible property bundles (in the cautious case) or options-as-conceptualized (in the semi-courageous and courageous cases) as some observed context. The maximal generalization would replace clause (ii) in the last definition with the requirement that $\{x_K : x \in K\}$ has a \geq -greatest element.

Theorem 5 *Given a reason-based rationalization \mathcal{M} of the observed choice function C ,*

- (a) the cautious predictor is accurate if the extended choice function C^+ is rationalizable by some reason-based model;*
- (b) the semi-courageous predictor is accurate if the extended choice function C^+ is rationalizable by some extension of \mathcal{M} ; and*
- (c) the courageous predictor is accurate if the extended choice function C^+ is rationalizable by some extension of \mathcal{M} with the same causally relevant context properties.*

Let us paraphrase this result. Part (a) shows that cautious predictions can be trusted if the agent’s choices are robustly reason-based, i.e., reason-based not just in the observed domain \mathcal{K} but also in the extended domain \mathcal{K}^+ . This seems plausible for agents with some degree of stability in their choice behaviour. Part (b) shows that semi-courageous predictions can be trusted if the model \mathcal{M} rationalizes choice robustly: it not only explains the agent’s *observed* choices, but can be extended to explain all novel choices too. This requires not just that the agent is robustly reason-based, but that our reason-based model for the observed domain \mathcal{K} is a portion of a reason-based model for the extended domain \mathcal{K}^+ . Part (c) shows that courageous predictions can be trusted if the model \mathcal{M} rationalizes choice robustly in a stronger sense: it is not just extendible to novel contexts, but this extension requires no additional causally relevant context properties. So, our reason-based model for \mathcal{K} must be a portion of a reason-based model for the extended domain \mathcal{K}^+ that already picks out all causally relevant context properties.

When are these robustness assumptions justified? The answer depends, among other things, on how rich the domain of observed contexts \mathcal{K} is relative to the domain \mathcal{K}^+ for which we want to make predictions. Let us briefly explain this in relation to the three parts of our theorem.

- (a) If we have observed the agent’s choice behaviour only in a small domain \mathcal{K} , then the fact that this behaviour is reason-based rationalizable is only limited evidence for the hypothesis that it will continue to be reason-based rationalizable in the larger domain \mathcal{K}^+ . In the limit, if \mathcal{K} contains only contexts that each offer a single feasible option, reason-based rationalizability is trivially satisfied for \mathcal{K} and provides no evidence at all for reason-based rationalizability in the larger domain. By contrast, if \mathcal{K} contains a large and representative mix of choice contexts – for example, it is a sizeable “random sample” of contexts from \mathcal{K}^+ – then the agent’s reason-basedness in \mathcal{K} may be good evidence for reason-basedness in \mathcal{K}^+ .

- (b) Even if the agent’s choice behaviour is robustly reason-based, our reason-based model for the observed domain \mathcal{K} need not be a portion of a reason-based model for the larger domain \mathcal{K}^+ . The set of motivationally salient properties $M(K)$ specified for some observed context K may fail to include some property that is needed to explain the agent’s choice in some novel context that has the same context properties as K . In this case, a reason-based model for \mathcal{K}^+ could not be an extension of our model for \mathcal{K} , since it would have to specify the same set of motivationally salient properties for *all* contexts with the same context properties as K . Whether this problem is likely to occur depends on how rich the observed domain \mathcal{K} is relative to \mathcal{K}^+ . The larger and more representative \mathcal{K} is, the more likely it is that our reason-based model for \mathcal{K} is a portion of a model for all of \mathcal{K}^+ .
- (c) Similar remarks apply to the question of whether our model for \mathcal{K} , over and above being a portion of a model for \mathcal{K}^+ , is likely to pick out all context properties that are causally relevant to the agent’s motivation in the extended domain. If \mathcal{K} contains no choice contexts offering luxury goods, for example, then our model for \mathcal{K} cannot identify the causal difference that the property “offering luxury goods” might make to the agent’s motivation in contexts with that property. Again, a large and representative domain of observations increases our chance of coming up with a reason-based model that identifies all context properties that are causally relevant across the extended domain.

6 Concluding remarks

We have introduced reason-based rationalizations of an agent’s choice behaviour, explicitly modelling an agent’s conceptualization of any choice problem, and have identified two structurally distinct ways in which the agent’s motivation may be context-dependent. Our framework can explain a variety of non-classical choice behaviours in a unified manner and illuminate the difference between “bounded” and “sophisticated” deviations from classical rationality. Furthermore, reason-based rationalizations allow us to predict an agent’s choices in genuinely novel contexts, where no observations have been made. This addresses an important shortcoming of standard choice theory.

If the modeller faces a choice between different reason-based rationalizations for a given choice function, the selection of one such rationalization is more than a matter of taste or parsimony. Different rationalizations of the same observed choice behaviour are not equivalent, since some are typically more likely than others to extend robustly to novel choice contexts and thus to lead to accurate predictions of future choices.

Robustness is related to psychological adequacy. A psychologically ungrounded explanation of observed choice behaviour is more likely to “fail” in novel contexts, because it matches the observations by coincidence rather than for systematic reasons that continue to apply in novel contexts. Psychological adequacy thus matters for the sake of predictive accuracy, regardless of whether it matters for its own sake.

7 References

- Bernheim B. D., and A. Rangel (2009) “Beyond Revealed Preference: Choice-Theoretic Foundations for Behavioral Welfare Economics”, *Quarterly Journal of Economics* 124(1): 51-104.
- Bhattacharyya, A., P. K. Pattanaik, and Y. Xu (2011) “Choice, Internal Consistency and Rationality”, *Economics and Philosophy* 27(2): 123-149.
- Bossert, W., and K. Suzumura (2009) “External Norms and Rationality of Choice”, *Economics and Philosophy* 25: 139-152.
- Bossert, W., and K. Suzumura (2010) *Consistency, Choice and Rationality*. Cambridge/MA (Harvard University Press).
- Cherepanov, V., T. Feddersen, and A. Sandroni (2013) “Rationalization”, *Theoretical Economics* 8(3): 775-800.
- Dietrich, F. (2012) “Modelling change in individual characteristics: an axiomatic framework”, *Games and Economic Behavior* 76: 471-494.
- Dietrich, F., and C. List (2013a) “A reason-based theory of rational choice”, *Nous* 47(1): 104-134.
- Dietrich, F., and C. List (2013b) “Where do preferences come from?”, *International Journal of Game Theory* 42(3): 613-637.
- Dietrich, F., and C. List (2012) “Mentalism versus behaviourism in economics: a philosophy-of-science perspective”, working paper, London school of Economics.
- Kalai, G., Rubinstein, A., and R. Spiegler (2002) “Rationalizing choice functions by multiple rationales”, *Econometrica* 70: 2481-2488.
- Liu, F. (2010) “Von Wright’s ‘The Logic of Preference’ revisited”, *Synthese* 175(1): 69-88.

- Mandler, M., P. Manzini, and M. Mariotti (2012) “A million answers to twenty questions: Choosing by checklist”, *Journal of Economic Theory* 147: 71-92.
- Manzini, P., and M. Mariotti (2007) “Sequentially rationalizable choice”, *American Economic Review* 97(5): 1824-1839.
- Manzini, P., and M. Mariotti (2012) “Moody choice”, working paper, University of St Andrews.
- Osherson, D., and S. Weinstein (2012) “Preferences based on reasons”, *The Review of Symbolic Logic* 5(1): 122-147.
- Pettit, P. (1991) “Decision Theory and Folk Psychology”, in M. Bacharach and S. Hurley (eds.), *Foundations of Decision Theory*. Oxford (Blackwell): 147-175.
- Richter, M. (1971) “Rational Choice”, in J. Chipman et al. (eds.), *Preferences, Utility and Demand*. New York (Harcourt Brace Jovanovich): 29-58.
- Rubinstein, A. (2006) *Lecture Notes in Microeconomic Theory: The Economic Agent*. Princeton (Princeton University Press).
- Salant, Y., and A. Rubinstein (2008) “(A, f): Choice with Frames”, *Review of Economic Studies* 75: 1287-1296.
- Samuelson, P. (1948) “Consumption theory in terms of revealed preferences”, *Economica* 15(60): 243-253.
- Suzumura, K., and Y. Xu (2001) “Characterizations of consequentialism and nonconsequentialism”, *Journal of Economic Theory* 101: 423-436.

A Appendix

Before giving the proofs, we briefly discuss related works by Bossert and Suzumura (2009) (for short, B&S) and Bhattacharyya, Pattanaik, and Xu (2011) (for short, B&P&X). B&S assume that, in any given choice context, a feasible option may or may not be compatible with some exogenously given ‘norms’. In our example, picking the only available apple would violate a politeness norm. B&S axiomatically characterize those choice functions which are *norm-conditionally rationalizable*: there exists a preference relation over options such that, in any context, the agent chooses the most preferred *norm-compatible* feasible option. One may think of such a rationalization as being ‘partially reason-based’. Each norm gives rise to a (context-regarding) property: the property of obeying that norm. Every such property is taken to be desirable and motivationally salient in each context. The agent’s choice of a norm-compatible option is then explained by the fact that the option has all those properties (of obeying the norms in question). By contrast, the question of *which* of the norm-compatible options is chosen is not explained in terms of reasons (properties), but in terms of a standard preference relation over primitive options. B&P&X take a different approach. Like us, they model the agent’s conceptualization of options, yet not by invoking properties or reasons, but by refining the notion of an option through adding certain ‘relevant’ information about the context. To describe Polite Pauline in our example, the options (fruits) would have to be refined by including the information of whether or not the context offers another fruit of the same kind. The refinement is carried out by a technical construction.² B&P&X show that an agent whose choices among refined options are fully rational may nonetheless ‘look’ irrational if his choice function is defined over non-refined options. Overall, B&S’s and B&P&X’s analyses convey several important insights relevant to our paper.

Notation. For property bundles $S, T \subseteq \mathcal{P}$ we write $S \succsim^C T$ to indicate that S and T are revealed comparable, i.e., that $S \succsim^C T$ or $T \succsim^C S$. Furthermore, when we need to refer explicitly to the underlying model \mathcal{M} , we write $x_K^{\mathcal{M}}$ rather than x_K for option x as conceptualized in context K , and $\succsim_K^{\mathcal{M}}$ rather than \succsim_K for the induced preference relation in context K . Finally, for brevity, we write M_K rather than $M(K)$ to refer

²For B&P&X, a refined option is not simply an option-context pair (x, K) (with $x \in K$), since such an object contains the *full* context information, including any irrelevant information. Rather, B&P&X define refined options as certain *equivalence classes* of such pairs. In the limiting ‘classical’ case, the context is totally irrelevant, so that any pairs (x, K) and (x, K') count as equivalent; hence, refined options reduce to options in the original sense.

to the set of motivationally salient properties in context K according to motivational salience function M .

Proof of Lemma 1. Assume Axiom 3. As in Axiom 2, consider contexts $K, K' \in \mathcal{K}$ such that (*) $\{\mathcal{P}(y, K) : y \in K\} = \{\mathcal{P}(y', K') : y' \in K'\}$. We only show that $\{\mathcal{P}(x, K) : x \in C(K)\} \subseteq \{\mathcal{P}(x', K') : x' \in C(K')\}$, since the converse inclusion (\supseteq) is analogous. Suppose $x \in C(K)$. The property bundle $\mathcal{P}(x, K)$ is feasible in context K , hence by (*) also in context K' . It is revealed weakly preferred to all feasible property bundles in context K , hence by (*) also to all feasible property bundles in context K' . So, by Axiom 3, it is chosen in context K' , i.e., belongs to $\{\mathcal{P}(x', K') : x' \in C(K')\}$. ■

We give no separate proof of Theorem 1, since this result follows from Proposition 1 and Theorem 3, both of which we prove below.

Proof of Theorem 2. Let \mathcal{K} be closed under cloning (an assumption only needed in part 2).

Step 1. Assume C is rationalized by a reason-based model with context-invariant and context-unregarding motivation, $\mathcal{M} = (M, \geq)$, where $M \subseteq \mathcal{P}_{\text{option}}$. We leave the proof of Axioms 1* and 2* to the reader and here prove Axiom 3*. It suffices to show that C is rationalizable in the classical sense by a binary relation on X (see Remark 1). Since \mathcal{M} rationalizes C , the choice set $C(K)$ for a context K consists of the \succsim_K -highest option(s) in K , where $\succsim_K^{\mathcal{M}}$ is the preference relation on X induced by the model \mathcal{M} for context K ; this relation is defined for all options $x, y \in X$ by

$$x \succsim_K^{\mathcal{M}} y \Leftrightarrow x_K^{\mathcal{M}} \geq y_K^{\mathcal{M}},$$

where $x_K^{\mathcal{M}}$ and $y_K^{\mathcal{M}}$ are options x and y as conceptualized in context K . Given the model's context-independence (in both senses), $x_K^{\mathcal{M}}$ and $y_K^{\mathcal{M}}$ do not depend on K (see Section 2.5). Thus, $\succsim_K^{\mathcal{M}}$ does not depend on K ; we can write it as $\succsim^{\mathcal{M}}$. Therefore the choice function C is rationalizable in the classical sense by a binary relation (i.e., $\succsim^{\mathcal{M}}$).

Step 2. Now assume Axioms 1*, 2* and 3*. Let \succsim^* be the classical revealed preference relation on X : i.e., for all options $x, y \in X$, let ' $x \succsim^* y$ ' mean that x is chosen weakly over y in some context. We prove that C is reason-based rationalizable (for instance) by the model with context-invariant and context-unregarding motivation $\mathcal{M} = (M, \geq)$ defined as follows:

- M is the set $\mathcal{P}_{\text{option}}$ of *all* option properties.

- For all property bundles $S, T \subseteq \mathcal{P}$, ‘ $S \geq T$ ’ means that $x \succsim^* y$ for some options $x, y \in X$ such that $\mathcal{P}(x) = S$ and $\mathcal{P}(y) = T$.

Under this model, the options are conceptualized as follows:

$$x_K^M = \mathcal{P}(x, K) \cap M = \mathcal{P}(x) \text{ for all } x \in X \text{ and } K \in \mathcal{K}. \quad (2)$$

Clearly, these options-as-conceptualized do not depend on the context K ; hence, the induced preference relation $\succsim^M (= \succsim_K^M)$ does not depend on the context either.

Let \succsim^{**} be the binary relation defined as

$$x \succsim^{**} y \Leftrightarrow [x \succsim^* y \text{ or } \mathcal{P}(x) = \mathcal{P}(y)] \text{ for all } x, y \in X.$$

We have to prove that $C = C^M$. This follows from three facts:

- (i) C^M is (classically) rationalized by \succsim^M ;
- (ii) C is (classically) rationalized by \succsim^* and by \succsim^{**} (and thus, by any relation \succsim such that $\succsim^* \subseteq \succsim \subseteq \succsim^{**}$);
- (iii) $\succsim^* \subseteq \succsim^M \subseteq \succsim^{**}$.

Fact (i): This holds by definition of C^M .

Fact (ii): By Remark 1 (Richter’s result), Axiom 3* implies that C is (classically) rationalizable by a binary relation. One of these rationalizations (in fact, the minimal one) is the classical revealed preference relation \succsim^* , as is easily checked and well-known (see also Richter 1971). Also, \succsim^{**} rationalizes C , which can be shown as follows. Consider a context K . We have to show that

$$C(K) = \{x \in K : x \succsim^{**} y \text{ for all } y \in K\}.$$

Since \succsim^{**} extends \succsim^* , $C(K) \subseteq \{x \in K : x \succsim^{**} y \text{ for all } y \in K\}$. Conversely, suppose $x \in K$ such that $x \succsim^{**} y$ for all $y \in K$. We show that $x \in C(K)$. If $\mathcal{P}(z) = \mathcal{P}(x)$ for all $z \in K$, then $C(K) = K$ by Axiom 1* and the fact that $C(K) \neq \emptyset$. Thus $x \in C(K)$, as required. Now let $z \in K$ such that $\mathcal{P}(z) \neq \mathcal{P}(x)$. Consider any $y \in K$. We have to show that $x \succsim^* y$. If $\mathcal{P}(y) \neq \mathcal{P}(x)$, this holds by the definition of \succsim^{**} and the fact that $x \succsim^{**} y$. Now suppose $\mathcal{P}(y) = \mathcal{P}(x)$. Note that $x \succsim^* z$ (since $x \succsim^{**} z$ and $\mathcal{P}(z) \neq \mathcal{P}(x)$). So, there is a context $\tilde{K} \in \mathcal{K}$ such that $x \in C(\tilde{K})$. Since $\mathcal{P}(y) = \mathcal{P}(x)$ and since \mathcal{K} is closed under cloning, there is a context $K' \in \mathcal{K}$ such that $K' = \tilde{K} \cup \{y\}$. By Axiom 2* and the fact that $\{\mathcal{P}(v) : v \in \tilde{K}\} = \{\mathcal{P}(v) : v \in K'\}$ and $x \in C(\tilde{K})$, we have $v \in C(K')$ for some $v \in K'$ such that $\mathcal{P}(v) = \mathcal{P}(x)$. So, by Axiom 1*, $x \in C(K')$. As $x \in C(K')$ and $y \in K'$, we have $x \succsim^* y$, as required.

Fact (iii): Consider any $x, y \in X$. We have to show that

$$[x \succ^* y \Rightarrow x \succ^{\mathcal{M}} y] \text{ and } [x \succ^{\mathcal{M}} y \Rightarrow x \succ^{**} y].$$

Given that the options-as-conceptualized take the form (2), we have $x \succ^{\mathcal{M}} y \Leftrightarrow \mathcal{P}(x) \geq \mathcal{P}(y)$. Therefore, we have to prove that

$$[x \succ^* y \Rightarrow \mathcal{P}(x) \geq \mathcal{P}(y)] \text{ and } [\mathcal{P}(x) \geq \mathcal{P}(y) \Rightarrow x \succ^{**} y].$$

The first of these two implications holds immediately by the definition of \geq . As for the second implication, we suppose $\mathcal{P}(x) \geq \mathcal{P}(y)$ and claim that $x \succ^{**} y$. If $\mathcal{P}(x) = \mathcal{P}(y)$, the claim holds by the definition of \succ^{**} . From now on, suppose $\mathcal{P}(x) \neq \mathcal{P}(y)$. Since $\mathcal{P}(x) \geq \mathcal{P}(y)$, there exist $x', y' \in X$ such that $\mathcal{P}(x') = \mathcal{P}(x)$, $\mathcal{P}(y') = \mathcal{P}(y)$ and $x' \succ^* y'$. Since $x' \succ^* y'$, there is a context $K \in \mathcal{K}$ such that $x' \in C(K)$ and $y' \in K$. Relying twice on the fact that \mathcal{K} is closed under cloning, we can choose a context $K' \in \mathcal{K}$ such that $K' = K \cup \{x, y\}$. By Axiom 2* and the fact that $\{\mathcal{P}(z) : z \in K\} = \{\mathcal{P}(z) : z \in K'\}$ and $x' \in C(K)$, we have $v \in C(K')$ for some $v \in K'$ such that $\mathcal{P}(v) = \mathcal{P}(x')$. So, by Axiom 1*, $x \in C(K')$. Since $x \in C(K')$ and $y \in K'$, we have $x \succ^* y$. Hence, $x \succ^{**} y$, as required. ■

Proof of Proposition 1. Consider any reason-based model $\mathcal{M} = (M, \geq)$. Define a reason-based model with context-invariant motivation $\mathcal{M}' = (M', \geq')$ as follows:

- M' is any property set such that $M' \supseteq \cup_{K \in \mathcal{K}} (M_K \cup \mathcal{P}(K))$ ($= (\cup_{K \in \mathcal{K}} M_K) \cup \mathcal{P}_{\text{context}}$), for instance $M' = \mathcal{P}$;
- for any property bundles S, T , ' $S \geq' T$ ' is defined to mean that there exists a context $K \in \mathcal{K}$ such that $\mathcal{P}(K) = S \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}}$ and $S \cap M_K \geq T \cap M_K$.

We prove that $C^{\mathcal{M}} = C^{\mathcal{M}'}$. Consider an arbitrary context $K \in \mathcal{K}$; we have to show that $C^{\mathcal{M}}(K) = C^{\mathcal{M}'}(K)$. We do so by proving that \mathcal{M} and \mathcal{M}' induce the same preference relation on X in context K . Fix options $x, y \in X$. We have to show that $x \succ_K^{\mathcal{M}} y \Leftrightarrow x \succ_K^{\mathcal{M}'} y$, i.e., writing $S = \mathcal{P}(x, K)$ and $T = \mathcal{P}(y, X)$, that

$$S \cap M_K \geq T \cap M_K \Leftrightarrow S \cap M' \geq' T \cap M'.$$

We will draw on the fact that (*) $\mathcal{P}(K) = S \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}}$.

' \Rightarrow ': If $S \cap M_K \geq T \cap M_K$, then $S \geq' T$ by (*) and the definition of \geq' , and hence, $S \cap M' \geq' T \cap M'$.

' \Leftarrow ': Now suppose $S \cap M' \geq' T \cap M'$. By definition of \geq' , there is a context $K' \in \mathcal{K}$ such that $\mathcal{P}(K') = S \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}}$ and $(S \cap M') \cap M_{K'} \geq (T \cap M') \cap M_{K'}$. We

deduce two facts: first, $\mathcal{P}(K') = \mathcal{P}(K)$ (where we use (*)); second, $S \cap M_{K'} \geq T \cap M_{K'}$ (where we use that $M_{K'} \subseteq M'$). The first fact implies that $M_{K'} = M_K$ (by the definition of a reason-based model). This, together with the second fact, implies that $S \cap M_K \geq T \cap M_K$, as required. ■

Before proving Theorem 3, we first show that Axioms 1 and 3 can be jointly summarized in the following axiom:

Axiom 3⁺. For every option x in a context $K \in \mathcal{K}$, if the property bundle $\mathcal{P}(x, K)$ is revealed weakly preferred to the property bundle $\mathcal{P}(y, K)$ for every option y in K , then $x \in C(K)$.

Lemma 4 *Axioms 1 and 3 are jointly equivalent to Axiom 3⁺.*

Proof. ‘ \Leftarrow ’: First assume Axioms 1 and 3. As in Axiom 3⁺, consider $K \in \mathcal{K}$ and $x \in K$ such that $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$ for all $y \in K$. By Axiom 3, $\mathcal{P}(x, K)$ is chosen in context K . So, $C(K)$ contains some x' such that $\mathcal{P}(x', K) = \mathcal{P}(x, K)$. Hence, by Axiom 1, $x \in C(K)$.

‘ \Rightarrow ’: Now assume Axiom 3⁺. Axiom 3 holds obviously. As for Axiom 1, consider $K \in \mathcal{K}$ and $x, y \in K$ such that $\mathcal{P}(x, K) = \mathcal{P}(y, K)$. We only show that $x \in C(K) \Rightarrow y \in C(K)$; the converse implication is analogous. Let $x \in C(K)$. Clearly, the property bundle $\mathcal{P}(x, K)$ is revealed weakly preferred to each feasible property bundle in this context K . The same is therefore true of the property bundle $\mathcal{P}(y, K) (= \mathcal{P}(x, K))$. So, by Axiom 3⁺, $y \in C(K)$. ■

Proof of Theorem 3. Step 1. Suppose a reason-based model with context-invariant motivation, (M, \geq) , rationalizes C . Axiom 1 holds obviously. To prove Axiom 3, consider a context $K \in \mathcal{K}$ and a bundle $S \subseteq \mathcal{P}$ feasible in K such that $S \succsim^C \mathcal{P}(y, K)$ for each y in K . Choose an x in K such that $S = \mathcal{P}(x, K)$. It suffices to show that $x \in C(K)$, i.e., since (M, \geq) rationalizes C , that

$$\mathcal{P}(x, K) \cap M \geq \mathcal{P}(y, K) \cap M \tag{3}$$

for all $y \in K$. Consider any $y \in K$. Since $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$, there exist $K' \in \mathcal{K}$ and $x', y' \in K'$ (which may depend on y) such that (i) $\mathcal{P}(x', K') = \mathcal{P}(x, K)$ and $\mathcal{P}(y', K') = \mathcal{P}(y, K)$, and (ii) $C(K') = x'$. By (ii) and the fact that (M, \geq) rationalizes C ,

$$\mathcal{P}(x', K') \cap M \geq \mathcal{P}(y', K') \cap M.$$

By (i), this implies (3), as required.

Step 2. Now assume Axioms 1 and 3. We show that C is rationalizable for instance by the (rather special) reason-based model with context-invariant motivation $(M, \geq) = (\mathcal{P}, \succsim^C)$, where M (which is constant) contains *all* properties, and \geq is simply the relation of revealed weak preference. To show this, consider any context $K \in \mathcal{K}$ and option $x \in K$. We have to show that

$$x \in C(K) \Leftrightarrow [\mathcal{P}(x, K) \cap M \geq \mathcal{P}(y, K) \cap M \text{ for all } y \in K,$$

or equivalently, given our special definitions of M and \geq , that

$$x \in C(K) \Leftrightarrow [\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K) \text{ for all } y \in K.$$

The right-hand side of this equivalence implies that $x \in C(K)$ by Axiom 3⁺, where this axiom holds by Lemma 4. Conversely, if $x \in C(K)$, then the right-hand side holds by the definition of the revealed preference relation \succsim^C . ■

Proof of Proposition 2. Let $K \in \mathcal{K}$. Suppose $P \in \mathcal{P}$ satisfies (rev1)-(rev3) for $S, S' \subseteq \mathcal{P}$. We may assume without loss of generality that S is revealed strictly preferred to S' (rather than vice versa), since (rev1)-(rev3) remain valid if S and S' are interchanged. Define both T and T' as S . Then (rev1) implies (REV1); (rev2) implies (REV2) (noting that S is revealed weakly preferred to itself); and (rev3) implies (REV3) because, as $T = T' = S$, (REV3) requires that the pair (S, S) differs minimally from the pair (S', S) , which in turn reduces to (rev3). ■

We now formally re-state and prove Lemma 2.

Lemma 2 *For all revealed comparable bundles $S, T \subseteq \mathcal{P}$ and revealed comparable bundles $S', T' \subseteq \mathcal{P}$, if*

- $V \cap \mathcal{P}_{\text{context}}$ *is the same for all $V \in \{S, T, S', T'\}$ (i.e., S, T, S' and T' are feasible in the same type of context),*
- $S \cap M_K^C = S' \cap M_K^C$ *and* $T \cap M_K^C = T' \cap M_K^C$ *for the contexts $K \in \mathcal{K}$ such that $\mathcal{P}(K) = V \cap \mathcal{P}_{\text{context}}$ for all $V \in \{S, T, S', T'\}$,*

then $S \succsim^C T \Leftrightarrow S' \succsim^C T'$.

Proof. As one may verify, it is sufficient to show the following condition for all contexts $K \in \mathcal{K}$ and all finite property bundles $S, S', T, T' \subseteq \mathcal{P}$.

Condition $(X_{S,T}^{S',T'})$: If

- (a $_{S,T}^{S',T'}$) $S \succsim^C T$ and $S' \succsim^C T'$,
 - (b $_{S,T}^{S',T'}$) $V \cap \mathcal{P}_{\text{context}} = \mathcal{P}(K)$ for all $V \in \{S, T, S', T'\}$,
 - (c $_{S,T}^{S',T'}$) $S \cap M_K^C = S' \cap M_K^C$ and $T \cap M_K^C = T' \cap M_K^C$,
- then $S \succsim^C T \Leftrightarrow S' \succsim^C T'$.

Here it was possible to restrict ourselves to *finite* property bundles since whenever one of the property bundles S, S', T, T' is infinite, condition (a $_{S,T}^{S',T'}$) cannot be met (because feasible property bundles are by assumption finite).

Fix a context $K \in \mathcal{K}$. Note that the set of properties in which two property bundles $S, S' \subseteq \mathcal{P}$ differ is the symmetric difference $S \Delta S'$. We prove that $(X_{S,T}^{S',T'})$ holds for all finite $S, T, S', T' \subseteq \mathcal{P}$, by induction on $|S \Delta S'| + |T \Delta T'|$, the total number of disagreements between S and S' and between T and T' .

Initial step. First, consider any finite $S, S', T, T' \subseteq \mathcal{P}$ such that $|S \Delta S'| + |T \Delta T'| = 0$. Then $S = S'$ and $T = T'$, so that $(X_{S,T}^{S',T'})$ holds trivially because we have $S \succsim^C T \Leftrightarrow S' \succsim^C T'$ (even without assuming (a $_{S,T}^{S',T'}$)-(c $_{S,T}^{S',T'}$)).

Induction step. Consider any $m > 0$ and suppose that $(X_{S,T}^{S',T'})$ holds for any finite $S, S', T, T' \subseteq \mathcal{P}$ such that $|S \Delta S'| + |T \Delta T'| < m$. Consider finite sets $S, S', T, T' \subseteq \mathcal{P}$ such that $|S \Delta S'| + |T \Delta T'| = m$ and assume (a $_{S,T}^{S',T'}$)-(c $_{S,T}^{S',T'}$) hold. To show that $S \succsim^C T \Leftrightarrow S' \succsim^C T'$, we consider two cases.

Case 1. The pair (S, T) differs minimally from (S', T') , i.e., there is no revealed comparable pair of property bundles (S'', T'') ($\neq (S, T), (S', T')$) such that S'' is weakly between S and S' and T'' is weakly between T and T' . Suppose, for a contradiction, that $S \succsim^C T \not\Leftrightarrow S' \succsim^C T'$. Since $|S \Delta S'| + |T \Delta T'| = m > 0$, we can choose a $P \in (S \Delta S') \cup (T \Delta T')$. We prove that P is revealed motivationally salient in K , i.e., that $P \in M_K^C$; this contradicts (c $_{S,T}^{S',T'}$), completing Case 1. By definition of M_K^C , this claim follows from three facts: (REV1) holds because $S \succsim^C T \not\Leftrightarrow S' \succsim^C T'$ (where $S \succsim^C T$ and $S' \succsim^C T'$ by (a $_{S,T}^{S',T'}$)); (REV2) holds because S and S' differ in P or T and T' differ in P (since $P \in (S \Delta S') \cup (T \Delta T')$) and because of (b $_{S,T}^{S',T'}$); (REV3) holds because the pair (S, T) differs minimally from (S', T') by assumption of Case 1.

Case 2. The pair (S, T) does *not* differ minimally from (S', T') . Then we may choose a revealed comparable pair of property bundles (S'', T'') ($\neq (S, T), (S', T')$) such that S'' is weakly between S and S' and T'' is weakly between T and T' . Observe that $|S \Delta S''| < |S \Delta S'|$ or $|T \Delta T''| < |T \Delta T'|$ (possibly both). So, $|S \Delta S''| + |T \Delta T''| < |S \Delta S'| + |T \Delta T'|$, and hence, $|S \Delta S''| + |T \Delta T''| < m$. Also, noting that S'' and T''

are finite (since they are feasible in some context as $S'' \succsim^C T''$), it follows by induction hypothesis that the implication $(X_{S,T}^{S'',T''})$ holds. Now the three antecedent conditions of this implication hold. Condition $(b_{S,T}^{S'',T''})$ holds because, first, $S \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}} = \mathcal{P}(K)$ by $(b_{S,T}^{S',T'})$, second, $S'' \cap \mathcal{P}_{\text{context}} = S \cap \mathcal{P}_{\text{context}} = S' \cap \mathcal{P}_{\text{context}}$ by $(b_{S,T}^{S',T'})$ and the fact that S'' is weakly between S and S' , and, third, $T'' \cap \mathcal{P}_{\text{context}} = T \cap \mathcal{P}_{\text{context}} = T' \cap \mathcal{P}_{\text{context}}$ for analogous reasons. Condition $(a_{S,T}^{S'',T''})$ follows from $(a_{S,T}^{S',T'})$ and the fact that $S'' \succsim^C T''$. Condition $(c_{S,T}^{S'',T''})$ may be deduced from $(c_{S,T}^{S',T'})$ and the fact that S'' is weakly between S and S' and T'' is weakly between T and T' . From $(X_{S,T}^{S'',T''})$ and $(a_{S,T}^{S'',T''})$ - $(c_{S,T}^{S'',T''})$ it follows that $S \succsim^C T \Leftrightarrow S'' \succsim^C T''$.

By an analogous reasoning applied to the sets S', S'', T', T'' (rather than S, S'', T, T''), we have $S' \succsim^C T' \Leftrightarrow S'' \succsim^C T''$. This equivalence and the previous one jointly imply the equivalence $S \succsim^C T \Leftrightarrow S' \succsim^C T'$, as required. ■

Proof of Lemma 3. Axiom 1** obviously implies Axiom 1. Now assume Axiom 1. Fix a context $K \in \mathcal{K}$ and options $x, y \in K$ such that $x_K^C = y_K^C$. We only show that $x \in C(K) \Rightarrow y \in C(K)$; the converse implication (\Leftarrow) holds analogously. Suppose $x \in C(K)$. The proof is in three claims (only the last of which draws on Axiom 1).

Claim 1. There exists a finite sequence (S_1, \dots, S_m) of property bundles such that (i) $S_1 = \mathcal{P}(x, K)$ and $S_m = \mathcal{P}(y, K)$, (ii) $S_1 \succsim^C S_j$ for each $j \in \{1, \dots, m\}$, (iii) for all $j, j', j'' \in \{1, \dots, m\}$, if $j \leq j' \leq j''$ then $S_{j'}$ is weakly between S_j and $S_{j''}$, (iv) for all $j \in \{1, \dots, m-1\}$, $S_j \neq S_{j+1}$, and (v) for all $j \in \{1, \dots, m-1\}$, no property bundle $S \subseteq \mathcal{P}$ is strictly between S_j and S_{j+1} and satisfies $S \succsim^C S_1$.

Let \mathbf{S} be the set of all finite sequences (S_1, \dots, S_m) of property bundles satisfying the first four conditions (i)-(iv). Since $x \in C(K)$, we have $\mathcal{P}(x, K) \succsim^C \mathcal{P}(x, K)$ and $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$. In particular, $\mathcal{P}(x, K) \succsim^C \mathcal{P}(x, K)$ and $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$. So, \mathbf{S} contains the sequence $(\mathcal{P}(x, K), \mathcal{P}(y, K))$ if $\mathcal{P}(x, K) \neq \mathcal{P}(y, K)$ and contains the single-component sequence $(\mathcal{P}(x, K))$ if $\mathcal{P}(x, K) = \mathcal{P}(y, K)$. Hence, $\mathbf{S} \neq \emptyset$.

Next, note that since the property bundles $\mathcal{P}(x, K)$ and $\mathcal{P}(y, K)$ are finite, the set $\mathcal{P}(x, K) \Delta \mathcal{P}(y, K)$ of properties in which they differ is also finite. For all $(S_1, \dots, S_m) \in \mathbf{S}$ we have $m-1 \leq |\mathcal{P}(x, K) \Delta \mathcal{P}(y, K)|$ ($= |S_1 \Delta S_m|$). To prove this, consider any $(S_1, \dots, S_m) \in \mathbf{S}$ and let us show by induction that $|S_1 \Delta S_j| \geq j-1$ for all $j \in \{1, \dots, m\}$. For $j=1$ this is obviously true. Now consider any $j \in \{1, \dots, m-1\}$ such that $|S_1 \Delta S_j| \geq j-1$. We have $|S_1 \Delta S_{j+1}| \geq |S_1 \Delta S_j| + 1 \geq j$, where the first inequality holds because S_j is strictly between S_1 and S_{j+1} by (iii) and (iv), and the second inequality holds because $|S_1 \Delta S_j| \geq j-1$. This completes the inductive argument.

As shown so far, \mathbf{S} is non-empty and the length of sequences in \mathbf{S} has a finite upper bound (given by $|\mathcal{P}(x, K) \triangle \mathcal{P}(y, K)| + 1$). So there exists a longest sequence in \mathbf{S} . Call it (S_1, \dots, S_m) . We complete the proof of the claim by showing that this sequence also satisfies condition (v).

Suppose, for a contradiction, that $j \in \{1, \dots, m-1\}$ and there is a property bundle $S \subseteq \mathcal{P}$ which is strictly between S_j and S_{j+1} and satisfies $S_1 \succsim \prec^C S$. Form the augmented sequence $(S_1, \dots, S_j, S, S_{j+1}, \dots, S_m)$. We show that this sequence satisfies (i)-(iv), i.e., belongs to \mathbf{S} , a contradiction, since the sequence is longer than (S_1, \dots, S_m) .

First, the augmented sequence obviously still satisfies (i), (ii) and (iv). It remains to show that it also satisfies (iii). To do so, we consider indices $i, i' \in \{1, \dots, m\}$ and have to show three things:

- (*) if $i \leq i' \leq j$, then $S_{i'}$ is (weakly) between S_i and S ;
- (**) if $j+1 \leq i \leq i'$, then S_i is between S and $S_{i'}$;
- (***) if $i \leq j$ and $j+1 \leq i'$, then S is between S_i and $S_{i'}$.

Regarding (*), assume $i \leq i' \leq j$, and consider a $P \in \mathcal{P}$ on which S_i and S agree. We have to show that $S_{i'}$ agrees on P with S_i (and S). Since S is strictly between S_j and S_{j+1} , S agrees on P with at least one of S_j and S_{j+1} . Let $j' \in \{j, j+1\}$ be such that S and $S_{j'}$ agree on P . So, S_i and $S_{j'}$ also agree on P . Hence, since $S_{i'}$ is between S_i and $S_{j'}$ (as the original sequence (S_1, \dots, S_m) satisfies (iii)), $S_{i'}$ agrees on P with S_i , as required to prove (*).

The proof of (**) is analogous to that of (*).

Regarding (***), assume $i \leq j$ and $j+1 \leq i'$. Consider any $P \in \mathcal{P}$ on which S_i and $S_{i'}$ agree. We have to show that S agrees with S_i (and $S_{i'}$) on P . Since the original sequence (S_1, \dots, S_m) satisfies (iii), S_j is between S_i and $S_{i'}$ (if $i = j$ trivially), and so S_j and S_i agree on P . By an analogous argument, S_{j+1} and S_i agree on P . Hence, S_j and S_{j+1} agree on P . So, as S is (strictly) between S_j and S_{j+1} , S agrees on P with S_j , and hence also with S_i . This shows (***), completing the proof of Claim 1.

Claim 2: If (S_1, \dots, S_m) is any sequence of property bundles satisfying the conditions (i)-(v) in Claim 1, then for all $j \in \{1, \dots, m\}$ neither of the bundles S_j and $S_1 (= \mathcal{P}(x, K))$ is revealed strictly preferred to the other.

The proof is by induction on j . If $j = 1$, the claim holds trivially. Now consider $j \in \{1, \dots, m-1\}$ and assume neither of the sets S_j and S_1 is revealed strictly preferred to the other. Suppose, for a contradiction, that one of the sets S_{j+1} and S_1 is revealed strictly preferred to the other one. We assume without loss of generality that S_1 is revealed strictly preferred to S_{j+1} (the proof proceeds analogously in the other case).

Since $S_j \neq S_{j+1}$ by (iv), we may select a property $P \in S_j \Delta S_{j+1}$. Now P is revealed motivationally salient in K , i.e., $P \in M_K^C$. We show this by verifying the criteria (REV1)-(REV3) for the pairs of bundles (S_j, S_1) and (S_{j+1}, S_1) . First, S_j is revealed weakly preferred to S_1 (because S_1 is not revealed strictly preferred to S_j by induction hypothesis and because $S_1 \succsim^C S_j$ by (ii)), while S_1 is revealed strictly preferred to S_{j+1} , where these two choices occur in contexts with the same properties as K (because $S_1 = \mathcal{P}(x, K)$ by (i)). Second, S_j and S_{j+1} differ in P (since $P \in S_j \Delta S_{j+1}$). Third, by (v) the pair (S_1, S_j) differs minimally from (S_1, S_{j+1}) in the sense defined in (REV3).

Now, since $P \in M_K^C$ and since S_j and S_{j+1} differ in P , we have $(S_j \Delta S_{j+1}) \cap M_K^C \neq \emptyset$. Further, $S_j \Delta S_{j+1} \subseteq S_1 \Delta S_m$. Indeed, if a property P does *not* belong to $S_1 \Delta S_m$, then S_1 and S_m agree on P , so that all of S_j, S_{j+1}, S_1 and S_m agree on P (since S_j and S_{j+1} are each weakly between S_1 and S_m by (iii)), which implies that P is *not* contained in $S_j \Delta S_{j+1}$. Since $(S_j \Delta S_{j+1}) \cap M_K^C \neq \emptyset$ and $S_j \Delta S_{j+1} \subseteq S_1 \Delta S_m$, we have $(S_1 \Delta S_m) \cap M_K^C \neq \emptyset$. So, $S_1 \cap M_K^C \neq S_m \cap M_K^C$. Hence, by (i), $\mathcal{P}(x, K) \cap M_K^C \neq \mathcal{P}(y, K) \cap M_K^C$, i.e., $x_K^C \neq y_K^C$, contradicting the initial assumption that $x_K^C = y_K^C$. This proves Claim 2.

Claim 3. $y \in C(K)$ (which completes the proof of Axiom 1**).

By Claims 1 and 2, $\mathcal{P}(x, K)$ is not revealed strictly preferred to $\mathcal{P}(y, K)$. So, since $\mathcal{P}(x, K)$ is chosen in K (as $x \in C(K)$), so is $\mathcal{P}(y, K)$. Using Axiom 1 it follows that $y \in C(K)$. ■

Proof of Theorem 4 (in its strengthened form given in its footnote). Assume the domain of contexts \mathcal{K} is rich. We prove the necessity of the axioms (step 1), the sufficiency of the axioms (step 2), and the essential uniqueness claim (step 3).

Step 1. Suppose C has a reason-based rationalization with revealed motivation (M^C, \geq) . Axioms 1 and 3 hold by Theorem 1. To prove that Axiom 2** holds, consider contexts $K, K' \in \mathcal{K}$ such that (*) $\{x_K^C : x \in K\} = \{x'_{K'}^C : x' \in K'\}$. We only show that $\{y_K^C : y \in C(K)\} \subseteq \{y'_{K'}^C : y' \in C(K')\}$, since the converse inclusion holds analogously. Consider any $y \in C(K)$. We have to show that $y_K^C \in \{y'_{K'}^C(y') : y' \in C(K')\}$. By (*) there is a $y' \in K'$ such that (**) $y_K^C = y'_{K'}^C$. It remains to show that $y' \in C(K')$. Since $y \in C(K)$ and C is rationalized by (M^C, \geq) , we have

$$y_K^C \geq x_K^C \text{ for all } x \in K.$$

By (*) and (**), this implies that

$$y'_{K'}^C \geq x'_{K'}^C \text{ for all } x' \in K'.$$

It follows that $y' \in C(K')$, again because C is rationalized by (M^C, \geq) . This proves Axiom 2**.

Step 2. Conversely, assume Axioms 1, 2** and 3. We show in two claims that the revealed model (M^C, \geq^C) rationalizes C .

Claim 1. For all contexts $K, K' \in \mathcal{K}$ and all options $x, y \in K$ and $x', y' \in K'$, if $x_K^C = x_{K'}^C$ and $y_K^C = y_{K'}^C$, then $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K) \Leftrightarrow \mathcal{P}(x', K') \succsim^C \mathcal{P}(y', K')$.

Consider $K, K' \in \mathcal{K}$, $x, y \in K$ and $x', y' \in K'$ such that $x_K^C = x_{K'}^C$ and $y_K^C = y_{K'}^C$. We assume that $\mathcal{P}(x', K') \succsim^C \mathcal{P}(y', K')$ and show that $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$; the converse implication is analogous.

Since \mathcal{K} is rich and the bundles $\mathcal{P}(x, K)$ and $\mathcal{P}(y, K)$ are feasible in K , there is a context $L \in \mathcal{K}$ in which they are the only feasible bundles:

$$\{\mathcal{P}(z, L) : z \in L\} = \{\mathcal{P}(x, K), \mathcal{P}(y, K)\}. \quad (4)$$

Now $\mathcal{P}(K) = \mathcal{P}(L)$, since each side of this equality can be written as $S \cap \mathcal{P}_{\text{context}}$ for a bundle S feasible in K and L . It follows that $M_K^C = M_L^C$. On each side of (4) we now intersect each contained bundle with $M_K^C (= M_L^C)$. This yields a new identity:

$$\{z_L^C : z \in L\} = \{x_K^C, y_K^C\}. \quad (5)$$

The steps taken for x, y, K are now repeated for x', y', K' . By the richness of \mathcal{K} and the feasibility of the bundles $\mathcal{P}(x', K')$ and $\mathcal{P}(y', K')$ in K' , there is a context $L' \in \mathcal{K}$ such that

$$\{\mathcal{P}(z, L') : z \in L'\} = \{\mathcal{P}(x', K'), \mathcal{P}(y', K')\}. \quad (6)$$

By arguments made similarly above, it follows that $M_{K'}^C = M_{L'}^C$ and

$$\{z_{L'}^C : z \in L'\} = \{x_{K'}^C, y_{K'}^C\}. \quad (7)$$

From (5), (7) and the assumption that $x_K^C = x_{K'}^C$ and $y_K^C = y_{K'}^C$, we deduce that $\{z_L^C : z \in L\} = \{z_{L'}^C : z \in L'\}$. So, by Axiom 2**,

$$\{z_L^C : z \in C(L)\} = \{z_{L'}^C : z \in C(L')\}. \quad (8)$$

By Axiom 3, (6) and the assumption that the bundle $\mathcal{P}(x', K')$ is revealed weakly preferred to $\mathcal{P}(y', K')$ (and thus also to itself), the bundle $\mathcal{P}(x', K')$ is chosen in L' :

$$\mathcal{P}(x', K') \in \{\mathcal{P}(z, L') : z \in C(L')\}.$$

Intersecting on both sides of this relation with $M_{K'}^C (= M_{L'}^C)$ yields

$$x'_{K'}^C \in \{z_{L'}^C : z \in C(L')\}.$$

By (8) and the fact that $x_K^C = x'_{K'}^C$, we can rewrite the last relation as

$$x_K^C \in \{z_L^C : z \in C(L)\}.$$

Pick a $z \in C(L)$ such that $x_K^C = z_L^C$. By (4) we can also pick a $w \in L$ such that $\mathcal{P}(w, L) = \mathcal{P}(x, K)$. Intersecting each side of this equation with $M_L^C (= M_K^C)$ yields $w_L^C = x_K^C$. Hence, $w_L^C = z_L^C$. By Axiom 1** (which holds by Lemma 3), it follows that $w \in C(L)$. So, the bundle $\mathcal{P}(w, L) = \mathcal{P}(x, K)$ is revealed weakly preferred to any bundle feasible in L , hence by (4) to $\mathcal{P}(y, K)$.

Claim 2. (M^C, \geq^C) rationalizes C (which completes the sufficiency proof).

We consider any $K \in \mathcal{K}$ and $x \in K$ and have to show that

$$x \in C(K) \Leftrightarrow [x_K^C \geq^C y_K^C \text{ for all } y \in K].$$

First, if $x \in C(K)$, then for all $y \in K$ we indeed have $x_K^C(x) \geq^C y_K^C$, immediately by definition of \geq^C . Now assume that $x_K^C \geq^C y_K^C$ for all $y \in K$. Consider any $y \in K$. Since $x_K^C \geq^C y_K^C$, by definition of \geq^C there exist $K' \in \mathcal{K}$ and $x', y' \in K'$ (all of which may depend on y) such that $x_K^C = x'_{K'}^C$, $y_K^C = y'_{K'}^C$ and $x' \in C(K')$. Since $x' \in C(K')$ and $y' \in K'$, we have $\mathcal{P}(x', K') \succsim^C \mathcal{P}(y', K')$. So, by Claim 1, $\mathcal{P}(x, K) \succsim^C \mathcal{P}(y, K)$. Since this is true for all $y \in K$, we have $x \in C(K)$, by Axiom 3⁺ (which holds by Lemma 4).

Step 3. We now consider an arbitrary rationalization of C with revealed motivation (M^C, \geq) , and have to show that it is essentially identical to (M^C, \geq^C) (which rationalizes C by part 2). As the two models ascribe the same motivation to the agent, it remains to show that \geq and \geq^C coincide wherever they are choice-behaviourally relevant. Consider a pair of bundles $S, T \subseteq \mathcal{P}$ at which \geq and \geq^C are choice-behaviourally relevant; we can thus pick $K^* \in \mathcal{K}$ and $x, y \in K^*$ such that

$$S = x_{K^*}^C \text{ and } T = y_{K^*}^C. \quad (9)$$

We have to show that $S \geq T \Leftrightarrow S \geq^C T$.

Claim 3. $S \geq S$ and $S \geq^C S$.

Since the domain of contexts \mathcal{K} is rich and the (identical) property bundles $\mathcal{P}(x, K^*)$ and $\mathcal{P}(x, K^*)$ are feasible in context K^* , there is a context $\bar{K} \in \mathcal{K}$ in which only the bundle $\mathcal{P}(x, K^*)$ is feasible. Choose any $\bar{x} \in C(\bar{K})$. Clearly,

$$\mathcal{P}(x, K^*) = \mathcal{P}(\bar{x}, \bar{K}). \quad (10)$$

It follows that $\mathcal{P}(K^*) = \mathcal{P}(\overline{K})$, and hence, that $M_{K^*}^C = M_{\overline{K}}^C$. This and (10) imply that $x_{K^*}^C = \overline{x}_{\overline{K}}^C$. Now since $\overline{x} \in C(\overline{K})$ and each of the models (M^C, \geq) and (M^C, \geq^C) rationalizes C , we have $\overline{x}_{\overline{K}}^C \geq \overline{x}_{\overline{K}}^C$ and $\overline{x}_{\overline{K}}^C \geq^C \overline{x}_{\overline{K}}^C$. This proves the claim since $S = x_{K^*}^C = \overline{x}_{\overline{K}}^C$.

Claim 4. $S \geq T \Leftrightarrow S \geq^C T$ (which completes the proof).

Since $\mathcal{P}(x, K^*)$ and $\mathcal{P}(y, K^*)$ are both feasible in K^* , richness of \mathcal{K} implies that there is a context $\tilde{K} \in \mathcal{K}$ in which only these two property bundles are feasible. Choose any $\tilde{x}, \tilde{y} \in \tilde{K}$ such that

$$\mathcal{P}(\tilde{x}, \tilde{K}) = \mathcal{P}(x, K^*) \text{ and } \mathcal{P}(\tilde{y}, \tilde{K}) = \mathcal{P}(y, K^*). \quad (11)$$

From any of these equations it follows that $\mathcal{P}(\tilde{K}) = \mathcal{P}(K^*)$, whence $M_{\tilde{K}}^C = M_{K^*}^C$. This and the equations (9) and (11) imply that $S = \tilde{x}_{\tilde{K}}^C$ and $T = \tilde{y}_{\tilde{K}}^C$. So, $\{z_{\tilde{K}}^C : z \in \tilde{K}\} = \{S, T\}$. Hence, as the model (M^C, \geq) rationalizes C and as $S \geq S$ by Claim 3,

$$\tilde{x} \in C(\tilde{K}) \Leftrightarrow S \geq T. \quad (12)$$

Analogously, as (M^C, \geq^C) rationalizes C and as $S \geq^C S$,

$$\tilde{x} \in C(\tilde{K}) \Leftrightarrow S \geq^C T. \quad (13)$$

The equivalences (12) and (13) imply that $S \geq T \Leftrightarrow S \geq^C T$. ■

Proof of Proposition 3. Let $\mathcal{M}' = (M', \geq)$ be a reason-based model for a domain $\mathcal{D} \subseteq \mathcal{K}^+$. Regarding part (a), if all M'_K coincide, then obviously $CAU^{\mathcal{M}'} = \emptyset$; and if $CAU^{\mathcal{M}'} = \emptyset$, then part (b) will imply that all M'_K coincide. It thus remains to prove part (b). We proceed by contraposition. Let $K, K' \in \mathcal{D}$ satisfy $M'_K \neq M'_{K'}$. Since $\mathcal{P}(x, K)$ and $\mathcal{P}(x, K')$ are finite for any $x \in X$, $\mathcal{P}(K)$ and $\mathcal{P}(K')$ are finite, and thus the ‘disagreement set’ $\mathcal{P}(K) \Delta \mathcal{P}(K')$ is finite. So, as one easily checks, there is a finite sequence $K_1, \dots, K_n \in \mathcal{D}$ with $K_1 = K, K_n = K'$ such that for each $m \in \{1, \dots, n-1\}$ the contexts K_m and K_{m+1} differ minimally (in the sense of (cau3)). Since $M'_{K_1} \neq M'_{K_n}$, there is an $m \in \{1, \dots, n-1\}$ such that $M'_{K_m} \neq M'_{K_{m+1}}$. By the definition of reason-based models, it follows that $\mathcal{P}(K_m) \neq \mathcal{P}(K_{m+1})$. Hence we may pick a context property $P \in \mathcal{P}(K_m) \Delta \mathcal{P}(K_{m+1})$. It follows that $P \in \mathcal{P}(K) \Delta \mathcal{P}(K')$. So, since also $P \in CAU^{\mathcal{M}'}$ (as the criteria (cau1)-(cau3) hold for the contexts K_m and K_{m+1}), we have $P \in (\mathcal{P}(K) \cap CAU^{\mathcal{M}'}) \Delta (\mathcal{P}(K') \cap CAU^{\mathcal{M}'})$. Hence, $\mathcal{P}(K) \cap CAU^{\mathcal{M}'} \neq \mathcal{P}(K') \cap CAU^{\mathcal{M}'}$. ■

Proof of Remark 2. Consider a rationalization $\mathcal{M} = (M, \geq)$ of the choice function C . Let $\mathcal{M}^1 = (M^1, \geq)$, $\mathcal{M}^2 = (M^2, \geq)$, and $\mathcal{M}^3 = (M^3, \geq)$ be the models used

to define, respectively, the cautious, semi-courageous, and courageous predictors, with corresponding domains \mathcal{D}^1 , \mathcal{D}^2 , and \mathcal{D}^3 .

(a) $C^{\mathcal{M}^1}$ extends C because \mathcal{M}^1 extends \mathcal{M} (as a consequence of the definition of \mathcal{M}^1) and $C^{\mathcal{M}} = C$ (by assumption).

(b) We prove that $C^{\mathcal{M}^2}$ extends $C^{\mathcal{M}^1}$ by showing that \mathcal{M}^2 extends \mathcal{M}^1 . Consider any $K \in \mathcal{D}^1$. We have to show that $K \in \mathcal{D}^2$ and $M_K^1 = M_K^2$. Since $K \in \mathcal{D}^1$ there is an $L \in \mathcal{K}$ such that $\{P(x, K) : x \in K\} = \{P(x, L) : x \in L\}$. One easily verifies the conditions (i) (by using the same context L) and (ii) (by using the context $L' := L$).

(c) It suffices to show that \mathcal{M}^3 extends \mathcal{M}^2 . Let $K \in \mathcal{D}^2$; so conditions (i) and (ii) hold. We have to show that $K \in \mathcal{D}^3$ and $M_K^2 = M_K^3$. Now (i) immediately implies (i*) (use the same $L \in \mathcal{K}$), and so $K \in \mathcal{D}^3$. Moreover, $M_K^2 = M_K^3$, because each side equals M_L for L as in (i). ■

Proof of Theorem 5. Consider a rationalization $\mathcal{M} = (M, \geq)$ of the choice function C . We use the notation from our proof of Remark 2. Further, for any model \mathcal{M}' , the set of feasible options *as conceptualized in a context* K (from the domain of \mathcal{M}') is denoted $K^{\mathcal{M}'} := \{x_K^{\mathcal{M}'} : x \in K\}$.

(a) Suppose C^+ is rationalizable by an arbitrary model $\mathcal{M}^+ = (M^+, \geq^+)$ on the domain \mathcal{K}^+ . Consider any $K \in \mathcal{D}^1$ and $x \in K$. We have to show that $x \in C^{\mathcal{M}^1}(K) \Leftrightarrow x \in C^+(K)$. As $K \in \mathcal{D}^1$ we can pick an $L \in \mathcal{K}$ such that

$$\{\mathcal{P}(y, K) : y \in K\} = \{\mathcal{P}(y, L) : y \in L\}. \quad (14)$$

So $K^{\mathcal{M}^1} = L^{\mathcal{M}^1}$ and $K^{\mathcal{M}^+} = L^{\mathcal{M}^+}$ (though perhaps $K^{\mathcal{M}^1} \neq K^{\mathcal{M}^+}$). Now pick a $z \in L$ such that $\mathcal{P}(x, K) = \mathcal{P}(z, L)$ (which is possible by (14)). It follows that $x_K^{\mathcal{M}^1} = z_L^{\mathcal{M}^1}$ and $x_K^{\mathcal{M}^+} = z_L^{\mathcal{M}^+}$. We show the claimed equivalence by proving that each side holds if and only if $z \in C(L)$:

$$\begin{array}{lll} x \in C^{\mathcal{M}^1}(K) & \Leftrightarrow x_K^{\mathcal{M}^1} \geq S \text{ for all } S \in K^{\mathcal{M}^1} & \text{by definition of } C^{\mathcal{M}^1} \\ & \Leftrightarrow z_L^{\mathcal{M}^1} \geq S \text{ for all } S \in L^{\mathcal{M}^1} & \text{as } x_K^{\mathcal{M}^1} = z_L^{\mathcal{M}^1} \text{ and } K^{\mathcal{M}^1} = L^{\mathcal{M}^1} \\ & \Leftrightarrow z \in C^{\mathcal{M}^1}(L) & \text{by definition of } C^{\mathcal{M}^1} \\ & \Leftrightarrow z \in C(L) & \text{as } C^{\mathcal{M}^1}(L) = C(L) \text{ by Remark 2,} \\ x \in C^+(K) & \Leftrightarrow x \in C^{\mathcal{M}^+}(K) & \text{as } C^{\mathcal{M}^+} = C^+ \\ & \Leftrightarrow x_K^{\mathcal{M}^+} \geq^+ S \text{ for all } S \in K^{\mathcal{M}^+} & \text{by definition of } C^{\mathcal{M}^+} \\ & \Leftrightarrow z_L^{\mathcal{M}^+} \geq^+ S \text{ for all } S \in L^{\mathcal{M}^+} & \text{as } x_K^{\mathcal{M}^+} = z_L^{\mathcal{M}^+} \text{ and } K^{\mathcal{M}^+} = L^{\mathcal{M}^+} \\ & \Leftrightarrow z \in C^{\mathcal{M}^+}(L) & \text{by definition of } C^{\mathcal{M}^+} \\ & \Leftrightarrow z \in C(L) & \text{as } C^{\mathcal{M}^+}(L) = C^+(L) = C(L). \end{array}$$

(b) Now let C^+ be rationalizable by an extension $\mathcal{M}^+ = (M^+, \geq)$ of \mathcal{M} . Let $K \in \mathcal{D}^2$ and $x \in K$. We show that $x \in C^{\mathcal{M}^2}(K) \Leftrightarrow x \in C^+(K)$. As $K \in \mathcal{D}^2$ we can pick $L, L' \in \mathcal{K}$ such that $\mathcal{P}(L) = \mathcal{P}(K)$ and (*) $K^{\mathcal{M}^2} = (L')^{\mathcal{M}^2}$. By (*) we can choose a $z \in L'$ such that (**) $x_K^{\mathcal{M}^2} = z_{L'}^{\mathcal{M}^2}$. Since $M_{L'}^+ = M_{L'}^2 (= M_{L'})$,

$$(L')^{\mathcal{M}^+} = (L')^{\mathcal{M}^2} \text{ and } z_{L'}^{\mathcal{M}^+} = z_{L'}^{\mathcal{M}^2}. \quad (15)$$

As $M_L^+ = M_L^2 (= M_L)$ and $\mathcal{P}(L) = \mathcal{P}(K)$, we have $M_K^+ = M_K^2$, and thus

$$K^{\mathcal{M}^+} = K^{\mathcal{M}^2} \text{ and } x_K^{\mathcal{M}^+} = x_K^{\mathcal{M}^2}. \quad (16)$$

By (*), (**), (15) and (16), we have (***) $K^{\mathcal{M}^+} = (L')^{\mathcal{M}^+}$ and (****) $x_K^{\mathcal{M}^+} = z_{L'}^{\mathcal{M}^+}$.

One can show the claimed equivalence by proving that each side holds if and only if $z \in C(L)$. One should follow the steps taken similarly in the proof of part (a): it suffices to replace L by L' and \mathcal{M}^1 by \mathcal{M}^2 , and to apply the identities (*)-(****).

(c) Finally, let C^+ be rationalizable by an extension $\mathcal{M}^+ = (M^+, \geq)$ of \mathcal{M} with $CAU^{\mathcal{M}^+} = CAU^{\mathcal{M}}$. Let $K \in \mathcal{D}^3$ and $x \in K$. We prove $x \in C^{\mathcal{M}^3}(K) \Leftrightarrow x \in C^+(K)$. Since $K \in \mathcal{D}^3$, we can pick $L, L' \in \mathcal{K}$ such that $\mathcal{P}(L) \cap CAU^{\mathcal{M}} = \mathcal{P}(K) \cap CAU^{\mathcal{M}}$, $M_K^3 = M_L^3$, and (+) $K^{\mathcal{M}^3} = (L')^{\mathcal{M}^3}$. Since $CAU^{\mathcal{M}^+} = CAU^{\mathcal{M}}$ and $\mathcal{P}(L) \cap CAU^{\mathcal{M}} = \mathcal{P}(K) \cap CAU^{\mathcal{M}}$, we have $\mathcal{P}(L) \cap CAU^{\mathcal{M}^+} = \mathcal{P}(K) \cap CAU^{\mathcal{M}^+}$, and thus by Proposition 3 $M_L^+ = M_K^+$. By (+) there is a $z \in L'$ such that (++) $x_K^{\mathcal{M}^3} = z_{L'}^{\mathcal{M}^3}$. Since $M_{L'}^+ = M_{L'}^3 (= M_{L'})$, we have

$$(L')^{\mathcal{M}^+} = (L')^{\mathcal{M}^3} \text{ and } z_{L'}^{\mathcal{M}^+} = z_{L'}^{\mathcal{M}^3}. \quad (17)$$

Since $M_L^+ = M_L^3 (= M_L)$, $M_L^+ = M_K^+$ and $M_L^3 = M_K^3$, we have $M_K^+ = M_K^3$, and thus

$$K^{\mathcal{M}^+} = K^{\mathcal{M}^3} \text{ and } x_K^{\mathcal{M}^+} = x_K^{\mathcal{M}^3}. \quad (18)$$

By (+), (++) , (17) and (18), we have (+++) $K^{\mathcal{M}^+} = (L')^{\mathcal{M}^+}$ and (++++) $x_K^{\mathcal{M}^+} = z_{L'}^{\mathcal{M}^+}$. The claimed equivalence can once again be proved by establishing that each side holds if and only if $z \in C(L)$; one should use the same argument as for part (a), replacing L by L' and \mathcal{M}^1 by \mathcal{M}^3 , and drawing on the identities (+)-(++++). ■