

Analyzing CPI dynamics in Italy

NYONI, THABANI

University of Zimbabwe

 $15~{\rm February}~2019$

Online at https://mpra.ub.uni-muenchen.de/92421/ MPRA Paper No. 92421, posted 02 Mar 2019 06:21 UTC

Analyzing CPI Dynamics in Italy

Nyoni, Thabani
Department of Economics
University of Zimbabwe
Harare, Zimbabwe

Email: nyonithabani35@gmail.com

ABSTRACT

This research uses annual time series data on CPI in Italy from 1960 to 2017, to model and forecast CPI using the Box – Jenkins ARIMA technique. Diagnostic tests indicate that the T series is I (2). The study presents the ARIMA (0, 2, 1) model for predicting CPI in Italy. The diagnostic tests further imply that the presented optimal model is actually stable and acceptable for predicting CPI in Italy over the period under study. The results of the study apparently show that CPI in Italy is likely to continue on an upwards trajectory in the next decade. The study basically encourages policy makers to make use of tight monetary and fiscal policy measures in order to control inflation in Italy.

Key Words: Forecasting, Italy, Inflation

JEL Codes: C53, E31, E37, E47

INTRODUCTION

Inflation is one of the central terms in macroeconomics (Enke & Mehdiyev, 2014) as it harms the stability of the acquisition power of the national currency, affects economic growth because investment projects become riskier, distorts consuming and saving decisions, causes unequal income distribution and also results in difficulties in financial intervention (Hurtado et al, 2013). As the prediction of accurate inflation rates is a key component for setting the country's monetary policy, it is especially important for central banks to obtain precise values (Mcnelis & Mcadam, 2004). Consumer Price Index (CPI) may be regarded as a summary statistic for frequency distribution of relative prices (Kharimah et al. 2015). CPI number measures changes in the general level of prices of a group of commodities. It thus measures changes in the purchasing power of money (Monga, 1977; Subhani & Panjwani, 2009). As it is a prominent reflector of inflationary trends in the economy, it is often treated as a litmus test of the effectiveness of economic policies of the government of the day (Sarangi et al, 2018). The CPI program focuses on consumer expenditures on goods and services out of disposable income (Boskin et al, 1998). Hence, it excludes non-market activity, broader quality of life issues, and the costs and benefits of most government programs (Kharimah et al, 2015). To avoid adjusting policy and models by not using an inflation rate prediction can result in imprecise investment and saving decisions, potentially leading to economic instability (Enke & Mehdiyev, 2014). Precisely forecasting the change of CPI is significant to many aspects of economics, some examples include fiscal policy, financial markets and productivity. Also, building a stable and accurate model to forecast the CPI will have great significance for the public, policy makers and

research scholars (Du *et al*, 2014). In this study we use CPI as an indicator of inflation in Italy and then attempt to model and forecast CPI in Italy using non-seasonal ARIMA models.

LITERATURE REVIEW

Alvarez-Diaz & Gupta (2015) analyzed US CPI using RW, AR, SARIMA, ANN and GP models with a data set ranging over the period January 1980 to December 2013 and revealed that SARIMA models were the best models to forecast US inflation. Nyoni (2018k) studied inflation in Zimbabwe using GARCH models with a data set ranging over the period July 2009 to July 2018 and established that there is evidence of volatility persistence for Zimbabwe's monthly inflation data. Nyoni (2018n) modeled inflation in Kenya using ARIMA and GARCH models and relied on annual time series data over the period 1960 – 2017 and found out that the ARIMA (2, 2, 1) model, the ARIMA (1, 2, 0) model and the AR (1) – GARCH (1, 1) model are good models that can be used to forecast inflation in Kenya. Nyoni & Nathaniel (2019), based on ARMA, ARIMA and GARCH models; studied inflation in Nigeria using time series data on inflation rates from 1960 to 2016 and found out that the ARMA (1, 0, 2) model is the best model for forecasting inflation rates in Nigeria.

MATERIALS & METHODS

Box – Jenkins ARIMA Models

One of the methods that are commonly used for forecasting time series data is the Autoregressive Integrated Moving Average (ARIMA) (Box & Jenkins, 1976; Brocwell & Davis, 2002; Chatfield, 2004; Wei, 2006; Cryer & Chan, 2008). For the purpose of forecasting Consumer Price Index (CPI) in Italy, ARIMA models were specified and estimated. If the sequence $\Delta^d T_t$ satisfies an ARMA (p, q) process; then the sequence of T_t also satisfies the ARIMA (p, d, q) process such that:

which we can also re – write as:

where Δ is the difference operator, vector $\beta \in \mathbb{R}^p$ and $\alpha \in \mathbb{R}^q$.

The Box - Jenkins Methodology

The first step towards model selection is to difference the series in order to achieve stationarity. Once this process is over, the researcher will then examine the correlogram in order to decide on the appropriate orders of the AR and MA components. It is important to highlight the fact that this procedure (of choosing the AR and MA components) is biased towards the use of personal judgement because there are no clear – cut rules on how to decide on the appropriate AR and MA components. Therefore, experience plays a pivotal role in this regard. The next step is the estimation of the tentative model, after which diagnostic testing shall follow. Diagnostic

checking is usually done by generating the set of residuals and testing whether they satisfy the characteristics of a white noise process. If not, there would be need for model re – specification and repetition of the same process; this time from the second stage. The process may go on and on until an appropriate model is identified (Nyoni, 2018i).

Data Collection

This study is based on a data set of annual Italian CPI (T) ranging over the period 1960 - 2017. All the data was gathered from the World Bank.

Diagnostic Tests & Model Evaluation

Stationarity Tests

The ADF Test

Table 1: Levels-intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-0.064617	0.9479	-3.552666 @1%		Non-stationary
			-2.914517 @5%		Non-stationary
			-2.595033	@10%	Non-stationary

Table 2: Levels-trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-2.315061	0.4190	-4.130526 @1%		Non-stationary
			-3.492149	@5%	Non-stationary
			-3.174802	@10%	Non-stationary

Table 3: without intercept and trend & intercept

Variable	ADF Statistic	Probability	Critical Value	es	Conclusion
T	1.335262	0.9527	-2.606911	@1%	Non-stationary
			-1.946764	@5%	Non-stationary
			-1.613062	@10%	Non-stationary

Table 4: 1st Difference-intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-3.053923	0.0360	-3.552666 @1%		Non-stationary
			-2.914517 @5%		Stationary
			-2.595033	@10%	Stationary

Table 5: 1st Difference-trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-3.014025	0.1377	-4.130526 @1%		Non-stationary
			-3.492149	@5%	Non-stationary
			-3.174802	@10%	Non-stationary

Table 6: 1st Difference-without intercept and trend & intercept

Variable	ADF Statistic	Probability	Critical Values	Conclusion
----------	---------------	-------------	-----------------	------------

T	-1.043415	0.2641	-2.607686	@1%	Non-stationary
			-1.946878	@5%	Non-stationary
			-1.612999	@10%	Non-stationary

Table 7: 2nd Difference-intercept

Variable	ADF Statistic	Probability	Critical Value	S	Conclusion
T	-9.941270	0.0000	-3.555023 @1%		Stationary
			-2.915522	@5%	Stationary
			-2.595565	@10%	Stationary

Table 8: 2nd Difference-trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-9.917267	0.0000	-4.133838	@1%	Stationary
			-3.493692	@5%	Stationary
			-3.175693	@10%	Stationary

Table 9: 2nd Difference-without intercept and trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
T	-10.02705	0.0000	-2607686 @1%		Stationary
			-1.946878	@5%	Stationary
			-1.612999	@10%	Stationary

Tables 1 - 6 indicate that T is non-stationary in levels as well as in first differences while tables 7 - 9 demonstrate that T is an I (2) variable.

Evaluation of ARIMA models (without a constant)

Table 10

Model	AIC	U	ME	MAE	RMSE	MAPE
ARIMA (1, 2, 1)	156.2026	0.70884	0.035782	0.67492	0.92409	3.3281
ARIMA (2, 2, 2)	157.0244	0.69794	0.053748	0.65785	0.89746	3.1885
ARIMA (2, 2, 0)	156.6638	0.7053	0.035714	0.6691	0.92795	3.1442
ARIMA (3, 2, 3)	158.8739	0.69143	0.038291	0.65613	0.88007	3.2312
ARIMA (1, 2, 0)	154.6651	0.70531	0.035714	0.66668	0.92796	3.139
ARIMA (0, 2, 1)	153.9201	0.70049	0.037008	0.67955	0.92148	3.1732
ARIMA (2, 2, 1)	158.0122	0.7053	0.035841	0.67339	0.92247	3.2842
ARIMA (1, 2, 2)	157.4397	0.69325	0.036219	0.67453	0.91748	3.1312
ARIMA (0, 2, 2)	155.5962	0.70909	0.039688	0.67397	0.91878	3.1934
ARIMA (3, 2, 2)	156.9373	0.69241	0.035286	0.65981	0.88058	3.2457
ARIMA (2, 2, 3)	157.2116	0.68856	0.048676	0.64849	0.88279	3.187

A model with a lower AIC value is better than the one with a higher AIC value (Nyoni, 2018n). Theil's U must lie between 0 and 1, of which the closer it is to 0, the better the forecast method (Nyoni, 2018l). The study will only consider the AIC as the criteria for choosing the best model for forecasting CPI in Italy. Thus, the ARIMA (0, 2, 1) model is preferred.

Residual & Stability Tests

ADF Tests of the Residuals of the ARIMA (0, 2, 1) Model

Table 11: Levels-intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
R_t	-6.729349	0.0000	-3.555023 @1%		Stationary
			-2.915522	@5%	Stationary
			-2.595565	@10%	Stationary

Table 12: Levels-trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
R_t	-6.806247	0.0000	-4.133838	@1%	Stationary
			-3.493692	@5%	Stationary
			-3.175693	@10%	Stationary


Table 13: without intercept and trend & intercept

Variable	ADF Statistic	Probability	Critical Values		Conclusion
R_t	-6.786085	0.0000	-2.607686	@1%	Stationary
			-1.946878	@5%	Stationary
			-1.612999	@10%	Stationary

Tables 11, 12 and 13 demonstrate that the residuals of the ARIMA (0, 2, 1) model are stationary and thus the ARIMA (0, 2, 1) model I suitable for modeling CPI in Italy over the study period.

Stability Test of the ARIMA (0, 2, 1) Model

Figure 1



Since the corresponding inverse roots of the characteristic polynomial lie in the unit circle, it illustrates that the chosen ARIMA (0, 2, 1) model is indeed stable and suitable for predicting CPI in Italy over the period under study.

FINDINGS

Descriptive Statistics

Table 14

Description	Statistic
Mean	51.328
Median	50.5
Minimum	4
Maximum	109
Standard deviation	38.265
Skewness	0.077213
Excess kurtosis	-1.5392

As shown above, the mean is positive, i.e. 51.328. The minimum is 4 while the maximum is 109. The skewness is 0.077213 and the most striking characteristic is that it is positive, indicating that the T series is positively skewed and non-symmetric. Excess kurtosis is -1.5392; showing that the T series is not normally distributed.

Results Presentation¹


Table 15

ARIMA (0, 2, 1) Model:					
$\Delta^2 T_{t-1} = -0.4153 \mu_{t-1} \dots \dots$					
Variable	Coefficient	Standard Error	Z	p-value	
MA (1)	-0.4153	0.125034	-3.321	0.0009***	

Forecast Graph

Figure 2

¹ The *, ** and *** means significant at 10%, 5% and 1% levels of significance; respectively.



Predicted Annual CPI in Italy

Table 16

Year	Prediction	Std. Erro	r 95% Confidence Interval
2018	110.22	0.921	108.42 - 112.03
2019	111.44	1.726	108.06 - 114.83
2020	112.66	2.641	107.49 - 117.84
2021	113.88	3.662	106.71 - 121.06
2022	115.10	4.782	105.73 - 124.48
2023	116.33	5.995	104.58 - 128.07
2024	117.55	7.293	103.25 - 131.84
2025	118.77	8.671	101.77 - 135.76

2026	119.99	10.127	100.14 -	139.84
2027	121.21	11.655	98.37 -	144.05

Figure 2 (with a forecast range from 2018 - 2027) and table 16, clearly show that CPI in Italy is indeed set to continue rising gradually, in the next decade.

POLICY IMPLICATION & CONCLUSION

After performing the Box-Jenkins approach, the ARIMA was engaged to investigate annual CPI of Italy from 1960 to 2017. The study mostly planned to forecast the annual CPI in Italy for the upcoming period from 2018 to 2027 and the best fitting model was selected based on how well the model captures the stochastic variation in the data. The ARIMA (0, 2, 1) model, as indicated by the AIC statistic; is not only stable but also the most suitable model to forecast the CPI of Italy for the next ten years. In general, CPI in Italy; showed an upwards trend over the forecasted period. Based on the results, policy makers in Italy should engage more proper economic and monetary policies in order to fight such increase in inflation as reflected in the forecasts. In this regard, Italian policy makers are challenged to make use of tight monetary policy, which should be complimented by a tight fiscal policy regime.

REFERENCES

- [1] Alvarez-Diaz, M & Gupta, R (2015). Forecasting the US CPI: Does Nonlinearity Matter? *Department of Economics Working Paper Series*, University of Pretoria.
- [2] Boskin, M. J., Ellen, R. D., Gordon, R. J., Grilliches, Z & Jorgenson, D. W (1998). Consumer Price Index and the Cost of Living, *The Journal of Economic Perspectives*, 12 (1): 3 26.
- [3] Box, G. E. P & Jenkins, G. M (1976). Time Series Analysis: Forecasting and Control, *Holden Day*, San Francisco.
- [4] Brocwell, P. J & Davis, R. A (2002). Introduction to Time Series and Forecasting, *Springer*, New York.
- [5] Chatfield, C (2004). The Analysis of Time Series: An Introduction, 6th Edition, *Chapman & Hall*, New York.
- [6] Cryer, J. D & Chan, K. S (2008). Time Series Analysis with Application in R, *Springer*, New York.
- [7] Du, Y., Cai, Y., Chen, M., Xu, W., Yuan, H & Li, T (2014). A novel divide-and-conquer model for CPI prediction using ARIMA, Gray Model and BPNN, *Procedia Computer Science*, 31 (2014): 842 851.
- [8] Enke, D & Mehdiyev, N (2014). A Hybrid Neuro-Fuzzy Model to Forecast Inflation, *Procedia Computer Science*, 36 (2014): 254 260.

- [9] Hurtado, C., Luis, J., Fregoso, C & Hector, J (2013). Forecasting Mexican Inflation Using Neural Networks, *International Conference on Electronics, Communications and Computing*, 2013: 32 35.
- [10] Kharimah, F., Usman, M., Elfaki, W & Elfaki, F. A. M (2015). Time Series Modelling and Forecasting of the Consumer Price Bandar Lampung, *Sci. Int (Lahore).*, 27 (5): 4119 4624.
- [11] Manga, G. S (1977). Mathematics and Statistics for Economics, *Vikas Publishing House*, New Delhi.
- [12] Mcnelis, P. D & Mcadam, P (2004). Forecasting Inflation with Think Models and Neural Networks, *Working Paper Series*, European Central Bank.
- [13] Nyoni, T & Nathaniel, S. P (2019). Modeling Rates of Inflation in Nigeria: An Application of ARMA, ARIMA and GARCH models, *Munich University Library Munich Personal RePEc Archive (MPRA)*, Paper No. 91351.
- [14] Nyoni, T (2018k). Modeling and Forecasting Inflation in Zimbabwe: a Generalized Autoregressive Conditionally Heteroskedastic (GARCH) approach, *Munich University Library Munich Personal RePEc Archive (MPRA)*, Paper No. 88132.
- [15] Nyoni, T (2018l). Modeling Forecasting Naira / USD Exchange Rate in Nigeria: a Box Jenkins ARIMA approach, *University of Munich Library Munich Personal RePEc Archive (MPRA)*, Paper No. 88622.
- [16] Nyoni, T (2018n). Modeling and Forecasting Inflation in Kenya: Recent Insights from ARIMA and GARCH analysis, *Dimorian Review*, 5 (6): 16 40.
- [17] Nyoni, T. (2018i). Box Jenkins ARIMA Approach to Predicting net FDI inflows in Zimbabwe, *Munich University Library Munich Personal RePEc Archive (MPRA)*, Paper No. 87737.
- [18] Sarangi, P. K., Sinha, D., Sinha, S & Sharma, M (2018). Forecasting Consumer Price Index using Neural Networks models, *Innovative Practices in Operations Management and Information Technology* Apeejay School of Management, pp: 84 93.
- [19] Subhani, M. I & Panjwani, K (2009). Relationship between Consumer Price Index (CPI) and Government Bonds, *South Asian Journal of Management Sciences*, 3 (1): 11 17.
- [20] Wei, W. S (2006). Time Series Analysis: Univariate and Multivariate Methods, 2nd Edition, *Pearson Education Inc*, Canada.